







01_
Floor covering
profiles



02_
Stair nosing
profiles




03_
Wall covering
profiles




04_
Movement joint
profiles



05_
Perimeter profiles for
balconies and terraces



06_
Tile installation
membranes



07_
Baseboards and
wall protection rails



08_

**Drainage
systems**

09_

**Tile installation
accessories**

Index

Floor covering profiles	page 5
Stair nosing profiles	page 41
Wall covering profiles	page 59
Movement joint profiles	page 97
Perimeter profiles for balconies and terraces	page 117
Tile installation membranes	page 131
Baseboards and wall protection rails	page 137
Drainage systems	page 149
Tile installation accessories	page 161
Marketing	page 179

01_

02_

03_

04_

05_


06_

07_

08_

09_

///_





Floor covering profiles

Innovative and traditional profiles join different materials, edges and surfaces to create both classic and modern designs.

A complete range of profiles specifically engineered for tile and stone flooring and a comprehensive line of multipurpose profiles provide edging and finishing for most flooring on the market.

We offer solutions that are technical and aesthetic, perfectly complementing tiling and floor coverings of interior spaces.

Discreet, minimal, linear as well as decorative profile sections offer a vast range of design possibilities and guarantee state-of-the-art floor detailing.



Article	Code	Use	Page
Trimtec	TR	multipurpose	6
Trimtec	SR	edge finish	9
Bordertec	BSR	edge finish	10
Uptec	SUPA*	pedestals	11
Roundjolly	RJ	terminal prof. for elevated floors	12
Mosaictec	SJM	terminal prof. for elevated floors	12
Squarejolly	SJ	Junction	13
Cubetec	CU	Junction	15
Cubetec	FI	Junction	15
Coverttec	EP	junction and transition	15
Roundtec	RD	junction and transition	16
Zerotec	ZRM	junction and transition	16
Zerotec	ZR60	junction ramp	16
Zerotec	ZR	junction ramp	17
Zerotec	ZRR	junction ramp	18
Linetec	AD	separation profile	19
Linetec	MB	separation profile	19
Linetec	PT	separation profile	19
Coverttec	SP	Junction	20
Striptec	ST	existing floors	21
Striptec	STB/STP	existing floors	24
Leveltec	RPR	existing floors	25
Leveltec	RP	existing floors	25
Variotec	DC/DK	edge strip	27
Variotec	DR/DS	junction and compensating edge	28
Leveltec	PR/PQ/PU	junction and compensating edge	28
Multiclip	CL + CLB	multiclip	29
Multiclip	CLG	multiclip	29
Multiclip	CLF	multiclip	30
Multiclip	CLP	multiclip	31
Multiclip	CLS	multiclip	31
Multiclip LVT	CL + CLB	multiclip for LVT floors	32
Multiclip LVT	CLG	multiclip for LVT floors	32
Multiclip LVT	CLF	multiclip for LVT floors	33
Multiclip LVT	CLP	multiclip for LVT floors	33
Multifix	CLG	multifix	34
Multicover	CLG	multicover	35
Multicover	CLF	multicover	35
Woodtec	LT	edge for wooden floors	36
Woodtec	LP	junct. and edge for wooden floors	37
Woodtec	LG/LS	junct. and edge for wooden floors	37
Carpetec	MG	carpet and edge junction	38
Carpetec	MP/MA	carpet and edge junction	38
Carpetec	MS/MD	carpet and edge junction	39
Multicurve	CFD	carpet and edge junction	39
Multicurve	CGD/CFD/CBD	carpet edge	39
Linotec	AP/AV/SC	edge PVC	40

Length: 2,70 meters

- ☒ **SELFLINE/KIT PRE-CUT**
0,90 and 1,35 m + €/m 0,46
- ☑ **CURVELINE/BENDABLE**
Code TR-ILD + €/m 2,99



TR - I*

trimtec >> TR-IL in Stainless Steel AISI 304 - DIN 1.4301 Polished

	H = mm	Art.		Finish	€/ m	pc ■
new	2	TR	20	IL	Polished	7,21 30
new	3	TR	30	IL	Polished	7,41 30
	4,5	TR	45	IL	Polished	7,58 30
☑	6	TR	60	IL	Polished	7,97 30
☑	8	TR	80	IL	Polished	8,22 30
☑	10	TR	100	IL	Polished	8,55 30
☑	11	TR	110	IL	Polished	8,80 30
☑	12,5	TR	125	IL	Polished	9,01 30
☑	15	TR	150	IL	Polished	9,55 20
☑	17,5	TR	175	IL	Polished	10,07 20
☑	20	TR	200	IL	Polished	10,40 20
☑	22,5	TR	225	IL	Polished	10,92 20
☑	25	TR	250	IL	Polished	11,65 20
☑	27,5	TR	275	IL	Polished	12,30 20
☑	30	TR	300	IL	Polished	12,50 20

Profile protected with a removable film. (excluded TR20IL / TR30IL)

trimtec >> TR-ILM in Stainless Steel AISI 316 - DIN 1.4404 Polished

	H = mm	Art.		Finish	€/ m	pc ■
	6	TR	60	ILM	Polished	9,69 30
	8	TR	80	ILM	Polished	9,89 30
	10	TR	100	ILM	Polished	10,41 30
	11	TR	110	ILM	Polished	10,63 30
	12,5	TR	125	ILM	Polished	11,37 30
	15	TR	150	ILM	Polished	12,03 20

Profile protected with a removable film.

trimtec >> TR-IS in Stainless Steel AISI 304 - DIN 1.4301 Brushed

	H = mm	Art.		Finish	€/ m	pc ■
	4,5	TR	45	IS	Brushed	9,80 30
	6	TR	60	IS	Brushed	10,20 30
	8	TR	80	IS	Brushed	10,45 30
	10	TR	100	IS	Brushed	10,79 30
	11	TR	110	IS	Brushed	11,04 30
	12,5	TR	125	IS	Brushed	11,26 30
	15	TR	150	IS	Brushed	11,80 20
	17,5	TR	175	IS	Brushed	12,33 20
	20	TR	200	IS	Brushed	12,67 20
	22,5	TR	225	IS	Brushed	13,20 20
	25	TR	250	IS	Brushed	13,94 20
	27,5	TR	275	IS	Brushed	14,60 20
	30	TR	300	IS	Brushed	14,80 20

Profile protected with a removable film. (excluded TR45IS / TR60IS)

trimtec >> TR-IX in Stainless Steel AISI 304 - DIN 1.4301 Sanded

	H = mm	Art.		Finish	€/ m	pc ■
	10	TR	100	IX	Sanded	11,29 30
	11	TR	110	IX	Sanded	11,51 30
	12,5	TR	125	IX	Sanded	11,75 30

☑ Bendable with bending

☑ Profile available in a pre-cut version




trim+tec TR-IL




trim+tec TR 45 IL

Length: 2,70 meters

- ☒ **SELFLINE/KIT PRE-CUT**
0,90 and 1,35 m + €/m 0,46
- ☑ **CURVELINE/BENDABLE**
Code TR-AND + €/m 1,51
Code TR-ASD + €/m 1,51



TR 20 ÷ 150 A*
B = 3 mm



TR 175 ÷ 225 A*
B = 3 mm

trimtec >> TR-AN in Natural Aluminum

	H = mm	Art.		Finish	€/ m	pc ■
☑	2	TR	20 AN	Natural	2,42	40
☑	3	TR	30 AN	Natural	2,45	40
☑ ☒	4,5	TR	45 AN	Natural	2,49	40
☑ ☒	6	TR	60 AN	Natural	2,54	40
☑ ☒	8	TR	80 AN	Natural	2,61	40
☑ ☒	10	TR	100 AN	Natural	2,75	40
☑ ☒	11	TR	110 AN	Natural	2,91	40
☑ ☒	12,5	TR	125 AN	Natural	3,07	40
☑ ☒	15	TR	150 AN	Natural	3,38	30
☑	17,5	TR	175 AN	Natural	3,70	30
☑	20	TR	200 AN	Natural	3,94	30
☑	22,5	TR	225 AN	Natural	4,18	30

trimtec >> TR-AS in Anodized Aluminum

	H = mm	Art.		Finish	Variant	€/ m	pc ■
☑	2	TR	20 AS	Anodized	Silver	3,31	40 ☒
☑	3	TR	30 AS	Anodized	Silver	3,33	40 ☒
☑ ☒	4,5	TR	45 AS	Anodized	Silver	3,40	40 ☒
☑ ☒	6	TR	60 AS	Anodized	Silver	3,53	40 ☒
☑ ☒	8	TR	80 AS	Anodized	Silver	3,65	40 ☒
☑ ☒	10	TR	100 AS	Anodized	Silver	3,83	40 ☒
☑ ☒	11	TR	110 AS	Anodized	Silver	4,11	40 ☒
☑ ☒	12,5	TR	125 AS	Anodized	Silver	4,38	40 ☒
☑ ☒	15	TR	150 AS	Anodized	Silver	4,76	30 ☒
☑	17,5	TR	175 AS	Anodized	Silver	5,17	30 ☒
☑	20	TR	200 AS	Anodized	Silver	5,55	30 ☒
☑	22,5	TR	225 AS	Anodized	Silver	6,05	30 ☒



Stainless Steel

INOX

- + Stainless Steel AISI 304
- + Stainless Steel 316 for food and hospital environments
- + Sanded Stainless Steel (IX) Unique and elegant finish

profiltec



trimtec TR 200 AS



trimtec TR 100 AS

☒ Individually wrapped

☑ Bendable with bending

☒ Profile available in a pre-cut version


multipurpose

floors




Length: 2,70 meters

- ☒ **SELFLINE/KIT PRE-CUT**
0,90 and 1,35 m + €/m 0,46
- ☑ **CURVELINE/BENDABLE**
Code TR-OND + €/m 2,72



TR 20-150 0*
B = 3 mm



TR 175-225 0*
B = 3 mm

trimtec >> TR-ON in Natural Brass

	H = mm	Art.			Finish	€/ m	pc ■
☑	2	TR	20	ON	Natural	7,09	10
☑	3	TR	30	ON	Natural	7,16	10
☑ ☒	4,5	TR	45	ON	Natural	7,39	10
☑ ☒	6	TR	60	ON	Natural	7,63	10
☑ ☒	8	TR	80	ON	Natural	8,07	10
☑ ☒	10	TR	100	ON	Natural	8,52	10
☑ ☒	12,5	TR	125	ON	Natural	9,21	10
☑ ☒	15	TR	150	ON	Natural	9,97	10
☑	17,5	TR	175	ON	Natural	11,00	10
☑	20	TR	200	ON	Natural	11,71	10
☑	22,5	TR	225	ON	Natural	12,29	10
☑	25	TR	250	ON	Natural	13,13	10
☑	27,5	TR	275	ON	Natural	13,74	10
☑	30	TR	300	ON	Natural	14,26	10

trimtec >> TR-OL in Polished Brass

	H = mm	Art.			Finish	€/ m	pc ■
	2	TR	20	OL	Polished	10,77	10
	3	TR	30	OL	Polished	10,84	10
	4,5	TR	45	OL	Polished	11,06	10
	6	TR	60	OL	Polished	11,31	10
	8	TR	80	OL	Polished	11,75	10
	10	TR	100	OL	Polished	12,20	10
	12,5	TR	125	OL	Polished	12,89	10
	15	TR	150	OL	Polished	13,64	10
	17,5	TR	175	OL	Polished	14,68	10
	20	TR	200	OL	Polished	15,39	10
	22,5	TR	225	OL	Polished	15,97	10
	25	TR	250	OL	Polished	16,81	10
	27,5	TR	275	OL	Polished	17,40	10
	30	TR	300	OL	Polished	17,94	10



Dovetail internal groove



- + Improved mechanical adhesion
- + Best tile protection
- + Better load resistance

- ☑ Bendable with bending
- ☒ Profile available in a pre-cut version



trim+tec TR 100 ON



trim+tec TR-OL


Length: 2,70 meters

 CURVELINE/BENDABLE


Code SR-ILD + €/m 2,99

Code SR-ASD + €/m 1,51

Code SR-OND + €/m 2,72



SR - I*



SR - AS
SR - O*



trimtec >> SR-IL in Stainless Steel AISI 304 - DIN 1.4301 Polished

	H/H1 mm	Art.			Finish	€/ m	pc ■
	8/15	SR	8/15	IL	Polished	13,97	10
	10/12	SR	10/12	IL	Polished	13,97	10

Profile protected with a removable film.



trimtec >> SR-IS in Stainless Steel AISI 304 - DIN 1.4301 Brushed

	H/H1 mm	Art.			Finish	€/ m	pc ■
	8/15	SR	8/15	IS	Brushed	16,55	10
	10/12	SR	10/12	IS	Brushed	16,55	10

Profile protected with a removable film.



trimtec >> SR-AS in Anodized Aluminum

	H/H1 mm	Art.			Finish	Variant	€/ m	pc ■
	8/15	SR	8/15	AS	Anodized	Silver	7,04	10
	10/12	SR	10/12	AS	Anodized	Silver	7,04	10



trimtec >> SR-ON in Natural Brass

	H/H1 mm	Art.			Finish	€/ m	pc ■
	8/15	SR	8/15	ON	Natural	14,15	10
	10/12	SR	10/12	ON	Natural	14,15	10



trimtec >> SR-OL in Polished Brass

	H/H1 mm	Art.			Finish	€/ m	pc ■
	8/15	SR	8/15	OL	Polished	17,81	10
	10/12	SR	10/12	OL	Polished	17,81	10




trimtec SR-AS





Length: 2,70 meters



BSR - IL
BSR - A*



bordertec >> BSR-IL in Stainless Steel AISI 304 - DIN 1.4301 Polished

	H/H1 mm	Art.			Finish	€ / m	pc ■
	10/35	BSR	10/35	IL	Polished	28,53	10
	15/30	BSR	15/30	IL	Polished	28,53	10
	20/25	BSR	20/25	IL	Polished	28,53	10

Profile protected with a removable film.

bordertec >> BSRE 45 IL Junction in Stainless Steel AISI 304 - DIN 1.4301 Polished

		Art.			Finish	€ / pc	pc ■
		BSRE	45	IL	Polished	34,87	10

External Junction BSRE 45 for BSR 10/35, 15/30, 20/25.

bordertec >> BSRG 45 IL Junction in Stainless Steel AISI 304 - DIN 1.4301 Polished

		Art.			Finish	€ / pc	pc ■
		BSRG	45	IL	Polished	6,36	10

Junction BSRG 45 for BSR 10/35, 15/30, 20/25.



bordertec >> BSR-A22 in Powder Coated Aluminum

	H/H1 mm	Art.			Finish	Variant	€ / m	pc ■
	10/35	BSR	10/35	A22	Pow. Coated	Pastel Grey	18,69	10
	15/30	BSR	15/30	A22	Pow. Coated	Pastel Grey	18,69	10
	20/25	BSR	20/25	A22	Pow. Coated	Pastel Grey	18,69	10
	20/40	BSR	20/40	A22	Pow. Coated	Pastel Grey	22,70	10
	20/60	BSR	20/60	A22	Pow. Coated	Pastel Grey	25,01	10
	20/80	BSR	20/80	A22	Pow. Coated	Pastel Grey	28,10	10
	20/100	BSR	20/100	A22	Pow. Coated	Pastel Grey	31,98	10

Other finishes Modern Line (24/25/60/64) on minimum request of 100 pcs.

bordertec >> BSRE-A22 External junction in Powder Coated Aluminum

	H/H1 mm	Art.			Finish	Variant	€ / pc	pc ■
	/	BSRE	45	A22	Pow. Coated	Pastel Grey	25,84	10
	20/40	BSRE	20/40	A22	Pow. Coated	Pastel Grey	31,41	10
	20/60	BSRE	20/60	A22	Pow. Coated	Pastel Grey	34,61	10
	20/80	BSRE	20/80	A22	Pow. Coated	Pastel Grey	38,87	10
	20/100	BSRE	20/100	A22	Pow. Coated	Pastel Grey	44,21	10

External Junction BSRE 45 for BSR 10/35, 15/30, 20/25.

bordertec >> BSRG-A22 Junction in Powder Coated Aluminum


	H/H1 mm	Art.			Finish	Variant	€ / pc	pc ■
	/	BSRG	45	A22	Pow. Coated	Pastel Grey	5,14	10
	20/40	BSRG	20/40	A22	Pow. Coated	Pastel Grey	6,25	10
	20/60	BSRG	20/60	A22	Pow. Coated	Pastel Grey	6,88	10
	20/80	BSRG	20/80	A22	Pow. Coated	Pastel Grey	7,73	10
	20/100	BSRG	20/100	A22	Pow. Coated	Pastel Grey	8,82	10

Junction BSRG 45 for BSR 10/35, 15/30, 20/25.

profiltec




bordertec BSR-IL



bordertec BSR-A22

Length: 2,70 meters



BSR - A*

bordertec >> BSR-A50 in Powder Coated Aluminum Modern Line

H/H1 mm	Art.	Finish	Variant	€ / m	pc ■
10/35	BSR 10/35 A50	Pow. Coated	Embossed Micaceous	18,69	10
15/30	BSR 15/30 A50	Pow. Coated	Embossed Micaceous	18,69	10
20/25	BSR 20/25 A50	Pow. Coated	Embossed Micaceous	18,69	10
20/40	BSR 20/40 A50	Pow. Coated	Embossed Micaceous	22,70	10
20/60	BSR 20/60 A50	Pow. Coated	Embossed Micaceous	25,01	10
20/80	BSR 20/80 A50	Pow. Coated	Embossed Micaceous	28,10	10
20/100	BSR 20/100 A50	Pow. Coated	Embossed Micaceous	31,98	10

Other finishes Modern Line (24/25/60/64) on minimum request of 100 pcs.

bordertec >> BSRE-A50 Junction in Powder Coated Aluminum Modern Line

H/H1 mm	Art.	Finish	Variant	€ / pc	pc ■
/	BSRE 45 A50	Pow. Coated	Embossed Micaceous	25,84	10
20/40	BSRE 20/40 A50	Pow. Coated	Embossed Micaceous	31,41	10
20/60	BSRE 20/60 A50	Pow. Coated	Embossed Micaceous	34,61	10
20/80	BSRE 20/80 A50	Pow. Coated	Embossed Micaceous	38,87	10
20/100	BSRE 20/100 A50	Pow. Coated	Embossed Micaceous	44,21	10

External Junction BSRE 45 for BSR 10/35, 15/30, 20/25.

bordertec >> BSRG-A50 Junctions in Powder Coated Aluminum Modern Line

H/H1 mm	Art.	Finish	Variant	€ / pc	pc ■
/	BSRG 45 A50	Pow. Coated	Embossed Micaceous	5,14	10
20/40	BSRG 20/40 A50	Pow. Coated	Embossed Micaceous	6,25	10
20/60	BSRG 20/60 A50	Pow. Coated	Embossed Micaceous	6,88	10
20/80	BSRG 20/80 A50	Pow. Coated	Embossed Micaceous	7,73	10
20/100	BSRG 20/100 A50	Pow. Coated	Embossed Micaceous	8,82	10

Junction BSRG 45 for BSR 10/35, 15/30, 20/25.

uptec >> >> adjustable universal pedestals for raised floors - components

	Art.	Finish	€ / pc	pkg ■
new	SUPAL	Low pedestal	3,67	24 pcs
new	SUPAS	Standard pedestal	3,84	24 pcs
new	SUPAR	Modular Ring	0,77	24 pcs

Check the complete range on page 166.

uptec >> accessories

	Art.	Finish	€ / pc	pkg ■
new	SUPA2	Spacer - 2 mm tabs	1,34	240 pcs
new	SUPA4	Spacer - 4 mm tabs - also compatible with Al. joists	1,34	240 pcs
new	SUPAW	Spacer - wooden beams	1,34	240 pcs
new	SUPAK	3 functions adjusting key	63,55	1 pc
new	SUPK	Only adjustment key	51,49	1 pc


SUPK available while stocks last.

pkg = indivisible packaging


profiltec



bordertec BSR-A50



bordertec BSRG-A50



bordertec BSRE-A50



uptec SUPAS

edge finish

floors



Length: 2,70 meters



RJ 45 I*



RJ 45 AS

**roundjolly >> RJ 45 IL in Stainless Steel AISI 304 - DIN 1.4301 - Polished**

H = mm	Art.	Finish	€ / m	pc ■
4,5	RJ 45 IL	Polished	9,02	10

Profile protected with a removable film.

**roundjolly >> RJ 45 IS in Stainless Steel AISI 304 - DIN 1.4301 - Brushed**

H = mm	Art.	Finish	€ / m	pc ■
4,5	RJ 45 IS	Brushed	11,27	10

Profile protected with a removable film.


**roundjolly >> RJ 45 AS in Anodized Aluminum**

H = mm	Art.	Finish	Variant	€ / m	pc ■
4,5	RJ 45 AS	Anodized	Silver	3,75	40

profiltec

**roundjolly RJ 45 IL**

Length: 2,70 meters



SJM 44 AS

B = 5,1 mm

**mosaictec >> SJM 44 AS for mosaic and thin tiles in Anodized Aluminum**

H = mm	Art.	Finish	Variant	€ / m	pc ■
4,4	SJM 44 AS	Anodized	Silver	4,87	10


squarecapsula >> SJC 44 AS End caps in Anodized Aluminum

H = mm	Art.	Finish	Variant	€ / set	set ■
4,4	SJC 44 AS	Anodized	Silver	9,65	2 pcs

Universal end caps (internal and external corner, and three-way intersection). Loose pcs not available.



Profile for thin tiles



- + Mosaic profiles
- + Full range for thin tiles
- + Unique finishes

**mosaictec SJM 44 AS**



Length: 2,70 meters


☑ **CURVELINE/BENDABLE**

Code SJ-ILD + €/m 2,99

Visible side B:

H size + 1mm

e.g. SJ80 = 9x9mm



SJ - I*



SJC - IL

squarejolly >> SJ-IL in Stainless Steel AISI 304 - DIN 1.4301 - Polished

	H = mm	Art.		Finish	€/ m	pc ■
☑	6	SJ	60 IL	Polished	9,30	10
☑	8	SJ	80 IL	Polished	9,80	10
☑	9	SJ	90 IL	Polished	10,14	10
☑	10	SJ	100 IL	Polished	10,60	10
☑	11	SJ	110 IL	Polished	10,83	10
☑	12,5	SJ	125 IL	Polished	11,29	10
☑	15	SJ	150 IL	Polished	13,25	10

Profile protected with a removable film.

squarecapsule >> SJC-IL End cap in Stainless Steel AISI 304 - DIN 1.4301 - Polished

	H = mm	Art.		Finish	€/ set	set ■
	6	SJC	60 IL	Polished	26,69	2 pcs
	8	SJC	80 IL	Polished	26,69	2 pcs
	9	SJC	90 IL	Polished	26,69	2 pcs
	10	SJC	100 IL	Polished	26,69	2 pcs
	11	SJC	110 IL	Polished	26,69	2 pcs
	12,5	SJC	125 IL	Polished	26,69	2 pcs
	15	SJC	150 IL	Polished	26,69	2 pcs

Universal end caps (internal and external corner, and three-way intersection). Loose pcs not available.

squarejolly >> SJ-ILM in Stainless Steel AISI 316 - DIN 1.4404 - Polished

	H = mm	Art.		Finish	€/ m	pc ■
	8	SJ	80 ILM	Polished	12,94	10
	9	SJ	90 ILM	Polished	13,29	10
	10	SJ	100 ILM	Polished	13,75	10
	11	SJ	110 ILM	Polished	13,99	10
	12,5	SJ	125 ILM	Polished	14,45	10
	15	SJ	150 ILM	Polished	16,44	10

Profile protected with a removable film.

squarecapsule >> SJC-ILM End cap in Stainless Steel AISI 316 - DIN 1.4404 - Polished

	H = mm	Art.		Finish	€/ set	set ■
	8	SJC	80 ILM	Polished	33,59	2 pcs
	9	SJC	90 ILM	Polished	33,59	2 pcs
	10	SJC	100 ILM	Polished	33,59	2 pcs
	11	SJC	110 ILM	Polished	33,59	2 pcs
	12,5	SJC	125 ILM	Polished	33,59	2 pcs
	15	SJC	150 ILM	Polished	33,59	2 pcs

Universal end caps (internal and external corner, and three-way intersection). Loose pcs not available.

☑ Bendable with bending



squarejolly SJ - IL



squarejolly SJ - ILM




Length: 2,70 meters

Visible side B:

H size + 1mm

e.g. SJ80 = 9x9mm



SJ - I*



SJ - OL



SJC - IL



SJC - OL

squarejolly >> SJ-IS in Stainless Steel AISI 304 - DIN 1.4301 - Brushed

H = mm	Art.			Finish	€ / m	pc ■
6	SJ	60	IS	Brushed	11,55	10
8	SJ	80	IS	Brushed	12,06	10
9	SJ	90	IS	Brushed	12,40	10
10	SJ	100	IS	Brushed	12,87	10
11	SJ	110	IS	Brushed	13,10	10
12,5	SJ	125	IS	Brushed	13,57	10
15	SJ	150	IS	Brushed	15,56	10

Profile protected with a removable film.

squarecapsule >> SJC-IS End cap in Stainless Steel AISI 304 - DIN 1.4301 - Brushed

H = mm	Art.			Finish	€ / set	set ■
6	SJC	60	IS	Brushed	32,25	2 pcs
8	SJC	80	IS	Brushed	32,25	2 pcs
9	SJC	90	IS	Brushed	32,25	2 pcs
10	SJC	100	IS	Brushed	32,25	2 pcs
11	SJC	110	IS	Brushed	32,25	2 pcs
12,5	SJC	125	IS	Brushed	32,25	2 pcs
15	SJC	150	IS	Brushed	32,25	2 pcs

Universal end caps (internal and external corner, and three-way intersection). Loose pcs not available.

squarejolly >> SJ-IX in Stainless Steel AISI 304 - DIN 1.4301 - Sanded

H = mm	Art.			Finish	€ / m	pc ■
8	SJ	80	IX	Sanded	12,85	10
10	SJ	100	IX	Sanded	13,68	10
12,5	SJ	125	IX	Sanded	14,39	10

Profile protected with a removable film.

squarecapsule >> SJC-IX End cap in Stainless Steel AISI 304 - DIN 1.4301 - Sanded

H = mm	Art.			Finish	€ / set	set ■
8	SJC	80	IX	Sanded	27,09	2 pcs
10	SJC	100	IX	Sanded	27,09	2 pcs
12,5	SJC	125	IX	Sanded	27,09	2 pcs

Universal end caps (internal and external corner, and three-way intersection). Loose pcs not available.

squarejolly >> SJ-OL in Polished Brass

H = mm	Art.			Finish	€ / m	pc ■
8	SJ	80	OL	Polished	12,94	10
10	SJ	100	OL	Polished	13,97	10
12,5	SJ	125	OL	Polished	15,32	10

Profile protected with a removable film.

squarecapsule >> SJC-OL in Polished Brass

H = mm	Art.			Finish	€ / set	set ■
8	SJC	80	OL	Polished	20,31	2 pcs
10	SJC	100	OL	Polished	20,31	2 pcs
12,5	SJC	125	OL	Polished	20,31	2 pcs

Universal end caps (internal and external corner, and three-way intersection). Loose pcs not available.




squarejolly SJ - IX



squarejolly SJ - OL

Length: 2,70 meters



CU - I*

B = 8 mm

cubetec >> CU-IL in Stainless Steel AISI 304 - DIN 1.4301 Polished

H = mm	Art.	Finish	€/ m	pc ■
8	CU 80 IL	Polished	11,60	10
10	CU 100 IL	Polished	12,21	10
12,5	CU 125 IL	Polished	12,94	10

Profile protected with a removable film.

cubetec >> CU-IS in Stainless Steel AISI 304 - DIN 1.4301 Brushed

H = mm	Art.	Finish	€/ m	pc ■
8	CU 80 IS	Brushed	14,19	10
10	CU 100 IS	Brushed	14,80	10
12,5	CU 125 IS	Brushed	15,53	10

Profile protected with a removable film.

Length: 2,70 meters



FI - I*

B = 27 mm

cubetec >> FI-IL in Stainless Steel AISI 304 - DIN 1.4301 Polished

H = mm	Art.	Finish	€/ m	pc ■
8	FI 80 IL	Polished	18,14	10
10	FI 100 IL	Polished	18,88	10
12,5	FI 125 IL	Polished	19,61	10

Profile protected with a removable film.

cubetec >> FI-IS in Stainless Steel AISI 304 - DIN 1.4301 Brushed

H = mm	Art.	Finish	€/ m	pc ■
8	FI 80 IS	Brushed	20,73	10
10	FI 100 IS	Brushed	21,47	10
12,5	FI 125 IS	Brushed	22,20	10

Profile protected with a removable film.

Length: 2,70 meters



EP - IL



EP - O*

B = 10 mm

covertec >> EP-IL in Stainless Steel AISI 304 - DIN 1.4301 Polished

H = mm	Art.	Finish	€/ m	pc ■
8	EP 80 IL	Polished	10,61	10
10	EP 100 IL	Polished	11,29	10
12,5	EP 125 IL	Polished	12,49	10

Profile protected with a removable film.

covertec >> EP-ON in Natural Brass

H = mm	Art.	Finish	€/ m	pc ■
8	EP 80 ON	Natural	10,95	10
10	EP 100 ON	Natural	11,65	10
12,5	EP 125 ON	Natural	13,58	10

covertec >> EP-OL in Polished Brass

H = mm	Art.	Finish	€/ m	pc ■
8	EP 80 OL	Polished	14,63	10
10	EP 100 OL	Polished	15,32	10
12,5	EP 125 OL	Polished	17,26	10



cubetec FI-IL



covertec EP-OL

Length: 2,70 meters



RD - 0*

roundtec >> RD-ON in Natural Brass

	H = mm	Art.			Finish	€ / m	pc ■
	8	RD	80	ON	Natural	13,24	10
	10	RD	100	ON	Natural	14,26	10
	12,5	RD	125	ON	Natural	17,84	10
	15	RD	150	ON	Natural	23,31	10

roundtec >> RD-OL in Polished Brass

	H = mm	Art.			Finish	€ / m	pc ■
	8	RD	80	OL	Polished	16,91	10
	10	RD	100	OL	Polished	17,94	10
	12,5	RD	125	OL	Polished	21,51	10
	15	RD	150	OL	Polished	26,99	10

Length: 2,70 meters



ZRM - I*

H1 = 5 mm

Measure B:

ZRM80IL - B=12 mm

ZRM100IL - B=15 mm

ZRM125IL - B=17,5 mm



ZRM 80 AS



ZRM - A*

H1 = 5 mm

Measure B:

ZRM80A* - B=16 mm

ZRM100A* - B=22,3 mm

ZRM125A* - B=26,6 mm

zerotec >> ZRM-IL in Stainless Steel AISI 304 - DIN 1.4301 Polished


	H = mm	Art.			Finish	€ / m	pc ■
	8	ZRM	80	IL	Polished	11,90	10
	10	ZRM	100	IL	Polished	12,87	10
	12,5	ZRM	125	IL	Polished	14,46	10

Profile protected with a removable film.

zerotec >> ZRM-A* in Anodized Aluminum

	H = mm	Art.			Finish	Variant	€ / m	pc ■
	8	ZRM	80	AS	Anodized	Silver	5,29	30
	10	ZRM	100	AS	Anodized	Silver	6,00	30
	12,5	ZRM	125	AS	Anodized	Silver	6,84	20
	10	ZRM	100	ATSB	Anod. Spazzolato Brillantato	Titanium	13,37	30

Length: 2,70 meters



ZR60/- A*

H1 = 6 mm

Measure B:

ZR60/-A* - B=20 mm

zerotec >> ZR60/-AS in Anodized Aluminum

	H = mm	Art.			Finish	Variant	€ / m	pc ■
new	8	ZR60	80	AS	Anodized	Silver	5,29	30
new	10	ZR60	100	AS	Anodized	Silver	6,00	30
new	12,5	ZR60	125	AS	Anodized	Silver	6,84	20
new	10	ZR60	100	AT	Anodized	Titanium	8,21	30



roundtec RD-OL




zerotec ZRM - IL



zerotec ZR60/-AS


Length: 2,70 meters

- ☒ **SELFLINE/KIT PRE-CUT**
0,90 and 1,35 m + €/m 0,46
- ☑ **CURVELINE/BENDABLE**
Code ZR-AND + €/m 1,50
Code ZR-ASD + €/m 1,50



ZR - I*

Measure B:
ZR80IL - B=15,5 mm
ZR100IL - B=18,5 mm
ZR125IL - B=19,5 mm
ZR150IL - B=22,5 mm



ZR - A*

Measure B:
ZR50A* - B=15,1 mm
ZR80A* - B=13,7 mm
ZR100A* - B=16,4 mm
ZR125A* - B=20,0 mm



zerotec >> ZR-IL in Stainless Steel AISI 304 - DIN 1.4301 Polished						
	H = mm	Art.		Finish	€ / m	pc ■
☒	8	ZR	80 IL	Polished	12,12	10
☒	10	ZR	100 IL	Polished	13,11	10
	12,5	ZR	125 IL	Polished	14,75	10
	15	ZR	150 IL	Polished	17,92	10

Profile protected with a removable film.



zerotec >> ZR 100 IX in Stainless Steel AISI 304 - DIN 1.4301 Sanded

	H = mm	Art.	Finish	€ / m	pc ■
new	10	ZR 100 IX	Sanded	16,43	10

Profile protected with a removable film.

zerotec >> ZR-AN in Natural Aluminum							
	H = mm	Art.			Finish	€/ m	pc ■
☑ ☉	8	ZR	80	AN	Natural	3,86	10
☑ ☉	10	ZR	100	AN	Natural	4,35	10
☑ ☉	12,5	ZR	125	AN	Natural	4,96	10

zerotec >> ZR-A* in Anodized Aluminum							
	H = mm	Art.		Finish	Variant	€ / m	pc ■
	5	ZR	50 AS	Anodized	Silver	4,21	20 
	8	ZR	80 AS	Anodized	Silver	5,29	20 
	10	ZR	100 AS	Anodized	Silver	6,00	20 
	12,5	ZR	125 AS	Anodized	Silver	6,84	20 
	10	ZR	100 AT	Anodized	Titanium	10,06	20 
	12,5	ZR	125 AT	Anodized	Titanium	10,63	20 

☑ Ideal for vinyl floors (LVT)

zerotec >> ZR-ATSB in Bright Polished Brushed Anodized							
	H = mm	Art.		Finish	Variant	€/ m	pc ■
new	10	ZR	100 ATSB	Bright Polished Brushed Anodized	Titanium	12,56	20 
new	12.5	ZR	125 ATSB	Bright Polished Brushed Anodized	Titanium	13.13	20 

zerotec >> ZR-AMSB in Anodized Aluminum Brushed								
	H = mm	Art.			Finish	Variant	€ / m	pc ■
new	10	ZR	100	AMSB	Brushed Anodized	Antique Bronze	15,56	20 
new	12.5	ZR	125	AMSB	Brushed Anodized	Antique Bronze	16,13	20 

☑ Individually wrapped

☑ Bendable with bending

☑ Profile available in a pre-cut version

profiltec




zerotec ZR-IL



zerotec ZR-AT



zerotec ZR-ATSB



zerotec ZR-IX

junction ramp

floors



Length: 2,70 meters

- ☒ **SELFLINE/KIT PRE-CUT**
0,90 and 1,35 m + €/m 0,46
- ☑ **CURVELINE/BENDABLE**
Code ZR-OND + €/m 2,72



ZR - 0*

Measure B:

- ZR800* - B=13,6 mm
- ZR1000* - B=16,4 mm
- ZR1250* - B=19,9mm
- ZR1500* - B=22,7 mm

zerotec >> ZR-ON in Natural Brass

	H = mm	Art.			Finish	€/ m	pc ■
☑ ☒	8	ZR	80	ON	Natural	12,12	10
☑ ☒	10	ZR	100	ON	Natural	13,93	10
☒	12,5	ZR	125	ON	Natural	17,45	10
☒	15	ZR	150	ON	Natural	21,25	10


zerotec >> ZR-OL in Polished Brass

	H = mm	Art.			Finish	€/ m	pc ■
	8	ZR	80	OL	Polished	15,80	10
	10	ZR	100	OL	Polished	17,61	10
	12,5	ZR	125	OL	Polished	21,12	10
	15	ZR	150	OL	Polished	24,92	10



zerotec ZR-OL

Length: 2,70 meters



ZRR - AS

Measure B:

- ZRR100AS - B=43,2 mm
- ZRR125AS - B=48,2 mm
- ZRR150AS - B=53,0 mm

zerotec >> ZRR-AS in Anodized Aluminum

	H = mm	Art.			Finish	Variant	€/ m	pc ■
	10	ZRR	100	AS	Anodized	Silver	14,80	20 ☑
	12,5	ZRR	125	AS	Anodized	Silver	16,58	20 ☑
	15	ZRR	150	AS	Anodized	Silver	19,10	20 ☑



zerotec ZRR-AS

☑ Individually wrapped

☑ Bendable with bending

☑ Profile available in a pre-cut version

Length: 2,70 meters



linetec >> AD-AN in Natural Aluminum

	BxH mm	Art.			Finish	€ / m	pc ■
	5 x 10	AD	10	AN	Natural	2,71	40

linetec >> AD-ON in Natural Brass

	BxH mm	Art.			Finish	€ / m	pc ■
	5 x 10	AD	10	ON	Natural	6,95	30
	5 x 14	AD	14	ON	Natural	7,86	30

Length: 2,70 meters




linetec >> MB-AN in Natural Aluminum

	BxH mm	Art.			Finish	€ / m	pc ■
	5 x 25	MB	5	AN	Natural	3,32	40

linetec >> MB-ON in Natural Brass

	BxH mm	Art.			Finish	€ / m	pc ■
	5 x 25	MB	5	ON	Natural	9,08	20
	10 x 25	MB	10	ON	Natural	14,02	20

Length: 2,70 meters



linetec >> PT-IN in Stainless Steel AISI 304 - DIN 1.4301 Natural

	BxH mm	Art.			Finish	€ / m	pc ■
	2,5 x 10	PT	100	IN	Natural	5,13	10
	2,5 x 15	PT	150	IN	Natural	6,72	10
	2,5 x 20	PT	200	IN	Natural	8,77	10
	2,5 x 40	PT	400	IN	Natural	15,68	10

linetec >> PT-ON in Natural Brass

	BxH mm	Art.			Finish	€ / m	pc ■
	2,5 x 10	PT	100	ON	Natural	8,41	10
	2,5 x 15	PT	150	ON	Natural	9,42	10
	2,5 x 20	PT	200	ON	Natural	11,58	10
	2,5 x 40	PT	400	ON	Natural	15,32	10
	5,0 x 30	PT	305	ON	Natural	32,91	10



linetec AD-AN



linetec MB-ON




linetec PT-ON




Length: 2,70 meters

☒ **SELFLINE/KIT PRE-CUT**
0,90 and 1,35 m + €/m 1,05
SP9AS solo 0,90 m



SP-1*



SP-*



AC CI FA NC



NS RS RO WE



covertec >> SP-IL in Stainless Steel AISI 304 - DIN 1.4301 Polished

	BxH mm	Art.		Finish	€/ m	pc ■
☒	14 x 7	SP	14 IL	Polished	8,61	10
☒	20 x 7	SP	20 IL	Polished	11,19	10

Profile protected with a removable film.



covertec >> SP-IS in Stainless Steel AISI 304 - DIN 1.4301 Brushed

	BxH mm	Art.		Finish	€/ m	pc ■
☒	14 x 7	SP	14 IS	Brushed	10,73	10
☒	20 x 7	SP	20 IS	Brushed	13,31	10

Profile protected with a removable film.



covertec >> SP-IX in Stainless Steel AISI 304 - DIN 1.4301 Sanded

	BxH mm	Art.		Finish	€/ m	pc ■
☒	14 x 7	SP	14 IX	Sanded	11,46	10



covertec >> SP-AS in Anodized Aluminum

	BxH mm	Art.		Finish	Variant	€/ m	pc ■
LVT ☒ new	9 x 4,5	SP	9 AS	Anodized	Silver	2,63	10 ☒
☒	14 x 7	SP	14 AS	Anodized	Silver	3,16	20
☒	20 x 7	SP	20 AS	Anodized	Silver	5,50	20

LVT Ideal for vinyl floors (LVT)



covertec >> SP-* in Wood Effect Aluminium

	BxH mm	Art.		Finish	Variant	€/ m	pc ■
☒	14 x 7	SP	14 AC	Wood effect	Maple	7,22	10
☒	14 x 7	SP	14 CI	Wood effect	Cherry	7,22	10
☒	14 x 7	SP	14 FA	Wood effect	Beechwood	7,22	10
☒	14 x 7	SP	14 NC	Wood effect	Light Walnut	7,22	10
☒	14 x 7	SP	14 NS	Wood effect	Dark Walnut	7,22	10
☒	14 x 7	SP	14 RO	Wood effect	Oak	7,22	10
☒	14 x 7	SP	14 RS	Wood effect	Bleached	7,22	10
☒	14 x 7	SP	14 WE	Wood effect	Wengé	7,22	10
☒	20 x 7	SP	20 AC	Wood effect	Maple	9,47	10
☒	20 x 7	SP	20 CI	Wood effect	Cherry	9,47	10
☒	20 x 7	SP	20 FA	Wood effect	Beechwood	9,47	10
☒	20 x 7	SP	20 NC	Wood effect	Light Walnut	9,47	10
☒	20 x 7	SP	20 NS	Wood effect	Dark Walnut	9,47	10
☒	20 x 7	SP	20 RO	Wood effect	Oak	9,47	10
☒	20 x 7	SP	20 RS	Wood effect	Bleached	9,47	10
☒	20 x 7	SP	20 WE	Wood effect	Wengé	9,47	10




cover+tec SP 14 IX



cover+tec SP 20 CI

Length: 2,70 meters

☒ **SELFLINE/KIT PRE-CUT**
0,90 and 1,35 m + €/m 1,05



SP-0*



covertec >> SP-OL in Polished Brass

	BxH mm	Art.			Finish	€/ m	pc ■
☑ ☒	14 x 7	SP	14	OL	Polished	6,56	10
☒	20 x 7	SP	20	OL	Polished	9,58	10
☒	26 x 7	SP	26	OL	Polished	11,52	10



covertec >> SP-OC in Chromed Brass

	BxH mm	Art.			Finish	€/ m	pc ■
	14 x 7	SP	14	OC	Chrome	13,13	10
	20 x 7	SP	20	OC	Chrome	17,73	10



covertec SP 14 OL

Length: 2,70 meters

☒ **SELFLINE-A/KIT PRE-CUT**
0,90 and 1,35 m + €/m 1,05

☒ **SELFLINE-F/KIT PRE-CUT**
0,90 and 1,35 m + €/m 1,33

Y U 5 x 5 x 0,90 m
7 x 7 x 1,35 m

screws + dowels



ST-I*



striptec >> ST-IL in Stainless Steel AISI 430 - Self-Adhesive

	B = mm	Art.			Finish	Variant	€/ m	pc ■
☒	18	ST	18	ILA	Polished	Self-Adhesive	4,96	20 ☑
☒	30	ST	30	ILA	Polished	Self-Adhesive	5,02	20 ☑
☒	35	ST	35	ILA	Polished	Self-Adhesive	6,03	20 ☑

Profile protected with a removable film.



striptec >> ST-IL in Stainless Steel AISI 430 - Drilled

	B = mm	Art.			Finish	Variant	€/ m	pc ■
☒	30	ST	30	ILF	Polished	Drilled	3,50	10
☒	35	ST	35	ILF	Polished	Drilled	4,55	10

Profile protected with a removable film.



striptec >> ST-IL in Stainless Steel AISI 430 - not Drilled

	B = mm	Art.			Finish	Variant	€/ m	pc ■
☒	18	ST	18	ILN	Polished	not Drilled	3,47	10

Profile protected with a removable film.



striptec ST 18 IL

Length: 2,70 meters

- ☒ **SELFLINE-A/KIT PRE-CUT**
0,90 and 1,35 m + €/m 1,05
- ☒ **SELFLINE-F/KIT PRE-CUT**
0,90 and 1,35 m + €/m 1,33

Y 5 + 5 x 0,90 m
7 + 7 x 1,35 m
screws + dowels



ST-A*

striptec >> ST-A* in Anodized Aluminum - Self-Adhesive

	B = mm	Art.			Finish	Variant	€/ m	pc ■
	18	ST	18	ASA	Anodized	Silver Self-Adhesive	4,63	20 ☒
	18	ST	18	ABA	Anodized	Bronze Self-Adhesive	4,63	20 ☒
	18	ST	18	AOA	Anodized	Gold Self-Adhesive	4,63	20 ☒
☒	30	ST	30	ASA	Anodized	Silver Self-Adhesive	4,79	20 ☒
☒	30	ST	30	ABA	Anodized	Bronze Self-Adhesive	4,79	20 ☒
☒	30	ST	30	AOA	Anodized	Gold Self-Adhesive	4,79	20 ☒
☒	35	ST	35	ASA	Anodized	Silver Self-Adhesive	5,74	20 ☒
☒	35	ST	35	ABA	Anodized	Bronze Self-Adhesive	5,74	20 ☒
☒	35	ST	35	AOA	Anodized	Gold Self-Adhesive	5,74	20 ☒
☒	40	ST	40	ASA	Anodized	Silver Self-Adhesive	6,88	20 ☒
☒	40	ST	40	ABA	Anodized	Bronze Self-Adhesive	6,88	20 ☒
☒	40	ST	40	AOA	Anodized	Gold Self-Adhesive	6,88	20 ☒

striptec >> ST-A* in Anodized Aluminum - Drilled

	B = mm	Art.			Finish	Variant	€/ m	pc ■
	18	ST	18	ASF	Anodized	Silver Drilled	3,36	20 ☒
	18	ST	18	ABF	Anodized	Bronze Drilled	3,36	20 ☒
	18	ST	18	AOF	Anodized	Gold Drilled	3,36	20 ☒
☒	30	ST	30	ASF	Anodized	Silver Drilled	3,54	20 ☒
☒	30	ST	30	ABF	Anodized	Bronze Drilled	3,54	20 ☒
☒	30	ST	30	AOF	Anodized	Gold Drilled	3,54	20 ☒
☒	35	ST	35	ASF	Anodized	Silver Drilled	4,47	20 ☒
☒	35	ST	35	ABF	Anodized	Bronze Drilled	4,47	20 ☒
☒	35	ST	35	AOF	Anodized	Gold Drilled	4,47	20 ☒
☒	40	ST	40	ASF	Anodized	Silver Drilled	5,61	20 ☒
☒	40	ST	40	ABF	Anodized	Bronze Drilled	5,61	20 ☒
☒	40	ST	40	AOF	Anodized	Gold Drilled	5,61	20 ☒



striptec ST 30 AS




striptec ST 38 ASF

Length: 2,70 meters

- ☒ **SELFLINE-A/KIT PRE-CUT**
0,90 and 1,35 m + €/m 1,07
- ☒ **SELFLINE-F/KIT PRE-CUT**
0,90 and 1,35 m + €/m 1,33

Y 5 + 5 x 0,90 m
7 + 7 x 1,35 m
screws + dowels



ST 38 A*

striptec >> ST38A* in Anodized Aluminum - Self-Adhesive

	B = mm	Art.			Finish	Variant	€/ m	pc ■
☒	38	ST	38	ASA	Anodized	Silver Self-Adhesive	6,94	20 ☒
☒	38	ST	38	ABA	Anodized	Bronze Self-Adhesive	6,94	20 ☒
☒	38	ST	38	AOA	Anodized	Gold Self-Adhesive	6,94	20 ☒

striptec >> ST38A* in Anodized Aluminum - Drilled

	B = mm	Art.			Finish	Variant	€/ m	pc ■
☒	38	ST	38	ASF	Anodized	Silver Drilled	5,67	20 ☒
☒	38	ST	38	AOF	Anodized	Gold Drilled	5,67	20 ☒
☒	38	ST	38	ABF	Anodized	Bronze Drilled	5,67	20 ☒

Length: 2,70 meters

☒ **SELFLINE-A/KIT PRE-CUT**
0,90 and 1,35 m + €/m 1,05


☒ **SELFLINE-F/KIT PRE-CUT**
0,90 and 1,35 m + €/m 1,33

5 + 5 x 0,90 m
7 + 7 x 1,35 m

screws + dowels



ST - *
ST - O*



ST 50 OL*



AC CI FA NC



NS RS RO WE

striptec >> ST 30 * in Wood Effect Aluminium - Self-Adhesive

	B = mm	Art.			Finish	Variant	€/ m	pc ■
☒	30	ST	30	ACA	Wood effect	Maple - Self-Adhesive	9,45	20 ☒
☒	30	ST	30	CIA	Wood effect	Cherry - Self-Adhesive	9,45	20 ☒
☒	30	ST	30	FAA	Wood effect	Beechwood - Self-Adh.	9,45	20 ☒
☒	30	ST	30	NCA	Wood effect	Light Walnut -Self-Adh.	9,45	20 ☒
☒	30	ST	30	NSA	Wood effect	Dark Walnut -Self-Adh.	9,45	20 ☒
☒	30	ST	30	RSA	Wood effect	Whitened Oak Adhesive	9,45	20 ☒
☒	30	ST	30	ROA	Wood effect	Oak - Self-Adhesive	9,45	20 ☒
☒	30	ST	30	WEA	Wood effect	Wengè - Self-Adhesive	9,45	20 ☒

striptec >> ST 30 * in Wood Effect Aluminium - Drilled

	B = mm	Art.			Finish	Variant	€/ m	pc ■
☒	30	ST	30	ACF	Wood effect	Maple Drilled	8,16	20
☒	30	ST	30	CIF	Wood effect	Cherry Drilled	8,16	20
☒	30	ST	30	FAF	Wood effect	Beechwood Drilled	8,16	20
☒	30	ST	30	NCF	Wood effect	Light Walnut Drilled	8,16	20
☒	30	ST	30	NSF	Wood effect	Dark Walnut Drilled	8,16	20
☒	30	ST	30	ROF	Wood effect	Oak Drilled	8,16	20
☒	30	ST	30	RSF	Wood effect	Bleached Drilled	8,16	20
☒	30	ST	30	WEF	Wood effect	Wengè Drilled	8,16	20

striptec >> ST-OL in Polished Brass - Self-Adhesive

	B = mm	Art.			Finish	Variant	€/ m	pc ■
☒	18	ST	18	OLA	Polished	Self-Adhesive	6,96	20 ☒
☒	30	ST	30	OLA	Polished	Self-Adhesive	7,10	20 ☒
☒	35	ST	35	OLA	Polished	Self-Adhesive	9,46	20 ☒
	50	ST	50	OLA	Polished	Self-Adhesive	33,31	10 ☒

Profile protected with a removable film.

striptec >> ST-OL in Polished Brass - not Drilled

	B = mm	Art.			Finish	Variant	€/ m	pc ■
☒	18	ST	18	OLN	Polished	not Adhesive	5,26	20

Profile protected with a removable film.

striptec >> ST-OL in Polished Brass - Drilled


	B = mm	Art.			Finish	Variant	€/ m	pc ■
☒	30	ST	30	OLF	Polished	Drilled	5,59	20
☒	35	ST	35	OLF	Polished	Drilled	7,82	20
	50	ST	50	OLF	Polished	Drilled	31,65	10

Profile protected with a removable film.

☒ Profile available in a pre-cut version




striptec ST 30 CI



striptec ST 30 RS

Length: 2,70 meters



STP 30 0*



striptec >> STP-OL in Polished Brass - Self-Adhesive

	B = mm	Art.			Finish	Variant	€ / m	pc ■
☒	30	STP	30	OLA	Polished	Self-Adhesive	9,28	20 ☒

Profile protected with a removable film.



striptec >> STP-OL in Polished Brass - Drilled

	B = mm	Art.			Finish	Variant	€ / m	pc ■
☒	30	STP	30	OLF	Polished	Drilled	7,75	20


Profile protected with a removable film.

Length: 2,70 meters

☒ **SELFLINE-A/KIT PRE-CUT**
0,90 and 1,35 m + €/m 1,07

☒ **SELFLINE-F/KIT PRE-CUT**
0,90 and 1,35 m + €/m 1,33

☒ 5 + 5 x 0,90 m
7 + 7 x 1,35 m
screws + dowels



STB - A*



striptec >> STB - A* in Anodized Aluminum - Self-Adhesive

	B = mm	Art.			Finish	Variant	€ / m	pc ■
☒	25	STB	25	ASA	Anodized	Silver Self-Adhesive	4,89	40 ☒
☒	25	STB	25	ABA	Anodized	Bronze Self-Adhesive	4,89	40 ☒
☒	25	STB	25	AOA	Anodized	Gold Self-Adhesive	4,89	40 ☒
☒	35	STB	35	ASA	Anodized	Silver Self-Adhesive	5,99	40 ☒
☒	35	STB	35	ABA	Anodized	Bronze Self-Adhesive	5,99	40 ☒
☒	35	STB	35	AOA	Anodized	Gold Self-Adhesive	5,99	40 ☒

L code for version laterally Drilled e.g. STB 35 A*L.



striptec >> STB - A* in Anodized Aluminum - Drilled

	B = mm	Art.			Finish	Variant	€ / m	pc ■
☒	25	STB	25	ASF	Anodized	Silver Drilled	3,62	40 ☒
☒	35	STB	35	ASF	Anodized	Silver Drilled	4,73	40 ☒
☒	25	STB	25	AOF	Anodized	Gold Drilled	3,62	40 ☒
☒	35	STB	35	AOF	Anodized	Gold Drilled	4,73	40 ☒
☒	25	STB	25	ABF	Anodized	Bronze Drilled	3,62	40 ☒
☒	35	STB	35	ABF	Anodized	Bronze Drilled	4,73	40 ☒



striptec STP-OL




striptec STB 35 AS

Length: 2,70 meters

- ☒ **SELFLINE-A/KIT PRE-CUT**
0,90 and 1,35 m + €/m 1,07
- ☒ **SELFLINE-F/KIT PRE-CUT**
0,90 and 1,35 m + €/m 1,33

Y 5 + 5 x 0,90 m
7 + 7 x 1,35 m

screws + dowels



STB - OL*



striptec >> STB-OL in Polished Brass - Self-Adhesive

	B = mm	Art.			Finish	Variant	€/ m	pc ■
☒	30	STB	30	OLA	Polished	Self-Adhesive	13,56	20 ☒
☒	35	STB	35	OLA	Polished	Self-Adhesive	17,72	20 ☒
☒	40	STB	40	OLA	Polished	Self-Adhesive	20,37	20 ☒

Profile protected with a removable film.




striptec >> STB-OL in Polished Brass - Drilled

	B = mm	Art.			Finish	Variant	€/ m	pc ■
☒	30	STB	30	OLF	Polished	Drilled	12,05	10
☒	35	STB	35	OLF	Polished	Drilled	16,05	10
☒	40	STB	40	OLF	Polished	Drilled	18,74	10

Profile protected with a removable film.

Length: 2,70 meters

- ☒ **SELFLINE-A/KIT PRE-CUT**
0,90 and 1,35 m + €/m 1,05



RPR 39 OL*
H = 8 ÷ 14 mm



leveltec >> RPR 39 OL* in Brass - Self-Adhesive

	B = mm	Art.			Finish	Variant	€/ m	pc ■
☒	39	RPR	39	OLA	Polished	Self-Adhesive	18,68	10 ☒

Profile protected with a removable film.




leveltec >> RPR 39 OL* in Brass - not Drilled

	B = mm	Art.			Finish	Variant	€/ m	pc ■
☒	39	RPR	39	OLN	Polished	not Drilled	17,15	10

Profile protected with a removable film.

Length: 2,70 meters



RP - IL*



leveltec >> RP-IL* in Stainless Steel AISI 304 - DIN 1.4301 Polished - Self-Adhesive

	HxB mm	Art.			Finish	Variant	€/ m	pc ■
	5 x 29	RP	50	ILA	Polished	Self-Adhesive	6,31	20 ☒
	8 x 34	RP	80	ILA	Polished	Self-Adhesive	8,11	20 ☒
	11 x 38	RP	110	ILA	Polished	Self-Adhesive	9,62	20 ☒

Profile protected with a removable film.




leveltec >> RP-IL* in Stainless Steel AISI 304 - DIN 1.4301 Polished - Drilled

	HxB mm	Art.			Finish	Variant	€/ m	pc ■
	5 x 29	RP	50	ILF	Polished	Drilled	4,93	10
	8 x 34	RP	80	ILF	Polished	Drilled	6,75	10
	11 x 38	RP	110	ILF	Polished	Drilled	8,24	10

Thickness 10/10 - protected with a removable film.



striptec STB-OL*



leveltec RPR

Length: 2,70 meters



RP - A*

leveltec >> RP-A* in Anodized Aluminum - Self-Adhesive

	HxB mm	Art.			Finish	Variant	€/ m	pc ■
⊗	5 x 31	RP	50	ASA	Anodized	Silver Self-Adhesive	5,87	20
⊗	8 x 34	RP	80	ASA	Anodized	Silver Self-Adhesive	7,74	20
⊗	5 x 31	RP	50	AOA	Anodized	Gold Self-Adhesive	5,87	20
⊗	8 x 34	RP	80	AOA	Anodized	Gold Self-Adhesive	7,74	20
⊗	5 x 31	RP	50	ABA	Anodized	Bronze Self-Adhesive	5,87	20
⊗	8 x 34	RP	80	ABA	Anodized	Bronze Self-Adhesive	7,74	20

leveltec >> RP-A* in Anodized Aluminum - Drilled

	HxB mm	Art.			Finish	Variant	€/ m	pc ■
⊗	5 x 31	RP	50	ASF	Anodized	Silver Drilled	4,60	20
⊗	8 x 34	RP	80	ASF	Anodized	Silver Drilled	6,46	20
⊗	5 x 31	RP	50	AOF	Anodized	Gold Drilled	4,60	20
⊗	8 x 34	RP	80	AOF	Anodized	Gold Drilled	6,46	20
⊗	5 x 31	RP	50	ABF	Anodized	Bronze Drilled	4,60	20
⊗	8 x 34	RP	80	ABF	Anodized	Bronze Drilled	6,46	20

Length: 2,70 meters

⊗ **SELFLINE-A/KIT PRE-CUT**
0,90 and 1,35 m + €/m 1,07


⊗ **SELFLINE-A/KIT PRE-CUT**
0,90 and 1,35 m + €/m 1,31

⌋ 5 + 5 x 0,90 m
⌋ 7 + 7 x 1,35 m


screws + dowels




RP 50 O*



RP 80 O*



RP 100 O*



RP 125 O*

leveltec >> RP-OL* in Polished Brass - Self-Adhesive

	HxB mm	Art.			Finish	Variant	€/ m	pc ■
⊗	4,5 x 32	RP	50	OLA	Polished	Self-Adhesive	14,93	10
⊗	8 x 34	RP	80	OLA	Polished	Self-Adhesive	20,60	10
⊗	10 x 25	RP	100	OLA	Polished	Self-Adhesive	16,74	10
⊗	12,5 x 45	RP	125	OLA	Polished	Self-Adhesive	23,24	10

Profile protected with a removable film.


leveltec >> RP-OL* in Polished Brass - Drilled

	HxB mm	Art.			Finish	Variant	€/ m	pc ■
⊗	4,5 x 32	RP	50	OLF	Polished	Drilled	13,40	10
⊗	8 x 34	RP	80	OLF	Polished	Drilled	19,05	10
⊗	10 x 25	RP	100	OLF	Polished	Drilled	15,21	10
⊗	12,5 x 45	RP	125	OLF	Polished	Drilled	21,71	10

Profile protected with a removable film.



leveltec RP 50 ABF



leveltec RP 80 OL

Length: 2,70 meters



DC 22 *

H = 7 ÷ 14 mm



variotec >> DC 22 in A Anodized Aluminum

	B = mm	Art.	Finish	Variant	€ / m	pc ■
	22	DC 22 AS	Anodized	Silver	5,94	20
	22	DC 22 AO	Anodized	Gold	5,94	20
	22	DC 22 AB	Anodized	Bronze	5,94	20



variotec >> DC 22 in OL Brass


	B = mm	Art.	Finish	€ / m	pc ■
	22	DC 22 OL	Polished	19,49	10



variotec DC


Length: 2,70 meters

☒ **SELFLINE/KIT PRE-CUT**
0,90 and 1,35 m + €/m 1,05



DK 37 *

H = 7 ÷ 12 mm



DK 47 *

H = 12 ÷ 16 mm



variotec >> DK-ILA in Stainless Steel AISI 304 - DIN 1.4301 Polished - Self-Adhesive

	B = mm	Art.	Finish	Variant	€ / m	pc ■
☒	37	DK 37 ILA	Polished	Self-Adhesive	8,32	20 ☒
☒	47	DK 47 ILA	Polished	Self-Adhesive	10,45	20 ☒

Thickness 10/10 - protected with a removable film.



variotec >> DK-A*A in Anodized Aluminum - Self-Adhesive


	B = mm	Art.	Finish	Variant	€ / m	pc ■
	37	DK 37 ASA	Anodized	Silver Self-Adhesive	6,02	20 ☒
☒	37	DK 37 AOA	Anodized	Gold Self-Adhesive	6,02	20 ☒
☒	37	DK 37 ABA	Anodized	Bronze Self-Adhesive	6,02	20 ☒



variotec >> DK-OLA in Polished Brass - Self-Adhesive

	B = mm	Art.	Finish	Variant	€ / m	pc ■
☒	37	DK 37 OLA	Polished	Self-Adhesive	11,26	20 ☒
☒	47	DK 47 OLA	Polished	Self-Adhesive	14,94	20 ☒

Thickness 10/10 - protected with a removable film.



variotec DK

Length: 2,70 meters



ZP 100 OL



leveltec >> ZP 100 OL in Polished Brass

	H = mm	Art.	Finish	€ / m	pc ■
	10	ZP 100 OL	Polished	19,24	10



leveltec ZP 100 OL



Length: 2,70 meters

☒ **SELFLINE/KIT PRE-CUT**
0,90 and 1,35 m + €/m 1,05



DR 36 *
H = 7 ÷ 13 mm

variotec >> DR-A in Anodized Aluminum - Self-Adhesive

	B = mm	Art.			Finish	Variant	€/ m	pc ■
	36	DR	36	ASA	Anodized	Silver Self-Adhesive	5,80	20 ☒
	36	DR	36	AOA	Anodized	Gold Self-Adhesive	5,80	20 ☒
	36	DR	36	ABA	Anodized	Bronze Self-Adhesive	5,80	20 ☒


variotec >> DR 36 OLA in Polished Brass - Self-Adhesive

	B = mm	Art.			Finish	Variant	€/ m	pc ■
☒	36	DR	36	OLA	Polished	Self-Adhesive	21,07	15 ☒

Profile protected with a removable film.

Length: 2,70 meters

☒ **SELFLINE-A/KIT PRE-CUT**
0,90 and 1,35 m + €/m 1,05



DS 27 *
H = 7 ÷ 13 mm

variotec >> DS 27 ILA in Stainless Steel AISI 304 - DIN 1.4301 Lucido - Self-Adhesive

	B = mm	Art.			Finish	Variant	€/ m	pc ■
☒	27	DS	27	ILA	Polished	Self-Adhesive	10,34	20 ☒

Thickness 10/10. Profile protected with a removable film.

variotec >> DS 27 OLA in Polished Brass - Self-Adhesive


	B = mm	Art.			Finish	Variant	€/ m	pc ■
☒	27	DS	27	OLA	Polished	Self-Adhesive	13,07	20

Thickness 10/10. Profile protected with a removable film.


Length: 2,70 meters



PR 10 OL



PQ 10 *



PU 10 OL

linetec >> PR 10 OL in Polished Brass

	HxB mm	Art.			Finish	€/ m	pc ■
	10 x 10	PR	10	OL	Polished	18,40	20

linetec >> PQ 10 IN in Stainless Steel AISI 304 - DIN 1.4301 Natural

	HxB mm	Art.			Finish	€/ m	pc ■
	10 x 10	PQ	10	IN	Natural	21,49	10

linetec >> PQ 10 ON in Natural Brass

	HxB mm	Art.			Finish	€/ m	pc ■
	10 x 8	PQ	10	ON	Natural	19,09	10

linetec >> PU 10 OL in Polished Brass

	HxB mm	Art.			Finish	€/ m	pc ■
	10 x 10	PU	10	OL	Polished	12,64	40



vario+tec DR 36 OL



linetec PR 10 OL

Length: 2,70 meters



CL 80 P
1 piece for 6 - 10mm
2 pieces 11 - 15mm



CLB 80 AN*
6÷10 mm
11÷15 mm

multiclip >> CL 80 P Modular in Synthetic Resin

H = mm	Art.	Finish	€/ m	pc ■
8	CL 80 P	Synthetic Resin	1,18	20

multiclip >> CLB 80 ANF Aluminum fixing base in Natural Aluminum

H = mm	Art.	Finish	Variant	€/ m	pc ■
8	CLB 80 ANF	Natural	Drilled	4,86	10

multiclip >> CLB 80 ANT Perforated fixing base in Natural Aluminum


H = mm	Art.	Finish	Variant	€/ m	pc ■
8	CLB 80 ANT	Natural	Perforated	4,78	10

Length: 2,70 meters

☒ **SELFLINE/KIT PRE-CUT**
0,90 and 1,35 m + €/m 7,38



CLG 370
1 clip - H=6÷10
2 clip - H=11÷15
3 clip - H=16÷20



multiclip >> CLG 370 A* in Anodized Aluminum

B = mm	Art.	Finish	Variant	€/ m	pc ■
☒ 37	CLG 370 AS	Anodized	Silver	6,14	20 ☒
☒ 37	CLG 370 AB	Anodized	Bronze	6,14	20 ☒
☒ 37	CLG 370 AO	Anodized	Gold	6,14	20 ☒

Clip and base to be order separately in the standard version 2,70 m

multiclip >> CLG 370 * in Wood Laminated Aluminum

B = mm	Art.	Finish	Variant	€/ m	pc ■
☒ 37	CLG 370 AC	Wood effect	Maple	10,78	20 ☒
☒ 37	CLG 370 CI	Wood effect	Cherry	10,78	20 ☒
☒ 37	CLG 370 FA	Wood effect	Beechwood	10,78	20 ☒
☒ 37	CLG 370 NC	Wood effect	Light Walnut	10,78	20 ☒
☒ 37	CLG 370 NS	Wood effect	Dark Walnut	10,78	20 ☒
☒ 37	CLG 370 RO	Wood effect	Oak	10,78	20 ☒
37	CLG 370 RD	Wood effect	Decapè Oak	14,03	20 ☒
37	CLG 370 RG	Wood effect	Grey Oak	14,03	20 ☒
☒ 37	CLG 370 RS	Wood effect	Bleached	10,78	20 ☒
37	CLG 370 RW	Wood effect	Wengè Oak	14,03	20 ☒
☒ 37	CLG 370 WE	Wood effect	Wengè	10,78	20 ☒

Clip and base to be order separately in the standard version 2,70 m


multiclip >> CLG 370 OL in Polished Brass

B = mm	Art.	Finish	€/ m	pc ■
☒ 37	CLG 370 OL	Polished	17,48	10

Profile protected with a removable film. Clip and base to be order separately in the standard version 2.70m.

☒ Individually wrapped

☒ Profile available in a pre-cut version




multiclip



multiclip CLG 370 RD


Length: 2,70 meters

☒ **SELFLINE/KIT PRE-CUT**
0,90 and 1,35 m + €/m 7,38



CLF 450 *

1 clip - H=6÷11



multiclip >> CLF 450 A* in Anodized Aluminum

	B = mm	Art.	Finish	Variant	€/ m	pc ■
☒	45	CLF 450 AS	Anodized	Silver	6,79	20 ☒
☒	45	CLF 450 AB	Anodized	Bronze	6,79	20 ☒
☒	45	CLF 450 AO	Anodized	Gold	6,79	20 ☒

Base e clip da ordinare separatamente nella versione standard 2,70m.

multiclip >> CLF 450 A* in Wood Effect Aluminum

	B = mm	Art.	Finish	Variant	€/ m	pc ■
☒	45	CLF 450 AC	Wood effect	Maple	12,15	20 ☒
☒	45	CLF 450 CI	Wood effect	Cherry	12,15	20 ☒
☒	45	CLF 450 FA	Wood effect	Beechwood	12,15	20 ☒
☒	45	CLF 450 NC	Wood effect	Light Walnut	12,15	20 ☒
☒	45	CLF 450 NS	Wood effect	Dark Walnut	12,15	20 ☒
☒	45	CLF 450 RO	Wood effect	Oak	12,15	20 ☒
☒	45	CLF 450 RS	Wood effect	Bleached	12,15	20 ☒
☒	45	CLF 450 WE	Wood effect	Wengè	12,15	20 ☒

Base e clip da ordinare separatamente nella versione standard 2,70m.

multiclip >> CLF 450 OL in Polished Brass


	B = mm	Art.	Finish	€/ m	pc ■
☒	45	CLF 450 OL	Polished	21,57	10

Profile protected with a removable film. Clip and base to be order separately in the standard version 2.70m.




multiclip CLF 450 AS

☒ **SELFLINE/KIT PRE-CUT**
0,90 and 1,35 m + €/m 8,56



CLF 490 *

2 clip - H=12÷18



multiclip >> CLF 490 A* in Anodized Aluminum

	B = mm	Art.	Finish	Variant	€/ m	pc ■
☒	49	CLF 490 AS	Anodized	Silver	8,00	20 ☒
☒	49	CLF 490 AB	Anodized	Bronze	8,00	20 ☒
☒	49	CLF 490 AO	Anodized	Gold	8,00	20 ☒

Base e clip da ordinare separatamente nella versione standard 2,70m.

multiclip >> CLF 490 A* in Wood Effect Aluminum

	B = mm	Art.	Finish	Variant	€/ m	pc ■
☒	49	CLF 490 AC	Wood effect	Maple	12,91	20 ☒
☒	49	CLF 490 CI	Wood effect	Cherry	12,91	20 ☒
☒	49	CLF 490 FA	Wood effect	Beechwood	12,91	20 ☒
☒	49	CLF 490 NC	Wood effect	Light Walnut	12,91	20 ☒
☒	49	CLF 490 NS	Wood effect	Dark Walnut	12,91	20 ☒
☒	49	CLF 490 RO	Wood effect	Oak	12,91	20 ☒
☒	49	CLF 490 RS	Wood effect	Bleached	12,91	20 ☒
☒	49	CLF 490 WE	Wood effect	Wengè	12,91	20 ☒

Base e clip da ordinare separatamente nella versione standard 2,70m.

multiclip >> CLF 490 OL in Polished Brass


	B = mm	Art.	Finish	€/ m	pc ■
☒	49	CLF 490 OL	Polished	24,73	10

Profile protected with a removable film. Clip and base to be order separately in the standard version 2.70m.




multiclip CLF 450 RS

Length: 2,70 meters



CLP 270

1 clip - H=6÷10
2 clip - H=11÷15
3 clip - H=16÷20



multiclip >> CLP - A* in Anodized Aluminum


	B = mm	Art.	Finish	Variant	€ / m	pc ■
	27	CLP 270 AS	Anodized	Silver	6,42	20
	27	CLP 270 AB	Anodized	Bronze	6,42	20
	27	CLP 270 AO	Anodized	Gold	6,42	20

Clip and base to be order separately in the standard version 2,70 m

multiclip >> CLP - * in Wood Effect Aluminium


	B = mm	Art.	Finish	Variant	€ / m	pc ■
	27	CLP 270 AC	Wood effect	Maple	11,62	20
	27	CLP 270 CI	Wood effect	Cherry	11,62	20
	27	CLP 270 FA	Wood effect	Beechwood	11,62	20
	27	CLP 270 NC	Wood effect	Light Walnut	11,62	20
	27	CLP 270 NS	Wood effect	Dark Walnut	11,62	20
	27	CLP 270 RO	Wood effect	Oak	11,62	20
	27	CLP 270 RD	Wood effect	Decapè Oak	14,12	20
	27	CLP 270 RG	Wood effect	Grey Oak	14,12	20
	27	CLP 270 RS	Wood effect	Bleached	11,62	20
	27	CLP 270 RW	Wood effect	Wengè Oak	14,12	20
	27	CLP 270 WE	Wood effect	Wengè	11,62	20

Clip and base to be order separately in the standard version 2,70 m




multiclip CLP 270 AS

Length: 2,70 meters



CLS 250

1 clip - H=6÷10
2 clip - H=11÷15
3 clip - H=16÷20



multiclip >> CLS 250 A* in Anodized Aluminum

	B = mm	Art.	Finish	Variant	€ / m	pc ■
	25	CLS 250 AS	Anodized	Silver	6,67	20
	25	CLS 250 AB	Anodized	Bronze	6,67	20
	25	CLS 250 AO	Anodized	Gold	6,67	20

Clip and base to be order separately in the standard version 2,70 m

multiclip >> CLS 250 * in Wood Effect Aluminium

	B = mm	Art.	Finish	Variant	€ / m	pc ■
	25	CLS 250 AC	Wood effect	Maple	12,64	20
	25	CLS 250 CI	Wood effect	Cherry	12,64	20
	25	CLS 250 FA	Wood effect	Beechwood	12,64	20
	25	CLS 250 NC	Wood effect	Light Walnut	12,64	20
	25	CLS 250 NS	Wood effect	Dark Walnut	12,64	20
	25	CLS 250 RO	Wood effect	Oak	12,64	20
	25	CLS 250 RS	Wood effect	Bleached	12,64	20
	25	CLS 250 WE	Wood effect	Wengè	12,64	20

Clip and base to be order separately in the standard version 2,70 m




multiclip CLS 250 AC

Length: 2,70 meters

The Multiclip system is ideal to compensate floor thicknesses of 4 ÷ 6 mm (±1.5 mm).

The Base and Clip system is also compatible with CLG370, CLF450 and CLF490.



The Multiclip system for LVT floors is composed of a pre-drilled base (CLB 40 ANF), a clip (CL 40 P) and profiles (CLG 260, CLP 240, CLF 320)) in 14 finishes. Used as joint or end profiles to compensate level differences from 4 to 6 mm. The combination between the clip system and the symmetrical shape of the CLG 260 profile allows movement which compensates level differences of up 1.5 mm.



multiclip LVT CL 40 P + CLB 40 ANF



multiclip LVT CL 40 P + CLB 40 ANF



multiclip LVT CLG 260 AS

Length: 2,70 meters



CL 40 P



CLB 40 ANF

multiclip LVT >> CL 40 P in Synthetic Resin


	H = mm	Art.			Finish	€ / m	pc ■
new	4	CL	40	P	Synthetic Resin	1,38	20

multiclip LVT >> CLB 40 ANF Drilled fixing base in Natural Aluminum

	H = mm	Art.			Finish	Variant	€ / m	pc ■
new	4	CLB	40	ANF	Natural	Drilled	2,85	20

Length: 2,70 meters

Ⓢ **SELFLINE/KIT PRE-CUT**
0,90 m + €/m 7,38



CLG 260

H = 4÷6 mm



multiclip LVT >> CLG 260 A* in Anodized Aluminum

	B = mm	Art.			Finish	Variant	€ / m	pc ■
new	26	CLG	260	AS	Anodized	Silver	2,98	20
new	26	CLG	260	AB	Anodized	Bronze	2,98	20
new	26	CLG	260	AO	Anodized	Gold	2,98	20


Clip and base to be order separately in the standard version 2,70 m
 ■ Ideal for vinyl floors (LVT)

multiclip LVT >> CLG 260 * in High resistance Wood Laminated Aluminum

	B = mm	Art.			Finish	Variant	€ / m	pc ■
new	26	CLG	260	AC	Wood effect	Maple	11,30	20
new	26	CLG	260	CI	Wood effect	Cherry	11,30	20
new	26	CLG	260	FA	Wood effect	Beechwood	11,30	20
new	26	CLG	260	NC	Wood effect	Light Walnut	11,30	20
new	26	CLG	260	NS	Wood effect	Dark Walnut	11,30	20
new	26	CLG	260	RO	Wood effect	Oak	11,30	20
new	26	CLG	260	RD	Wood effect	Decapè Oak	11,30	20
new	26	CLG	260	RG	Wood effect	Grey Oak	11,30	20
new	26	CLG	260	RS	Wood effect	Bleached	11,30	20
new	26	CLG	260	RW	Wood effect	Wengè Oak	11,30	20
new	26	CLG	260	WE	Wood effect	Wengè	11,30	20


Clip and base to be order separately in the standard version 2,70 m
 ■ Ideal for vinyl floors (LVT)

Length: 2,70 meters



CLF 320

H = 4÷6 mm



Clip and base to be order separately in the standard version 2,70 m
 Ideal for vinyl floors (LVT)

multiclip LVT >> CLF 320 A* in Anodized Aluminum


	B = mm	Art.	Finish	Variant	€ / m	pc ■
new LVT	32	CLF 320 AS	Anodized	Silver	3,39	20 ■
new LVT	32	CLF 320 AB	Anodized	Bronze	3,39	20 ■
new LVT	32	CLF 320 AO	Anodized	Gold	3,39	20 ■

multiclip LVT >> CLF 320 * in High resistance Wood Laminated Aluminum

	B = mm	Art.	Finish	Variant	€ / m	pc ■
new LVT	32	CLF 320 AC	Wood effect	Maple	11,67	20 ■
new LVT	32	CLF 320 CI	Wood effect	Cherry	11,67	20 ■
new LVT	32	CLF 320 FA	Wood effect	Beechwood	11,67	20 ■
new LVT	32	CLF 320 NC	Wood effect	Light Walnut	11,67	20 ■
new LVT	32	CLF 320 NS	Wood effect	Dark Walnut	11,67	20 ■
new LVT	32	CLF 320 RO	Wood effect	Oak	11,67	20 ■
new LVT	32	CLF 320 RD	Wood effect	Decapè Oak	11,67	20 ■
new LVT	32	CLF 320 RG	Wood effect	Grey Oak	11,67	20 ■
new LVT	32	CLF 320 RS	Wood effect	Bleached	11,67	20 ■
new LVT	32	CLF 320 RW	Wood effect	Wengè Oak	11,67	20 ■
new LVT	32	CLF 320 WE	Wood effect	Wengè	11,67	20 ■


Clip and base to be order separately in the standard version 2,70 m
 Ideal for vinyl floors (LVT)

Length: 2,70 meters



CLP 240

H = 4÷6 mm



Clip and base to be order separately in the standard version 2,70 m
 Ideal for vinyl floors (LVT)

multiclip LVT >> CLP 240 A* in Anodized Aluminum

	B = mm	Art.	Finish	Variant	€ / m	pc ■
new LVT	24	CLP 240 AS	Anodized	Silver	3,45	20 ■
new LVT	24	CLP 240 AB	Anodized	Bronze	3,45	20 ■
new LVT	24	CLP 240 AO	Anodized	Gold	3,45	20 ■

multiclip LVT >> CLP 240 * in High resistance Wood Laminated Aluminum

	B = mm	Art.	Finish	Variant	€ / m	pc ■
new LVT	24	CLP 240 AC	Wood effect	Maple	11,67	20 ■
new LVT	24	CLP 240 CI	Wood effect	Cherry	11,67	20 ■
new LVT	24	CLP 240 FA	Wood effect	Beechwood	11,67	20 ■
new LVT	24	CLP 240 NC	Wood effect	Light Walnut	11,67	20 ■
new LVT	24	CLP 240 NS	Wood effect	Dark Walnut	11,67	20 ■
new LVT	24	CLP 240 RO	Wood effect	Oak	11,67	20 ■
new LVT	24	CLP 240 RD	Wood effect	Decapè Oak	11,67	20 ■
new LVT	24	CLP 240 RG	Wood effect	Grey Oak	11,67	20 ■
new LVT	24	CLP 240 RS	Wood effect	Bleached	11,67	20 ■
new LVT	24	CLP 240 RW	Wood effect	Wengè Oak	11,67	20 ■
new LVT	24	CLP 240 WE	Wood effect	Wengè	11,67	20 ■

Clip and base to be order separately in the standard version 2,70 m
 Ideal for vinyl floors (LVT)



multiclip LVT CLF 320 AS




multiclip LVT CLP 240 AS



Length: 2,70 meters

⊗ **SELFLINE/KIT PRE-CUT**
MULTIFIX including 6 pcs/m
0,90 and 1,35 m + €/m 2,19



CLG 300



CLX 45

set of 6 pcs/m



AC CI FA NC



NS RS RO WE

multifix >> CLG 300 A* in Anodized Alluminum

	B = mm	Art.		Finish	Variant	€/ m	pc ■
⊗	30	CLG	300 AS	Anodized	Silver	4,73	20
⊗	30	CLG	300 AO	Anodized	Gold	4,73	20
⊗	30	CLG	300 AB	Anodized	Bronze	4,73	20

Tasselli da ordinare separatamente.

multifix >> CLG 300 A* in Wood Effect Aluminium

	B = mm	Art.		Finish	Variant	€/ m	pc ■
⊗	30	CLG	300 RS	Wood effect	Bleached	9,82	20
⊗	30	CLG	300 AC	Wood effect	Maple	9,82	20
⊗	30	CLG	300 FA	Wood effect	Beechwood	9,82	20
⊗	30	CLG	300 RO	Wood effect	Oak	9,82	20
⊗	30	CLG	300 CI	Wood effect	Cherry	9,82	20
⊗	30	CLG	300 NC	Wood effect	Light Walnut	9,82	20
⊗	30	CLG	300 NS	Wood effect	Dark Walnut	9,82	20
⊗	30	CLG	300 WE	Wood effect	Wengè	9,82	20

Tasselli da ordinare separatamente.

multifix >> CLG 300 OL in Polished Brass

	B = mm	Art.		Finish	€/ m	pc ■
⊗	30	CLG	300 OL	Polished	13,12	10

Profile protected with a removable film. Clip and base to be order separately in the standard version 2,70m.

multifix >> CLX 45 Alternative installation with dowels for art. CLG 300 - CLG 370 - CLF 450

	H = mm	Art.		Finish	€/ set	set ■
	45	CLX	45	Nylon	1,29	10

Suggested quantity: 5 dowels for meters. 6 pcs per set.



Multifix



- + Post installation
- + Fast and accurate
- + DIY



multifix



multifix CLG 300 OL

Length: 2,70 meters


- ☑ **SELFLINE-A/KIT PRE-CUT**
0,90 and 1,35 m + €/m 1,07
- ☑ **SELFLINE-F/KIT PRE-CUT**
0,90 and 1,35 m + €/m 1,33

5 + 5 x 0,90 m
7 + 7 x 1,35 m

screws + dowels



CLG 370




Length: 2,70 meters

- ☑ **SELFLINE-A/KIT PRE-CUT**
0,90 and 1,35 m + €/m 1,07
- ☑ **SELFLINE-F/KIT PRE-CUT**
0,90 and 1,35 m + €/m 1,33


5 + 5 x 0,90 m
7 + 7 x 1,35 m

screws + dowels



CLF 450

H = 6 ÷ 11 mm



multicover >> CLG 370 *A in Wood Effect Aluminium- Self-Adhesive

	B = mm	Art.	Finish	Variant	€/ m	pc ■
☑	37	CLG 370 RSA	Wood effect	Whitened Oak Adhesive	12,09	20 ☑
☑	37	CLG 370 ACA	Wood effect	Maple - Self-Adhesive	12,09	20 ☑
☑	37	CLG 370 FAA	Wood effect	Beechwood - Self-Adh.	12,09	20 ☑
☑	37	CLG 370 ROA	Wood effect	Oak - Self-Adhesive	12,09	20 ☑
☑	37	CLG 370 CIA	Wood effect	Cherry - Self-Adhesive	12,09	20 ☑
☑	37	CLG 370 NCA	Wood effect	Light Walnut -Self-Adh.	12,09	20 ☑
☑	37	CLG 370 NSA	Wood effect	Dark Walnut -Self-Adh.	12,09	20 ☑
☑	37	CLG 370 WEA	Wood effect	Wengè - Self-Adhesive	12,09	20 ☑

multicover >> CLG 370 *F in Wood Effect Aluminium- Drilled

	B = mm	Art.	Finish	Variant	€/ m	pc ■
☑	37	CLG 370 RSF	Wood effect	Bleached Drilled	10,78	20 ☑
☑	37	CLG 370 ACF	Wood effect	Maple Drilled	10,78	20 ☑
☑	37	CLG 370 FAF	Wood effect	Beechwood Drilled	10,78	20 ☑
☑	37	CLG 370 ROF	Wood effect	Oak Drilled	10,78	20 ☑
☑	37	CLG 370 CIF	Wood effect	Cherry Drilled	10,78	20 ☑
☑	37	CLG 370 NCF	Wood effect	Light Walnut Drilled	10,78	20 ☑
☑	37	CLG 370 NSF	Wood effect	Dark Walnut - Drilled	10,78	20 ☑
☑	37	CLG 370 WEF	Wood effect	Wengè Drilled	10,78	20 ☑

multicover >> CLF 450 *A in Wood Effect Aluminum - Self-Adhesive


	B = mm	Art.	Finish	Variant	€/ m	pc ■
☑	45	CLF 450 RSA	Wood effect	Whitened Oak Adhesive	13,39	20 ☑
☑	45	CLF 450 ACA	Wood effect	Maple - Self-Adhesive	13,39	20 ☑
☑	45	CLF 450 FAA	Wood effect	Beechwood - Self-Adh.	13,39	20 ☑
☑	45	CLF 450 ROA	Wood effect	Oak - Self-Adhesive	13,39	20 ☑
☑	45	CLF 450 CIA	Wood effect	Cherry - Self-Adhesive	13,39	20 ☑
☑	45	CLF 450 NCA	Wood effect	Light Walnut -Self-Adh.	13,39	20 ☑
☑	45	CLF 450 NSA	Wood effect	Dark Walnut -Self-Adh.	13,39	20 ☑
☑	45	CLF 450 WEA	Wood effect	Wengè - Self-Adhesive	13,39	20 ☑

multicover >> CLF 450 *F in Wood Effect Aluminum - Drilled

	B = mm	Art.	Finish	Variant	€/ m	pc ■
☑	45	CLF 450 RSF	Wood effect	Bleached Drilled	12,15	20 ☑
☑	45	CLF 450 ACF	Wood effect	Maple Drilled	12,15	20 ☑
☑	45	CLF 450 FAF	Wood effect	Beechwood Drilled	12,15	20 ☑
☑	45	CLF 450 ROF	Wood effect	Oak Drilled	12,15	20 ☑
☑	45	CLF 450 CIF	Wood effect	Cherry Drilled	12,15	20 ☑
☑	45	CLF 450 NCF	Wood effect	Light Walnut Drilled	12,15	20 ☑
☑	45	CLF 450 NSF	Wood effect	Dark Walnut - Drilled	12,15	20 ☑
☑	45	CLF 450 WEF	Wood effect	Wengè Drilled	12,15	20 ☑

☑ Individually wrapped

☑ Profile available in a pre-cut version




multicover CLG 370 CIA



multicover CLF 450 ACA




Length: 2,70 meters



LT

B = 17 mm



woodtec >> LT-ILN in Stainless Steel AISI 304 - DIN 1.4301 Polished

	H = mm	Art.			Finish	€ / m	pc ■
	10	LT	100	ILN	Polished	10,41	10
	15	LT	150	ILN	Polished	11,38	10
	22	LT	220	ILN	Polished	12,36	10

Thickness 10/10 - protected with a removable film.

woodtec >> LT-A*N in Anodized Aluminum

	H = mm	Art.			Finish	Variant	€ / m	pc ■
	7	LT	70	ASN	Anodized	Silver	5,27	20 ■
	9	LT	90	ASN	Anodized	Silver	5,49	20 ■
	10,2	LT	100	ASN	Anodized	Silver	5,65	20 ■
	13	LT	130	ASN	Anodized	Silver	5,82	20 ■
	15	LT	150	ASN	Anodized	Silver	6,08	20 ■
	7	LT	70	AON	Anodized	Gold	5,30	20 ■
	9	LT	90	AON	Anodized	Gold	5,52	20 ■
	10,2	LT	100	AON	Anodized	Gold	5,68	20 ■
	13	LT	130	AON	Anodized	Gold	5,85	20 ■
	15	LT	150	AON	Anodized	Gold	6,12	20 ■
	7	LT	70	ABN	Anodized	Bronze	5,27	20 ■
	9	LT	90	ABN	Anodized	Bronze	5,49	20 ■
	10,2	LT	100	ABN	Anodized	Bronze	5,65	20 ■
	13	LT	130	ABN	Anodized	Bronze	5,82	20 ■
	15	LT	150	ABN	Anodized	Bronze	6,08	20 ■

woodtec >> LT 90 *N in Wood Effect Aluminium


	H = mm	Art.			Finish	Variant	€ / m	pc ■
	9	LT	90	RSN	Wood effect	Bleached	8,57	20 ■
	9	LT	90	ACN	Wood effect	Maple	8,57	20 ■
	9	LT	90	FAN	Wood effect	Beechwood	8,57	20 ■
	9	LT	90	RON	Wood effect	Oak	8,62	20 ■
	9	LT	90	CIN	Wood effect	Cherry	8,54	20 ■
	9	LT	90	NCN	Wood effect	Light Walnut	8,57	20 ■
	9	LT	90	NSN	Wood effect	Dark Walnut	8,57	20 ■
	9	LT	90	WEN	Wood effect	Wengé	8,57	20 ■

woodtec >> LT-OLN in Polished Brass

	H = mm	Art.			Finish	€ / m	pc ■
	10	LT	100	OLN	Polished	13,27	10
	15	LT	150	OLN	Polished	14,45	10
	22	LT	220	OLN	Polished	15,74	10

Thickness 10/10 - protected with a removable film.

profiltec



woodtec LT - AS




woodtec LT - AC



woodtec LT - NS

Length: 2,70 meters



LP

B = 16 mm

woodtec >> LP-ILN in Stainless Steel AISI 304 - DIN 1.4301 Polished

H = mm	Art.	Finish	€/ m	pc ■
10	LP 100 ILN	Polished	11,92	10
15	LP 150 ILN	Polished	14,73	10
22	LP 220 ILN	Polished	18,25	10


Thickness 10/10 - protected with a removable film.

woodtec >> LP-OLN in Ploshed Brass

H = mm	Art.	Finish	€/ m	pc ■
10	LP 100 OLN	Polished	16,37	10
15	LP 150 OLN	Polished	19,09	10
22	LP 220 OLN	Polished	22,91	10

Thickness 10/10 - protected with a removable film.

Length: 2,70 meters




LG - A*

B = 30 mm

woodtec >> LG-A*N in Anodized Aluminum

H = mm	Art.	Finish	Variant	€/ m	pc ■
7	LG 70 ASN	Anodized	Silver	6,07	10
9	LG 90 ASN	Anodized	Silver	6,40	10
10,2	LG 100 ASN	Anodized	Silver	6,53	10
13	LG 130 ASN	Anodized	Silver	6,80	10
15	LG 150 ASN	Anodized	Silver	6,91	10
7	LG 70 AON	Anodized	Gold	6,11	10
9	LG 90 AON	Anodized	Gold	6,44	10
10,2	LG 100 AON	Anodized	Gold	6,57	10
13	LG 130 AON	Anodized	Gold	6,84	10
15	LG 150 AON	Anodized	Gold	6,95	10
7	LG 70 ABN	Anodized	Bronze	6,07	10
9	LG 90 ABN	Anodized	Bronze	6,40	10
10,2	LG 100 ABN	Anodized	Bronze	6,53	10
13	LG 130 ABN	Anodized	Bronze	6,80	10
15	LG 150 ABN	Anodized	Bronze	6,91	10

Length: 2,70 meters




LS 30 A*
H = 7 ÷ 13 mm

woodec >> LS 30 A*A Anodized Aluminum - Self-Adhesive


B = mm	Art.	Finish	Variant	€/ m	pc ■
30	LS 30 ASA	Anodized	Silver Self-Adhesive	6,65	20
30	LS 30 AOA	Anodized	Gold Self-Adhesive	6,65	20
30	LS 30 ABA	Anodized	Bronze Self-Adhesive	6,65	20



woodtec LP




woodtec LG



woodtec LS

Length: 2,70 meters



MG 25

MGB 25

H = 8 mm

carpetec >> MGB 25 AN* Fixing base in Natural Aluminum

	B = mm	Art.			Finish	Variant	€ / m	pc ■
	46	MGB	25	ANF	Natural	Drilled	5,20	20
	46	MGB	25	AND	Natural	Toothed	6,05	20

carpetec >> MG 25 A*N in Anodized Aluminum - Top

	B = mm	Art.			Finish	Variant	€ / m	pc ■
	25	MG	25	ASN	Anodized	Silver	4,86	20
	25	MG	25	AON	Anodized	Gold	4,86	20
	25	MG	25	ABN	Anodized	Bronze	4,86	20

Base to be ordered separately.

carpetec >> MG 25 OLN in Polished Brass - Top

	B = mm	Art.			Finish	Variant	€ / m	pc ■
	25	MG	25	OLN	Polished		17,96	10

Base to be ordered separately.


Length: 2,70 meters

☒ **SELFLINE-A/KIT PRE-CUT**
0,90 e 1,35 m + €/m 1,07

☒ **SELFLINE-A/KIT PRE-CUT**
0,90 e 1,35 m + €/m 1,33

☒ 5 + 5 x 0,90 m
7 + 7 x 1,35 m

screws + dowels



MP 28 A*

H = 9 mm

carpetec >> MP 28 A*A in Anodized Aluminum - Self-Adhesive

	B = mm	Art.			Finish	Variant	€ / m	pc ■
☒	28	MP	28	ASA	Anodized	Silver Self-Adhesive	7,55	20 ☒
☒	28	MP	28	AOA	Anodized	Gold Self-Adhesive	7,55	20 ☒
☒	28	MP	28	ABA	Anodized	Bronze Self-Adhesive	7,55	20 ☒

carpetec >> MP 28 A*F in Anodized Aluminum - Drilled


	B = mm	Art.			Finish	Variant	€ / m	pc ■
☒	28	MP	28	ASF	Anodized	Silver Drilled	6,27	10
☒	28	MP	28	AOF	Anodized	Gold Drilled	6,27	10
☒	28	MP	28	ABF	Anodized	Bronze Drilled	6,27	10

Length: 2,70 meters

☒ **SELFLINE-A/KIT PRE-CUT**
0,90 e 1,35 m + €/m 1,05

☒ 5 + 5 x 0,90 m
7 + 7 x 1,35 m

screws + dowels



MA 24 A*

H = 16 mm

carpetec >> MA 24 A*A in Anodized Aluminum - Self-Adhesive

	B = mm	Art.			Finish	Variant	€ / m	pc ■
☒	24	MA	24	ASA	Anodized	Silver Self-Adhesive	6,20	20 ☒
☒	24	MA	24	AOA	Anodized	Gold Self-Adhesive	6,20	20 ☒
☒	24	MA	24	ABA	Anodized	Bronze Self-Adhesive	6,20	20 ☒

☒ Profile available in a pre-cut version

☒ Individually wrapped



carpetec MG



carpetec MP

Length: 2,70 meters

- ☑ **SELFLINE-A/KIT** PRE-CUT
0,90 and 1,35 m + €/m 1,07
- ☑ **SELFLINE-F/KIT** PRE-CUT
0,90 and 1,35 m + €/m 1,33

5 + 5 x 0,90 m
7 + 7 x 1,35 m


screws + dowels




MS 26

H = 13 mm

Length: 2,70 meters




MD 43 A*F




MD 43 A*D

Length: 2,50 m



CGD 300 P*



CFD 390 P*



CBD - P

carpetec >> MS 26 A* in Anodized Aluminum - Self-Adhesive

	B = mm	Art.	Finish	Variant	€/ m	pc ■
	26	MS 26 ASA	Anodized	Silver - Self-Adhesive	5,47	20
	26	MS 26 AOA	Anodized	Gold - Self-Adhesive	5,47	20
	26	MS 26 ABA	Anodized	Bronze - Self-Adh.	5,47	20

carpetec >> MS 26 A* in Anodized Aluminum - Drilled

	B = mm	Art.	Finish	Variant	€/ m	pc ■
	26	MS 26 ASF	Anodized	Silver Drilled	4,19	10
	26	MS 26 AOF	Anodized	Gold Drilled	4,19	10
	26	MS 26 ABF	Anodized	Bronze Drilled	4,19	10

carpetec >> MS 26 OLN in Polished Brass

	B = mm	Art.	Finish	€/ m	pc ■
	26	MS 26 OLN	Polished	14,23	10

carpetec >> MD 43 A* in Anodized Aluminum - Drilled

	B = mm	Art.	Finish	Variant	€/ m	pc ■
	43	MD 43 ASF	Anodized	Silver Drilled	5,65	10
	43	MD 43 AOF	Anodized	Gold Drilled	5,65	10
	43	MD 43 ABF	Anodized	Bronze Drilled	5,65	10

carpetec >> MD 43 A* in Anodized Aluminum - Toothed

	B = mm	Art.	Finish	Variant	€/ m	pc ■
	43	MD 43 ASD	Anodized	Silver - Toothed	7,25	10
	43	MD 43 AOD	Anodized	Gold - Toothed	7,25	10
	43	MD 43 ABD	Anodized	Bronze - Toothed	7,25	10

multicurve >> CGD 300 P* in Bendable Synthetic Resin

	B = mm	Art.	Finish	Variant	€/ m	pc ■
	30	CGD 300 P23	Synthetic Resin	Grey	5,80	20
	30	CGD 300 P51	Synthetic Resin	Black	5,80	20

Base to be ordered separately according to the required height. R1 400mm, R2 400mm.

multicurve >> CFD 390 P* in Bendable Synthetic Resin

	B = mm	Art.	Finish	Variant	€/ m	pc ■
	39	CFD 390 P23	Synthetic Resin	Grey	9,95	20
	39	CFD 390 P51	Synthetic Resin	Black	9,95	20

Base to be ordered separately only base to be used CDB 60 P. Concave curve 900mm, convex curve 400 mm.

multicurve >> CBD* P Bendable Perforated Base in Synthetic Resin

	H/H1 mm	Art.	Finish	Variant	€/ m	pc ■
	6/8	CBD 60 P	Synthetic Resin	Drilled	11,59	20
	9/11	CBD 90 P	Synthetic Resin	Drilled	12,23	20
	12/14	CBD 120 P	Synthetic Resin	Drilled	12,85	20

☑ Individually wrapped

☑ Profile available in a pre-cut version

profil+tec



carpetec MS



carpetec MD 43 ABD



multicurve CGD 300 P51



multicurve CFD 390 P23

carpet and edge junction

floors



Length: 2,70 meters



AP
H = 2,5 mm

linotec >> AP 17 AS* in Anodized Aluminum - Self-Adhesive

B = mm	Art.	Finish	Variant	€ / m	pc ■
17	AP 17 ASN	Anodized	Silver - not Self-Adhesive	3,45	10

linotec >> AP 17 AS* in Anodized Aluminum - not Adhesive

B = mm	Art.	Finish	Variant	€ / m	pc ■
17	AP 17 ASN	Anodized	Silver - not Self-Adhesive	3,45	10

linotec >> AP 19 OL* in Polished Brass - Self-Adhesive

B = mm	Art.	Finish	Variant	€ / m	pc ■
19	AP 19 OLA	Polished	Self-Adhesive	13,81	20

Profile protected with a removable film.


linotec >> AP 19 OL* in Polished Brass - not Adhesive

B = mm	Art.	Finish	Variant	€ / m	pc ■
19	AP 19 OLN	Polished	not Adhesive	12,27	10

Profile protected with a removable film.

Length: 2,70 meters

☒ **SELFLINE/KIT PRE-CUT**
0,90 and 1,35 m + €/m 1,05



AV

linotec >> AV 30 OL* in Polished Brass - Self-Adhesive

B = mm	Art.	Finish	Variant	€ / m	pc ■
30	AV 30 OLA	Polished	Self-Adhesive	8,14	20


Thickness 10/10 - protected with a removable film.

linotec >> AV 30 OL* in Polished Brass - not Adhesive

B = mm	Art.	Finish	Variant	€ / m	pc ■
30	AV 30 OLN	Polished	not Adhesive	6,61	10

Thickness 10/10 - protected with a removable film.

Length: 2,70 meters



SC 30 A*

stairtec >> SC 30 A*N in Anodized Aluminum per resilienti


H1+H mm	Art.	Finish	Variant	€ / m	pc ■
2,5 + 30	SC 30 ASN	Anodized	Silver	6,44	10
2,5 + 30	SC 30 AON	Anodized	Gold	6,44	10
2,5 + 30	SC 30 ABN	Anodized	Bronze	6,44	10



linotec AP 17 ASN



stairtec SC 30 ASN




Stair nosing profiles

Safety and appearance are of utmost importance when designing staircases, and the right choice in profiling can make all the difference. PROFILITEC proposes a complete line of technical yet aesthetic nosing profiles suitable for all flooring applications. Designed with safety in mind, our range of nosing profiles can be used for renovations in private and public buildings. Non-slip thermoplastic rubber inserts and tread grooving contribute to the cutting-edge detailing which distinguishes PROFILITEC profiles.


Article	Code	Use	Page
Stairtec	FS	tiled steps	42
Stairtec	FSF	tiled steps	42
Stairtec	FSL	tiled steps	43
Stairtec	FI	tiled steps	43
Stairtec	FIR	tiled steps	44
Stairtec	SR	tiled steps	45
Stairtec	SVT	technical for LVT	45
Bordertec	BSJ	perimetral	45
Stairtec	FL	decorative for ceramic tiles	45
Roundtec	RD	joints for ceramic tiles	46
Roundjolly	RJ	joints for ceramic tiles	47
Squarejolly	SJ	tiled steps	49
Squarejolly	SJR	ultra-thin tiles	50
Squarejolly	SJM	ultra-thin tiles	51
Stairtec	FO	techn. for wood/ceramic	51
Stairtec	FO	techn. for wood/ceramic	52
Stairtec	SWP	aluminum safety step	52
Stairtec	SWR	aluminum safety step	52
Stairtec	SW	aluminum safety step	52
Stairtec	SI	aluminum safety step	53
Stairtec	AE	ribbed on existing floors	53
Stairtec	SE	ribbed on existing floors	54
Stairtec	SA	on existing surfaces	54
Stairtec	SL	on existing surfaces	55
Stairtec	SC	vynil, moquettes	56
Stairtec	SM	moquettes	56
LED	LES	LED profile for steps	57



Length: 2,70 meters



FS30A*



FS30A* + TR-*



FS product is certified R10. Anti-slip properties. In accordance with DIN 51130 (06/2004).

stairtec >> FS 30 A* in Natural Aluminum

	B = mm	Art.	Finish	Variant	€ / m	pc ■
	30	FS 30 A23	Natural	Cement Grey	10,45	10
	30	FS 30 A32	Natural	Dark Beige	10,45	10
	30	FS 30 A51	Natural	Black Graphite	10,45	10

Art.FS Supplied with non-slip thermoplastic rubber insert already mounted. TR must be ordered separately (tile thickness reduced by 2mm).

stairtec >> FSI 30 P* Rubber Insert Spare part for FS - A*

	B = mm	Art.	Finish	€ / m	pc ■
	30	FSI 30 P23	Cement Grey	4,13	70
	30	FSI 30 P32	Dark Beige	4,13	70
	30	FSI 30 P51	Black Graphite	4,13	70



stairtec >> FST-P* End cap in PVC

	H = mm	Art.	Finish	Variant	€ / set	set ■
	8	FST 80 P23	PVC	Cement Grey	3,97	5 pcs
	10	FST 100 P23	PVC	Cement Grey	3,97	5 pcs
	12,5	FST 125 P23	PVC	Cement Grey	3,97	5 pcs
	8	FST 80 P32	PVC	Dark Beige	3,97	5 pcs
	10	FST 100 P32	PVC	Dark Beige	3,97	5 pcs
	12,5	FST 125 P32	PVC	Dark Beige	3,97	5 pcs
	8	FST 80 P51	PVC	Black Graphite	3,97	5 pcs
	10	FST 100 P51	PVC	Black Graphite	3,97	5 pcs
	12,5	FST 125 P51	PVC	Black Graphite	3,97	5 pcs

End Cap (left or right). SKU: FST-P* SET/D o FST-P* SET/S.

Length: 2,70 meters

⊗ **SELFLINE/KIT PRE-CUT**
0,90 and 1,35 m + €/m 0,46



FSFA*
B = 30 mm



FSF product is certified R10. Anti-slip properties. In accordance with DIN 51130 (06/2004).

stairtec >> FSF-A* in Natural Aluminum

	H = mm	Art.	Finish	Variant	€ / m	pc ■
⊗	8	FSF 80 A23	Natural	Cement Grey	11,74	10
⊗	10	FSF 100 A23	Natural	Cement Grey	12,11	10
⊗	12,5	FSF 125 A23	Natural	Cement Grey	12,70	10
⊗	8	FSF 80 A32	Natural	Dark Beige	11,74	10
⊗	10	FSF 100 A32	Natural	Dark Beige	12,11	10
⊗	12,5	FSF 125 A32	Natural	Dark Beige	12,70	10
⊗	8	FSF 80 A51	Natural	Black Graphite	11,74	10
⊗	10	FSF 100 A51	Natural	Black Graphite	12,11	10
⊗	12,5	FSF 125 A51	Natural	Black Graphite	12,70	10

Art. FSF supplied with anti-slip insert already mounted.

stairtec >> FSFI 30 P* Rubber Insert Spare part for FSF - A*

	B = mm	Art.	Finish	€ / m	pc ■
	30	FSFI 30 P23	Cement Grey	4,13	70
	30	FSFI 30 P32	Dark Beige	4,13	70
	30	FSFI 30 P51	Black Graphite	4,13	70



stairtec >> FST-P* End cap in PVC

See above

⊗ Profile available in a pre-cut version




stairtec FS 30 A51



stairtec FSF-A23

Length: 2,70 meters



FSL-A*
B = 55 mm



FSA 50 AS

stairtec >> FSL-A* in Natural Aluminum

H = mm	Art.	Finish	Variant	€/ m	pc ■
8	FSL 80 A23	Natural	Cement Grey	17,09	10
10	FSL 100 A23	Natural	Cement Grey	17,73	10
12,5	FSL 125 A23	Natural	Cement Grey	18,43	10
8	FSL 80 A32	Natural	Dark Beige	17,09	10
10	FSL 100 A32	Natural	Dark Beige	17,73	10
12,5	FSL 125 A32	Natural	Dark Beige	18,43	10
8	FSL 80 A51	Natural	Black Graphite	17,09	10
10	FSL 100 A51	Natural	Black Graphite	17,73	10
12,5	FSL 125 A51	Natural	Black Graphite	18,43	10

Art. FSL supplied with anti-slip insert already mounted.

stairtec >> FSA 50 AS Riser cover in Anodized Aluminum for FSL-A*

H = mm	Art.	Finish	Variant	€/ m	pc ■
50	FSA 50 AS	Anodized	Silver	5,55	10

stairtec >> FSLI 55 P* Spare part for FSL-A*


B = mm	Art.	Insert Color	€/ m	pc ■
55	FSLI 55 P23	Cement Grey	5,41	70
55	FSLI 55 P32	Dark Beige	5,41	70
55	FSLI 55 P51	Black Graphite	5,41	70

stairtec >> FSLT - P* End cap in PVC for FSL-A*

H = mm	Art.	Material	Variant	€/ set	set ■
8	FSLT 80 P23	PVC	Cement Grey	6,43	5 pcs
10	FSLT 100 P23	PVC	Cement Grey	6,43	5 pcs
12,5	FSLT 125 P23	PVC	Cement Grey	6,43	5 pcs
8	FSLT 80 P32	PVC	Dark Beige	6,43	5 pcs
10	FSLT 100 P32	PVC	Dark Beige	6,43	5 pcs
12,5	FSLT 125 P32	PVC	Dark Beige	6,43	5 pcs
8	FSLT 80 P51	PVC	Black Graphite	6,43	5 pcs
10	FSLT 100 P51	PVC	Black Graphite	6,43	5 pcs
12,5	FSLT 125 P51	PVC	Black Graphite	6,43	5 pcs

End Cap (left or right). SKU: FST-P* SET/D o FST-P* SET/S.

Length: 2,70 meters



FI - IL
B = 27 mm



SWH product is certified R13. Anti-slip properties. According to standard DIN 51130 (06/2004).

stairtec >> FI-IL in Stainless Steel AISI 304 - DIN 1.4301

H = mm	Art.	Finish	€/ m	pc ■
8	FI 80 IL	Polished	18,14	10
10	FI 100 IL	Polished	18,88	10
12,5	FI 125 IL	Polished	19,61	10

walktec >> SWH Carborundum self-adhesive "Strip Walk"

HxL mmxm	Art.	Material	Variant	€/ roll	set ■
19x18,3	SWH 19 C51	Carborundum	Black	28,87	1
19x18,3	SWH 19 CF	Carborundum	Photoluminescent	92,53	1

Anti-slip insert has to be ordered separately.



stairtec FSL-A51 + FSA 50 AS



FSLT 100 P*



stairtec FI - IL + SWH 19 C51

tilled steps

stair nosing



Length: 1,35 m



FIR 100 IS

B = 27 mm



FIR product is certified
R11. Anti-slip properties.
According to standard DIN
51130 (06/2004).

to be used only for interiors.

stairtec >> FIR-IS in Stainless Steel AISI 304 - DIN 1.4301 - with Resin Grip


	H = mm	Art.			Finish	€ / m	pc ■
	10	FIR	100	IS	Brushed	61,16	10

stairtec >> FIT - Endcaps for FI in Stainless Steel AISI 304 - DIN 1.4301

	H = mm	Art.			Finish	€ / set	set ■
	8	FIT	80	IS	Brushed	33,09	10
	10	FIT	100	IS	Brushed	33,09	10
	12,5	FIT	125	IS	Brushed	33,09	10

Universal end cap (Right/Left).

Length: 2,70 meters



FW - RON

B = 46 mm

stairtec >> FW-RON in Natural Oak Wood

	H = mm	Art.			Finish	€ / m	pc ■
	10	FW	100	RON	Wood	35,91	10
	12,5	FW	125	RON	Wood	37,98	10
	15	FW	150	RON	Wood	39,75	10

Wooden stair nosing assembled with a perforated Aluminum base.

Length: 2,70 meters




RJF - A*

filojolly >> RJF-AS in Anodized Aluminum

	H = mm	Art.			Finish	Variant	€ / m	pc ■
	20	RJF	200	AS	Anodized	Silver	6,90	20

Length: 2,70 meters

CURVELINE/BENDABLE
Code SR-ILD + €/m 2,99



SR - I*

stairtec >> SR-IL in Stainless Steel AISI 304 - DIN 1.4301 - Reversible profile

	H/H1 mm	Art.			Finish	€ / m	pc ■
	8/15	SR	8/15	IL	Polished	13,97	10
	10/12	SR	10/12	IL	Polished	13,97	10

Protected with a removable film.

stairtec >> SR-IS in Stainless Steel AISI 304 - DIN 1.4301 - Reversible profile

	H/H1 mm	Art.			Finish	€ / m	pc ■
	8/15	SR	8/15	IS	Brushed	16,55	10
	10/12	SR	10/12	IS	Brushed	16,55	10

Protected with a removable film.

Bendable with bending

Individually wrapped



stair+tec FIR 100 IS




stair+tec FW-RON



filojolly RJF 200 AS

Length: 2,70 meters

☑ **CURVELINE/BENDABLE**
Code SR-ASD + €/m 1,51
Code SR-OND + €/m 2,72



SR - A*
SR - O*

stairtec >> SR-AS in Anodized Aluminum - Reversible profile

	H/H1 mm	Art.	Finish	Variant	€/ m	pc ■
☑	8/15	SR 8/15 AS	Anodized	Silver	7,04	10
☑	10/12,5	SR 10/12 AS	Anodized	Silver	7,04	10


stairtec >> SR-ON in Natural Brass- Reversible profile

	H/H1 mm	Art.	Finish	€/ m	pc ■
☑	8/15	SR 8/15 ON	Natural	14,15	10
☑	10/12,5	SR 10/12 ON	Natural	14,15	10

stairtec >> SR-OL in Polished Brass - Reversible profile

	H/H1 mm	Art.	Finish	€/ m	pc ■
	8/15	SR 8/15 OL	Polished	17,81	10
	10/12,5	SR 10/12 OL	Polished	17,81	10

Length: 2,70 meters




SVT 50 AS

stairtec >> SVT in Anodized Aluminum

	H = mm	Art.	Finish	Variant	€/ m	pc ■
new LVT	5	SVT 50 AS	Anodized	Silver	6,84	20 ☑

LVT Ideal for vinyl floors (LVT)

Length: 2,70 meters



BSJ 20 *
H1 = 20 mm

bordertec >> BSJ 20 IS in Stainless Steel Brushed

	BxH mm	Art.	Finish	€/ m	pc ■
new	20 x 12	BSJ 20 IS	Brushed	34,30	10

Profile protected with a removable film.

bordertec >> BSJ 20 A50 in Powder Coated "Modern Line"

	BxH mm	Art.	Finish	Variant	€/ m	pc ■
new	20 x 12	BSJ 20 A50	Pow. Coated	Embossed Micaceous	18.54	10

bordertec >> BSJE 20 * external corner

	H = mm	Art.	Finish	Variant	€/ pc	set ■
new	20	BSJE 20 IS	Brushed	IS	43.52	10
new	20	BSJE 20 A50	Pow. Coated	A50	29.36	10

Length: 2,70 meters



FL - IL

stairtec >> FL-IL in Stainless Steel AISI 304 - DIN 1.4301

	H = mm	Art.	Finish	€/ m	pc ■
	8	FL 80 IL	Polished	13,42	10
	10	FL 100 IL	Polished	13,98	10
	12,5	FL 125 IL	Polished	14,49	10

Profile protected with a removable film.

☑ Individually wrapped

☑ Bendable with bending



stair+tec SR-AS



bordertec BSJ 20 A50 + BSJE 20 A50




stair+tec FL-IL

tilled steps

stair nosing



Length: 2,70 meters



FL - AS
FL - 0*

Note: Stainless steel version has a slightly different section.



stairtec >> FLR-IL in Stainless Steel AISI 304 - DIN 1.4301

H = mm	Art.	Finish	€ / m	pc ■
10	FLR 100 IL	Polished	14,47	10
12,5	FLR 125 IL	Polished	14,83	10

Profile length FLR: 2,50 meters



stairtec >> FL-AS in Anodized Aluminum

H = mm	Art.	Finish	Variant	€ / m	pc ■
8	FL 80 AS	Anodized	Silver	7,49	10
10	FL 100 AS	Anodized	Silver	7,77	10
12,5	FL 125 AS	Anodized	Silver	8,25	10

stairtec >> FLT-IS End caps for stai nosing in Stainless Steel AISI 304 - DIN 1.4301

H = mm	Art.	Finish	€ / set	set ■
8	FLT 80 IS	Brushed	33,09	10
10	FLT 100 IS	Brushed	33,09	10
12,5	FLT 125 IS	Brushed	33,09	10



stairtec >> FL-ON in Natural Brass

H = mm	Art.	Finish	€ / m	pc ■
8	FL 80 ON	Natural	21,89	10
10	FL 100 ON	Natural	22,52	10
12,5	FL 125 ON	Natural	24,29	10



stairtec >> FL-OL in Polished Brass

H = mm	Art.	Finish	€ / m	pc ■
8	FL 80 OL	Polished	21,89	10
10	FL 100 OL	Polished	22,52	10
12,5	FL 125 OL	Polished	24,29	10

Length: 2,70 meters



RD - 0*



roundtec >> RD-ON in Natural Brass

H = mm	Art.	Finish	€ / m	pc ■
8	RD 80 ON	Natural	13,24	10
10	RD 100 ON	Natural	14,26	10
12,5	RD 125 ON	Natural	17,84	10
15	RD 150 ON	Natural	23,31	10



roundtec >> RD-OL in Polished Brass

H = mm	Art.	Finish	€ / m	pc ■
8	RD 80 OL	Polished	16,91	10
10	RD 100 OL	Polished	17,94	10
12,5	RD 125 OL	Polished	21,51	10
15	RD 150 OL	Polished	26,99	10

profiltec



stairtec FL-AS



roundtec RD-ON

Length: 2,70 meters



RJ 45 I*



RJ - I*



RJC - I*



RJI - I*

Available end caps with an imitation Polished Stainless Steel finish.



roundjolly >> RJ-IL in Stainless Steel AISI 304 - DIN 1.4301 - Polished

	H = mm	Art.		Finish	€ / m	pc ■
	4,5	RJ	45 IL	Polished	9,02	10
	6	RJ	60 IL	Polished	9,11	10
	8	RJ	80 IL	Polished	9,80	10
	10	RJ	100 IL	Polished	10,60	10
	12,5	RJ	125 IL	Polished	11,29	10
	15	RJ	150 IL	Polished	13,25	10

Profile protected with a removable film.

roundcapsule >> RJC-IL Endcaps in St. Steel AISI 304 - DIN 1.4301 - Polished

	H = mm	Art.		Finish	€ / set	set ■
	4,5	RJC	45 IL	Polished	26,69	2 pcs
	6	RJC	60 IL	Polished	26,69	2 pcs
	8	RJC	80 IL	Polished	26,69	2 pcs
	10	RJC	100 IL	Polished	26,69	2 pcs
	12,5	RJC	125 IL	Polished	26,69	2 pcs

roundcapsule >> RJI-IL Internal corner in Stainless Steel AISI 304 - DIN 1.4301 - Polished

	H = mm	Art.		Finish	€ / set	set ■
	6	RJI	60 IL	Polished	26,69	2 pcs
	8	RJI	80 IL	Polished	26,69	2 pcs
	10	RJI	100 IL	Polished	26,69	2 pcs
	12,5	RJI	125 IL	Polished	26,69	2 pcs



roundjolly >> RJ-ILM Stainless Steel AISI 316 - DIN 1.4404 - Polished

	H = mm	Art.		Finish	€ / m	pc ■
	4,5	RJ	45 ILM	Polished	11,78	10
	6	RJ	60 ILM	Polished	11,89	10
	8	RJ	80 ILM	Polished	12,58	10
	10	RJ	100 ILM	Polished	13,39	10
	12,5	RJ	125 ILM	Polished	14,09	10

Thickness 8/10 protected with a removable film.

roundcapsule >> RJC-ILM End cap in Stainless Steel AISI 316 - DIN 1.4404 - Polished

	H = mm	Art.		Finish	€ / set	set ■
	6	RJC	60 ILM	Polished	33,59	2 pcs
	8	RJC	80 ILM	Polished	33,59	2 pcs
	10	RJC	100 ILM	Polished	33,59	2 pcs
	12,5	RJC	125 ILM	Polished	33,59	2 pcs

roundcapsule >> RJI-ILM Internal corner in St. Steel AISI 316-DIN 1.4404- Polished

	H = mm	Art.		Finish	€ / set	set ■
	6	RJI	60 ILM	Polished	33,59	2 pcs
	8	RJI	80 ILM	Polished	33,59	2 pcs
	10	RJI	100 ILM	Polished	33,59	2 pcs
	12,5	RJI	125 ILM	Polished	33,59	2 pcs



roundjolly RJ-IL



roundjolly RJ-ILM



Length: 2,70 meters



RJ 45 I*



RJ - I*



RJC - I*



RJI - I*

Available end caps with an imitation Polished Stainless Steel finish.

**roundjolly >> RJ-IS in Stainless Steel AISI 304 - DIN 1.4301 - Brushed**

	H = mm	Art.			Finish	€ / m	pc ■
	4,5	RJ	45	IS	Brushed	11,27	10
	6	RJ	60	IS	Brushed	11,36	10
	8	RJ	80	IS	Brushed	12,06	10
	10	RJ	100	IS	Brushed	12,87	10
	12,5	RJ	125	IS	Brushed	13,57	10
	15	RJ	150	IS	Brushed	15,56	10

Profile protected with a removable film.

roundcapsule >> RJC-IS End cap in Stainless Steel AISI 304 -DIN 1.4301- Brushed

	H = mm	Art.			Finish	€ / set	set ■
	4,5	RJC	45	IS	Brushed	32,50	2 pcs
	6	RJC	60	IS	Brushed	32,50	2 pcs
	8	RJC	80	IS	Brushed	32,50	2 pcs
	10	RJC	100	IS	Brushed	32,50	2 pcs
	12,5	RJC	125	IS	Brushed	32,50	2 pcs

roundcapsule >> RJI-IS Internal corner in Stainless Steel AISI 304 -DIN 1.4301- Brushed

	H = mm	Art.			Finish	€ / set	set ■
	6	RJI	60	IS	Brushed	32,50	2 pcs
	8	RJI	80	IS	Brushed	32,50	2 pcs
	10	RJI	100	IS	Brushed	32,50	2 pcs
	12,5	RJI	125	IS	Brushed	32,50	2 pcs

**roundjolly >> RJ-IX in Stainless Steel AISI 304 - DIN 1.4301 - Sanded**

	H = mm	Art.			Finish	€ / m	pc ■
	8	RJ	80	IX	Sanded	12,85	10
	10	RJ	100	IX	Sanded	13,68	10
	12,5	RJ	125	IX	Sanded	14,39	10

Profile protected with a removable film.

roundcapsule >> RJC-IX End cap in Stainless Steel AISI 304 -DIN 1.4301- Sanded

	H = mm	Art.			Finish	€ / set	set ■
	8	RJC	80	IX	Sanded	27,09	2 pcs
	10	RJC	100	IX	Sanded	27,09	2 pcs
	12,5	RJC	125	IX	Sanded	27,09	2 pcs

roundcapsule >> RJI-IX Internal corner in Stainless Steel AISI 304 -DIN 1.4301- Sanded

	H = mm	Art.			Finish	€ / set	set ■
	8	RJI	80	IX	Sanded	27,09	2 pcs
	10	RJI	100	IX	Sanded	27,09	2 pcs
	12,5	RJI	125	IX	Sanded	27,09	2 pcs

Length: 2,70 meters



RJ 45 AS

**roundjolly >> RJ 45 AS in Anodized Aluminum**

	H = mm	Art.			Finish	Variant	€ / m	pc ■
	4,5	RJ	45	AS	Anodized	Silver	3,75	40 ■


■ Individually wrapped



roundjolly RJ-IX

Length: 2,70 meters

✓ **CURVELINE/BENDABLE**
Code SJ-ILD + €/m 2,99



SJ - I*

Visible side B:
H size + 1mm
e.g. SJ80 = 9x9mm



SJC - I*

squarejolly >> SJ-IL in Stainless steel AISI 304 - DIN 1.4301 - Polished

	H = mm	Art.		Finish	€/ m	pc ■
	6	SJ	60 IL	Polished	9,30	10
	8	SJ	80 IL	Polished	9,80	10
	9	SJ	90 IL	Polished	10,14	10
	10	SJ	100 IL	Polished	10,60	10
	11	SJ	110 IL	Polished	10,83	10
	12,5	SJ	125 IL	Polished	11,29	10
	15	SJ	150 IL	Polished	13,25	10

Protected with a removable film.

squarecapsule >> SJC-IL End cap in Stainless steel AISI 304 - DIN 1.4301 - Polished

	H = mm	Art.		Finish	€/ set	set ■
	6	SJC	60 IL	Polished	26,69	2 pcs
	8	SJC	80 IL	Polished	26,69	2 pcs
	9	SJC	90 IL	Polished	26,69	2 pcs
	10	SJC	100 IL	Polished	26,69	2 pcs
	11	SJC	110 IL	Polished	26,69	2 pcs
	12,5	SJC	125 IL	Polished	26,69	2 pcs
	15	SJC	150 IL	Polished	26,69	2 pcs

Universal end caps (internal and external corner, and three-way intersection).

squarejolly >> SJ-ILM in Stainless Steel AISI 316 - DIN 1.4404 - Polished


	H = mm	Art.		Finish	€/ m	pc ■
	8	SJ	80 ILM	Polished	12,94	10
	9	SJ	90 ILM	Polished	13,29	10
	10	SJ	100 ILM	Polished	13,75	10
	11	SJ	110 ILM	Polished	13,99	10
	12,5	SJ	125 ILM	Polished	14,45	10
	15	SJ	150 ILM	Polished	16,44	10

Protected with a removable film.

squarecapsule >> SJC-ILM End cap in Stainless Steel AISI 316-DIN 1.4404- Polished

	H = mm	Art.		Finish	€/ set	set ■
	8	SJC	80 ILM	Polished	33,59	2 pcs
	9	SJC	90 ILM	Polished	33,59	2 pcs
	10	SJC	100 ILM	Polished	33,59	2 pcs
	11	SJC	110 ILM	Polished	33,59	2 pcs
	12,5	SJC	125 ILM	Polished	33,59	2 pcs
	15	SJC	150 ILM	Polished	33,59	2 pcs

Universal end caps (internal and external corner, and three-way intersection).



squarejolly SJ-IL




squarejolly SJ-ILM

tilled steps

stair nosing



Length: 2,70 meters



SJ - I*

Visible side B:
H size + 1 mm
e.g. SJ80 = 9x9mm



SJC - I*

squarejolly >> SJ-IS in Stainless Steel AISI 304 - DIN 1.4301 - Brushed

H = mm	Art.			Finish	€ / m	pc ■
6	SJ	60	IS	Brushed	11,55	10
8	SJ	80	IS	Brushed	12,06	10
9	SJ	90	IS	Brushed	12,40	10
10	SJ	100	IS	Brushed	12,87	10
11	SJ	110	IS	Brushed	13,10	10
12,5	SJ	125	IS	Brushed	13,57	10
15	SJ	150	IS	Brushed	15,56	10

Protected with a removable film.

squarecapsule >> SJC-IS End cap in Stainless Steel AISI 304 - DIN 1.4301- Brushed

H = mm	Art.			Finish	€ / set	set ■
6	SJC	60	IS	Brushed	32,25	2 pcs
8	SJC	80	IS	Brushed	32,25	2 pcs
9	SJC	90	IS	Brushed	32,25	2 pcs
10	SJC	100	IS	Brushed	32,25	2 pcs
11	SJC	110	IS	Brushed	32,25	2 pcs
12,5	SJC	125	IS	Brushed	32,25	2 pcs
15	SJC	150	IS	Brushed	32,25	2 pcs

Universal end caps (internal and external corner, and three-way intersection).

squarejolly >> SJ-IX in Stainless Steel AISI 304 - DIN 1.4301 - Sanded

H = mm	Art.			Finish	€ / m	pc ■
8	SJ	80	IX	Sanded	12,85	10
10	SJ	100	IX	Sanded	13,68	10
12,5	SJ	125	IX	Sanded	14,39	10


Protected with a removable film.

squarecapsule >> SJC-IX End cap in Stainless Steel AISI 304 - DIN 1.4301- Sanded

H = mm	Art.			Finish	€ / set	set ■
8	SJC	80	IX	Sanded	27,09	2 pcs
10	SJC	100	IX	Sanded	27,09	2 pcs
12,5	SJC	125	IX	Sanded	27,09	2 pcs

Universal end caps (internal and external corner, and three-way intersection).

Length: 1,35 m



SJR 100 IS



SJR is certified R11. Anti-slip
properties, in accordance with
DIN 51130 (06/2004).

to be used only for interiors.

squarejolly >> SJR-IS in Stainless steel AISI 304 - DIN 1.4301 - with Resin Grip

H = mm	Art.			Finish	€ / pc	pc ■
10	SJR	100	IS	Brushed	54,15	10

squarecapsule >> SJC-IS External End cap in Stainless Steel AISI 304 - DIN 1.4301 - Brushed

H = mm	Art.			Finish	€ / set	set ■
10	SJC	100	IS	Brushed	32,25	2 pcs

Universal end caps (internal and external corner, and three-way intersection).

Individually wrapped




squarejolly SJ-IS



squarejolly SJR-IS

Length: 1,35 m

Visible side B:
H size + 1 mm
e.g. SJ80 = 9x9mm



SJR 100 AS



SJR is certified R11. Anti-slip properties, in accordance with DIN 51130 (06/2004).

to be used only for interiors.

squarejolly >> SJR-AS in Anodized Aluminum - with Resin Grip

H = mm	Art.	Finish	Variant	€/ pc	pc ■
10	SJR 100 AS	Anodized	Silver	48,92	10

squarecapsule >> SJC-AS External End cap in Anodized Aluminum

H = mm	Art.	Finish	Variant	€/ set	set ■
10	SJC 100 AS	Anodized	Silver	9,79	2 pcs

Universal end caps (internal and external corner, and three-way intersection). Loose pcs not available.

Length: 2,70 meters



SJM 44 AS
B = 5,1 mm

squarejolly >> SJM 44 AS in Anodized Aluminum for mosaic and thin tiles


H = mm	Art.	Finish	Variant	€/ m	pc ■
4.4	SJM 44 AS	Anodized	Silver	4,87	10

squarecapsule >> SJC-AS External End cap in Anodized Aluminum


H = mm	Art.	Finish	Variant	€/ set	set ■
4.4	SJC 44 AS	Anodized	Silver	9,65	2 pcs

Universal end caps (internal and external corner, and three-way intersection). Loose pcs not available.

Length: 2,70 meters



FO - IL
B = 30 mm



FOTI - IS



FO - AS

stairtec >> FO-IL in Stainless Steel AISI 304 - DIN 1.4301 - Polished

H = mm	Art.	Finish	€/ m	pc ■
10	FO 100 IL	Polished	13,13	10
12,5	FO 125 IL	Polished	13,58	10

stairtec >> FOTI - End caps for FO in Stainless Steel AISI 304 - DIN 1.4301 Brushed

H = mm	Art.	Finish	€/ set	set ■
10	FOTI 100 IS	Brushed	33,09	10
12,5	FOTI 125 IS	Brushed	33,09	10

Universal end cap (Right/Left).

stairtec >> FO-ON in Natural Brass

H = mm	Art.	Finish	€/ m	pc ■
10	FO 100 ON	Natural	21,27	10
12,5	FO 125 ON	Natural	22,41	10

stairtec >> FO-OL in Polished Brass

H = mm	Art.	Finish	€/ m	pc ■
10	FO 100 OL	Polished	24,94	10
12,5	FO 125 OL	Polished	26,09	10

Individually wrapped



squarejolly SJR-AS



tilled steps

stair nosing




Length: 2,70 meters



FO - 0*

B = 20 mm



FOTA - IS


stairtec >> FO-AS in Anodized Aluminum

	H = mm	Art.			Finish	Variant	€ / m	pc ■
	4,5	FO	45	AS	Anodized	Silver	7,86	10
	8	FO	80	AS	Anodized	Silver	8,18	10
	10	FO	100	AS	Anodized	Silver	8,52	10
	12,5	FO	125	AS	Anodized	Silver	9,05	10

stairtec >> FOTA - End caps for FO in Stainless Steel AISI 304 - DIN 1.4301 Brushed

	H = mm	Art.			Finish	€ / set	set ■
	4,5	FOTA	45	IS	Brushed	33,09	10
	8	FOTA	80	IS	Brushed	33,09	10
	10	FOTA	100	IS	Brushed	33,09	10
	12,5	FOTA	125	IS	Brushed	33,09	10


Universal caps (L/R). End caps for FO in Aluminum



SWP 25 IL

H = 5 mm

H1 = 8 mm



SWR 25 IL

H = 1,6 mm

H1 = 9,75 mm



SWR is certified R11. Anti-slip properties. According to standard DIN 51130 (06/2004).

stairtec >> SWP 25 IL in Stainless Steel AISI 303 - DIN 1.4305 - Polished

	D = mm	Art.			Finish	€ / m	pc ■
	25	SWP	25	IL	Polished	5,28	10

Wheelbase: 70 mm

Wood 6,5 mm

Stone 7 mm

**stairtec >> SWR 25 IL in Stainless Steel AISI 303 - DIN 1.4305 - Polished**

	D = mm	Art.			Finish	€ / m	pc ■
	25	SWR	25	IL	Polished	4,93	10


Wheelbase: 70 mm

Wood 6,5 mm

Stone 7 mm



Length: 2,70 meters



SW 10 AS

H = 1,6 mm


H1 = 8 mm

stairtec >> SW 10 AS in Anodized Aluminum

	B = mm	Art.			Finish	Variant	€ / m	pc ■
	10	SW	10	AS	Anodized	Silver	5,86	10

**stairtec** FO 45 AS**stairtec** SWP 25 IL**stairtec** SWR 25 IL**stairtec** SW 10 AS

Length: 2,70 meters



stairtec >> SI 400 IL in Stainless Steel AISI 304 - DIN 1.4301 - Polished


BxH mm	Art.	Finish	€/ m	pc ■
40x25	SI 400 IL	Polished	18,12	10

Profile protected with a removable film.

walktec >> SWH Carborundum self-adhesive "Strip Walk"

H mmxm	Art.	Material	Variant	€/ roll	set ■
25x18,3	SWH 25 C10	Carborundum	Trasparent in roll	33,60	1
25x18,3	SWH 25 C11	Carborundum	White gummed in roll	39,50	1
25x18,3	SWH 25 C51	Carborundum	Black in roll	33,60	1

Anti-slip insert has to be ordered separately.



SWH product is certified R13. Anti-slip properties. According to standard DIN 51130 (06/2004).


walktec >> SWH in Carborundum Adhesive "Strip Walk"

H mmxm	Art.	Material	Color	€/ roll	pc ■
25x18,3	SWH 25 C10	Carborundum	Trasparent in roll	33,60	1
25x18,3	SWH 25 C11	Carborundum	White gummed in roll	39,50	1
25x18,3	SWH 25 C51	Carborundum	Black in roll	33,60	1
19x18,3	SWH 19 C51	Carborundum	Black	28,87	1
50x18,3	SWH 50 C51	Carborundum	Black in roll	66,58	1
19x0.61	SWHS 19 C51	Carborundum	Black in strips	1,68	50
19x18,3	SWH 19 CF	Carborundum	Photoluminescent*	92,53	1
1	SWHP	adhesive primer		46,68	1

Primer for difficult supports like stone, wood or marble. It covers a surface of abt 5 sq.m.

*It recharges with natural or artificial light and releases brightness in the dark.

Length: 2,70 meters



stairtec >> AE 21 A*N in Anodized Aluminum

HxB mm	Art.	Finish	Variant	€/ m	pc ■
21 x 21	AE 21 ASN	Anodized	Silver	5,04	10
21 x 21	AE 21 AON	Anodized	Gold	5,04	10
21 x 21	AE 21 ABN	Anodized	Bronze	5,04	10



stairtec >> AE-OLN in Brass

HxB mm	Art.	Finish	€/ m	pc ■
21 x 21	AE 21 OLN	Polished	17,73	10
30 x 30	AE 30 OLN	Polished	23,54	10




stairtec SI 400 IL




stairtec AE-OLN




Length: 2,70 meters



SE 40 ASN



SE 42 A*N



SE 45 A*


stairtec >> SE-A*N in Anodized Aluminum

BxH mm	Art.			Finish	Variant	€ / m	pc ■
40 x 40	SE	40	ASN	Anodized	Silver	9,47	10
42 x 22	SE	42	ASN	Anodized	Silver	7,46	10
45 x 33	SE	45	ASN	Anodized	Silver	9,10	10
42 x 22	SE	42	AON	Anodized	Gold	7,46	10
45 x 33	SE	45	AON	Anodized	Gold	9,10	10
42 x 22	SE	42	ABN	Anodized	Bronze	7,46	10
45 x 33	SE	45	ABN	Anodized	Bronze	9,10	10


stairtec >> SE-A*N in Anodized Aluminum - Self-Adhesive

BxH mm	Art.			Finish	Variant	€ / m	pc ■
45 x 33	SE	45	ASA	Anodized	Silver Self-Adhesive	10,76	10
45 x 33	SE	45	AOA	Anodized	Gold Self-Adhesive	10,76	10
45 x 33	SE	45	ABA	Anodized	Bronze Self-Adhesive	10,76	10

Length: 2,70 meters



SA 52 A*



SA 65 ASN



SWH product is certified R13.
Anti-slip properties. According to
standard DIN 51130 (06/2004).

stairtec >> SA-A*N in Anodized Aluminum

BxH mm	Art.			Finish	Variant	€ / m	pc ■
52 x 30	SA	52	ASN	Anodized	Silver	11,87	10
65 x 55	SA	65	ASN	Anodized	Silver	13,65	10
52 x 30	SA	52	AON	Anodized	Gold	11,87	10
52 x 30	SA	52	ABN	Anodized	Bronze	11,87	10

For the SA 65 ASN profile, the anti-slip strip SWH 50 C51 is available separately.


stairtec >> SA-A*A in Anodized Aluminum - Self-Adhesive

BxH mm	Art.			Finish	Variant	€ / m	pc ■
52 x 30	SA	52	ASA	Anodized	Silver Self-Adhesive	13,53	10
52 x 30	SA	52	AOA	Anodized	Gold Self-Adhesive	13,53	10
52 x 30	SA	52	ABA	Anodized	Bronze Self-Adhesive	13,53	10

walktec >> SWH Carborundum self-adhesive "Strip Walk"

H mmxm	Art.			Material	Variant	€ / roll	set ■
19x18,3	SWH	19	C51	Carborundum	Black	28,87	1
50x18,3	SWH	50	C51	Carborundum	Black in roll	66,58	1
19x18,3	SWH	19	CF	Carborundum	Photoluminescent*	92,53	1


The anti-slip strip SWH 50 C51 is only available for the SA 65 ASN profile.



stairtec SE-ASN




stairtec SA 52 ASN




stairtec SA 65 ASN

Length: 2,70 meters


- ☒ **SELFLINE-A/KIT PRE-CUT**
0,90 and 1,35 m + €/m 1,07
- ☒ **SELFLINE-F/KIT PRE-CUT**
screws + dowels
0,90 and 1,35 m + €/m 1,33



SL 10 A*



SL 20 A*



stairtec >> SL-A*A in Anodized Aluminum - Self-Adhesive

	BxH mm	Art.		Finish	Variant	€/ m	pc ■
☒	25 x 10	SL	10	ASA	Anodized	Silver Self-Adhesive	4,90 30
☒	25 x 20	SL	20	ASA	Anodized	Silver Self-Adhesive	5,70 30
☒	25 x 10	SL	10	AOA	Anodized	Gold Self-Adhesive	4,90 30
☒	25 x 20	SL	20	AOA	Anodized	Gold Self-Adhesive	5,70 30
☒	25 x 10	SL	10	ABA	Anodized	Bronze Self-Adhesive	4,90 30
☒	25 x 20	SL	20	ABA	Anodized	Bronze Self-Adhesive	5,70 30

stairtec >> SL-A*F in Anodized Aluminum - Drilled

	BxH mm	Art.		Finish	Variant	€/ m	pc ■
☒	25 x 10	SL	10	ASF	Anodized	Silver Drilled	3,62 30
☒	25 x 20	SL	20	ASF	Anodized	Silver Drilled	4,41 30
☒	25 x 10	SL	10	AOF	Anodized	Gold Drilled	3,62 30
☒	25 x 20	SL	20	AOF	Anodized	Gold Drilled	4,41 30
☒	25 x 10	SL	10	ABF	Anodized	Bronze Drilled	3,62 30
☒	25 x 20	SL	20	ABF	Anodized	Bronze Drilled	4,41 30

stairtec >> SL 20 *A in Wood Effect Aluminium- Self-Adhesive

	BxH mm	Art.		Finish	Variant	€/ m	pc ■
	25 x 20	SL	20	ACA	Wood effect	Maple - Self-Adhesive	10,70 20
	25 x 20	SL	20	CIA	Wood effect	Cherry - Self-Adhesive	10,70 20
	25 x 20	SL	20	FAA	Wood effect	Beechwood - Self-Adh.	10,70 20
	25 x 20	SL	20	NCA	Wood effect	Light Walnut - Self-Adh.	10,70 20
	25 x 20	SL	20	NSA	Wood effect	Dark Walnut -Self-Adh.	10,70 20
	25 x 20	SL	20	RSA	Wood effect	Whitened Oak Adhesive	10,70 20
	25 x 20	SL	20	ROA	Wood effect	Oak - Self-Adhesive	10,70 20
	25 x 20	SL	20	WEA	Wood effect	Wengè - Self-Adhesive	10,70 20

stairtec >> SL 20 *F in Wood Effect Aluminium- Drilled


	BxH mm	Art.		Finish	Variant	€/ m	pc ■
	25 x 20	SL	20	ACF	Wood effect	Maple Drilled	9,41 20
	25 x 20	SL	20	CIF	Wood effect	Cherry Drilled	9,37 20
	25 x 20	SL	20	FAF	Wood effect	Beechwood Drilled	9,41 20
	25 x 20	SL	20	NCF	Wood effect	Light Walnut Drilled	9,41 20
	25 x 20	SL	20	NSF	Wood effect	Dark Walnut - Drilled	9,41 20
	25 x 20	SL	20	ROF	Wood effect	Oak Drilled	9,41 20
	25 x 20	SL	20	RSF	Wood effect	Bleached Drilled	9,41 20
	25 x 20	SL	20	WEF	Wood effect	Wengè Drilled	9,41 20



stairtec SL 20 AOA



Length: 2,70 meters




SC 30 A*

stairtec >> SC 30 A*N in Anodized Aluminum

	H+H1 mm	Art.			Finish	Variant	€ / m	pc ■
	2,5 + 30	SC	30	ASN	Anodized	Silver	6,44	10
	2,5 + 30	SC	30	AON	Anodized	Gold	6,44	10
	2,5 + 30	SC	30	ABN	Anodized	Bronze	6,44	10

Length: 2,70 meters



SM - *N



SML 28 P*



SMI 28 P*

stairtec >> SM-A*N in Anodized Aluminum

	BxH mm	Art.			Finish	Variant	€ / m	pc ■
	42 x 14	SM	14	ASN	Anodized	Silver	7,30	10
	42 x 28	SM	28	ASN	Anodized	Silver	9,11	10
	42 x 14	SM	14	AON	Anodized	Gold	7,30	10
	42 x 28	SM	28	AON	Anodized	Gold	9,11	10
	42 x 14	SM	14	ABN	Anodized	Bronze	7,30	10
	42 x 28	SM	28	ABN	Anodized	Bronze	9,11	10

Non-slip insert not included to be ordered separately. Select art. SMI 28 or SML 28.

stairtec >> SM 14 OLN in Natural Brass

	BxH mm	Art.			Finish	€ / m	pc ■
	42 x 14	SM	14	OLN	Polished	25,19	10

Non-slip insert not included to be ordered separately. Select art. SMI 28 or SML 28.

stairtec >> SM*-P* Non-slip insert - Smooth

	B = mm	Art.			Finish	Variant	€ / set	set ■
	28	SML	28	P23	Smooth	Cement Grey	2,41	60 pcs
	28	SML	28	P32	Smooth	Dark Beige	2,41	60 pcs
	28	SML	28	P51	Smooth	Black Graphite	2,41	60 pcs

Available in rolls to be applied upon installation to art.SM14 and SM28. Must be ordered separately.


stairtec >> SM*-P* Non-slip insert - Ribbed

	B = mm	Art.			Finish	Variant	€ / set	set ■
	28	SMI	28	P23	Ribbed	Cement Grey	2,41	60 pcs
	28	SMI	28	P32	Ribbed	Dark Beige	2,41	60 pcs
	28	SMI	28	P51	Ribbed	Black Graphite	2,41	60 pcs

Available in rolls to be applied upon installation to art.SM14 and SM28. Must be ordered separately.



stairtec SC 30 ASN




stairtec SM 14 AON



stairtec SM 28 ASN

Length: 2,00 m



LES 54 AS



LED Profiles >> LES 54 AS in Anodized Aluminum


	HxB mm	Art.			Finish	Variant	€/ m	pc ■
	21 x 54	LES	54	AS	Anodized	Silver	50,44	1

LED Profiles >> Light diffuser

	B = mm	Art.			Finish	€/ pc	pc ■
	15	LEC	15	OP	Opal	25,23	1
	15	LEC	15	TR	Trasparent	22,42	1
	15	LEC	15	SA	Sanded	22,42	1

LED Profiles >> Accessories

	H = mm	Art.			Finish	€/ set	set ■
	54	LEST	54	AS	End caps (righ and left)	34,42	2 pcs
	10	LESA	10		Black adhesive strip 30m	6,67/m	



stair nosing LES 54 AS





Wall covering profiles

Practical and decorative, economical and durable: PROFILITEC Wall Covering Profiles are a first-rate solution for detailing mosaic, natural stone and all wall tile installations.

Linear profiles act as a vertical reference for tile laying, eliminating the need to cut outside corner tiles at a 45° angle or use special tiled elements. Tile profiles are also an invaluable safeguarding measure to prevent the chipping and cracking of fragile single-fired ceramic tiles.

Linear profiles act as a vertical reference for tile laying, eliminating the need to cut outside corner tiles at a 45° angle or use special tiled elements. Tile profiles are also an invaluable safeguarding measure to prevent the chipping and cracking of fragile single-fired ceramic tiles. PROFILITEC proposes infinite solutions for resolving internal and external wall corners, making them less dangerous and easier to clean.

Available in synthetic, non-toxic materials, brass, aluminum and stainless steel profiles in over 30 trim finishes allow the designer to coordinate or contrast grout and tile colors. The end result is a completely integrated design environment.




Article	Code	Use	Page
Squarejolly	SJ	multipurpose	60
Filojolly	RJF	multipurpose and invisible	74
Roundjolly	RJS	junction	75
Roundjolly	RJE	junction	76
Trimtec	TR	finish	77
Kerajolly	KJ	finish	78
Kerajolly	KJ	finish	81
Mosaictec	SJM	mosaic and thin-set	82
Mosaictec	RJM	mosaic and thin-set	82
Mosaictec	RJF	mosaic and thin-set	82
Mosaictec	CRM	mosaic	83
Baseboard	BT	mosaic	83
Planotec	BP	mosaic	83
Mosaictec	LIM	mosaic	83
Listec	LI	listello	84
Listec	LIA	glitter and appendo	86
Appendo	APP	vertical listello	86
Squarejolly	SJQ	squared and corner junction	87
Trialjolly	TJ	squared and corner junction	87
Roundcorner	RO	corner edge	88
Keracorner	CO	corner edge	89
Wallprotection	WA	corner edge	89
Sanitec	RS	internal co-extruded cove	90
Roundcorner	RE	cove raccord, corner	90
Sanitec	SB	multipurpose junction	91
Coflex	CR	resin cove	94
Sanitec	ER	resin cove	94
Sanitec	IC	raccord and corner edge	95
Interjolly	IJ	raccord and corner edge	95
LED profiles	LES	LED profiles	96



Length: 2,70 meters

☑ **CURVELINE/BENDABLE**
Code SJ-ILD + €/m 2,99



SJ - I*

Visible side B:
H size + 1mm
e.g. SJ80 = 9x9mm



SJC-I*



IL/M

**squarejolly >> SJ-IL in Stainless steel AISI 304 - DIN 1.4301 - Polished**

	H = mm	Art.		Finish	€/ m	pc ■
☑	6	SJ	60 IL	Polished	9,30	20
☑	8	SJ	80 IL	Polished	9,80	20
☑	9	SJ	90 IL	Polished	10,14	20
☑	10	SJ	100 IL	Polished	10,60	20
☑	11	SJ	110 IL	Polished	10,83	20
☑	12,5	SJ	125 IL	Polished	11,29	20
☑	15	SJ	150 IL	Polished	13,25	20

B= H + 1 mm. Profile protected with a removable film.

squarecapsule >> SJC-IL End caps in Stainless Steel AISI 304 - DIN 1.4301 - Polished

	H = mm	Art.		Finish	€/ set	set ■
	6	SJC	60 IL	Polished	26,69	2 pcs
	8	SJC	80 IL	Polished	26,69	2 pcs
	9	SJC	90 IL	Polished	26,69	2 pcs
	10	SJC	100 IL	Polished	26,69	2 pcs
	11	SJC	110 IL	Polished	26,69	2 pcs
	12,5	SJC	125 IL	Polished	26,69	2 pcs
	15	SJC	150 IL	Polished	26,69	2 pcs

Universal end caps (internal and external corner, and three-way intersection).

**squarejolly >> SJ-ILM in Stainless Steel AISI 316 - DIN 1.4404 - Polished**

	H = mm	Art.		Finish	€/ m	pc ■
	8	SJ	80 ILM	Polished	12,94	20
	9	SJ	90 ILM	Polished	13,29	20
	10	SJ	100 ILM	Polished	13,75	20
	11	SJ	110 ILM	Polished	13,99	20
	12,5	SJ	125 ILM	Polished	14,45	20
	15	SJ	150 ILM	Polished	16,44	20

B= H + 1 mm. Profile protected with a removable film.

squarecapsule >> SJC-ILM End caps in Stainless Steel AISI 316 - DIN 1.4404 - Polished

	H = mm	Art.		Finish	€/ set	set ■
	8	SJC	80 ILM	Polished	33,59	2 pcs
	9	SJC	90 ILM	Polished	33,59	2 pcs
	10	SJC	100 ILM	Polished	33,59	2 pcs
	11	SJC	110 ILM	Polished	33,59	2 pcs
	12,5	SJC	125 ILM	Polished	33,59	2 pcs
	15	SJC	150 ILM	Polished	33,59	2 pcs

Universal end caps (internal and external corner, and three-way intersection).

☑ Bendable with bending




squarejolly SJ-IL



squarejolly SJ-ILM

Length: 2,70 meters




SJ - I*

Visible side B:
H size + 1mm
e.g. SJ80 = 9x9mm



SJC-I*



IS

IX

squarejolly >> SJ-IS in Stainless Steel AISI 304 - DIN 1.4301 - Brushed

H = mm	Art.	Finish	€ / m	pc ■
6	SJ 60 IS	Brushed	11,55	20
8	SJ 80 IS	Brushed	12,06	20
9	SJ 90 IS	Brushed	12,40	20
10	SJ 100 IS	Brushed	12,87	20
11	SJ 110 IS	Brushed	13,10	20
12,5	SJ 125 IS	Brushed	13,57	20
15	SJ 150 IS	Brushed	15,56	20

Profile protected with a removable film.

squarecapsule >> SJC-IS End caps in Stainless Steel AISI 304 - DIN 1.4301 - Brushed

H = mm	Art.	Finish	€ / set	set ■
6	SJC 60 IS	Brushed	32,25	2 pcs
8	SJC 80 IS	Brushed	32,25	2 pcs
9	SJC 90 IS	Brushed	32,25	2 pcs
10	SJC 100 IS	Brushed	32,25	2 pcs
11	SJC 110 IS	Brushed	32,25	2 pcs
12,5	SJC 125 IS	Brushed	32,25	2 pcs
15	SJC 150 IS	Brushed	32,25	2 pcs

Universal end caps (internal and external corner, and three-way intersection).

squarejolly >> SJ-IX in Stainless Steel AISI 304 - DIN 1.4301 - Sanded

H = mm	Art.	Finish	€ / m	pc ■
8	SJ 80 IX	Sanded	12,85	20
10	SJ 100 IX	Sanded	13,68	20
12,5	SJ 125 IX	Sanded	14,39	20


squarecapsule >> SJC-IX End caps in Stainless Steel AISI 304 - DIN 1.4301 - Sanded

H = mm	Art.	Finish	€ / set	set ■
8	SJC 80 IX	Sanded	27,09	2 pcs
10	SJC 100 IX	Sanded	27,09	2 pcs
12,5	SJC 125 IX	Sanded	27,09	2 pcs

Universal end caps (internal and external corner, and three-way intersection).



Solid form



- + Double floor support
- + Grout lock for the Aluminum version
- + Four folds to increase the solidity



squarejolly SJ-IS



squarejolly SJ-IX



Length: 2,70 meters

☑ **CURVELINE/BENDABLE**
Cod SJ-ASD + €/m 1,51




SJ - A*

Visible side B:
H size + 1mm
e.g. SJ80 = 9x9mm



SJC-A*



AMSB

squarejolly >> SJ-A* in Anodized Aluminum

	H = mm	Art.		Finish	Variant	€/ m	pc ■
	6	SJ	60 AS	Anodized	Silver	4,28	20 ☑
☑	8	SJ	80 AS	Anodized	Silver	4,61	20 ☑
☑	9	SJ	90 AS	Anodized	Silver	4,90	20 ☑
☑	10	SJ	100 AS	Anodized	Silver	5,02	20 ☑
☑	11	SJ	110 AS	Anodized	Silver	5,30	20 ☑
☑	12,5	SJ	125 AS	Anodized	Silver	5,67	20 ☑
	8	SJ	80 AT	Anodized	Titanium	6,07	20 ☑
	9	SJ	90 AT	Anodized	Titanium	6,27	20 ☑
	10	SJ	100 AT	Anodized	Titanium	6,51	20 ☑
	11	SJ	110 AT	Anodized	Titanium	6,84	20 ☑
	12,5	SJ	125 AT	Anodized	Titanium	7,26	20 ☑
	8	SJ	80 AR	Anodized	Copper	6,07	20 ☑
	9	SJ	90 AR	Anodized	Copper	6,27	20 ☑
	10	SJ	100 AR	Anodized	Copper	6,51	20 ☑
	11	SJ	110 AR	Anodized	Copper	6,84	20 ☑
	12,5	SJ	125 AR	Anodized	Copper	7,26	20 ☑

squarecapsule >> SJC-A* in Anodized Aluminum

	H = mm	Art.		Finish	Variant	€/ set	set ■
	6	SJC	60 A*	Anodized	AS	9,61	2 pcs
	8	SJC	80 A*	Anodized	AS/AR/AT	9,61	2 pcs
	9	SJC	90 A*	Anodized	AS/AR/AT	9,61	2 pcs
	10	SJC	100 A*	Anodized	AS/AR/AT	9,61	2 pcs
	11	SJC	110 A*	Anodized	AS/AR/AT	9,61	2 pcs
	12,5	SJC	125 A*	Anodized	AS/AR/AT	9,61	2 pcs

Universal end caps (internal and external corner, and three-way intersection). Loose pcs not available.

squarejolly >> SJ-A* in Brushed Anodized Aluminum

	H = mm	Art.		Finish	Variant	€/ m	pc ■
	8	SJ	80 ASS	Brushed Anodized	Silver	7,25	20 ☑
	9	SJ	90 ASS	Brushed Anodized	Silver	7,50	20 ☑
	10	SJ	100 ASS	Brushed Anodized	Silver	7,76	20 ☑
	11	SJ	110 ASS	Brushed Anodized	Silver	8,15	20 ☑
	12,5	SJ	125 ASS	Brushed Anodized	Silver	8,59	20 ☑
new	8	SJ	80 AMSB	Brushed Anodized	Antique Bronze	14,51	40 ☑
new	10	SJ	100 AMSB	Brushed Anodized	Antique Bronze	14,75	40 ☑
new	12,5	SJ	125 AMSB	Brushed Anodized	Antique Bronze	14,90	30 ☑

squarecapsule >> SJC-ASS in Brushed Anodized Aluminum

	H = mm	Art.		Finish	Variant	€/ set	set ■
	8	SJC	80 ASS	Brushed Anodized	ASS	11,21	2 pcs
	9	SJC	90 ASS	Brushed Anodized	ASS	11,21	2 pcs
	10	SJC	100 ASS	Brushed Anodized	ASS	11,21	2 pcs
	11	SJC	110 ASS	Brushed Anodized	ASS	11,21	2 pcs
	12,5	SJC	125 ASS	Brushed Anodized	ASS	11,21	2 pcs
	10	SJC	100 AMSB	Brushed Anodized	AMSB	19,41	2 pcs
	12,5	SJC	125 AMSB	Brushed Anodized	AMSB	19,41	2 pcs

Universal end caps (internal and external corner, and three-way intersection). Loose pcs not available.

☑ Bendable with bending

☑ Individually wrapped



squarejolly SJ-AS



squarejolly SJ-AMSB

Length: 2,70 meters




SJ - A*

Visible side B:
H size + 1mm
e.g. SJ80 = 9x9mm



SJC-A*



squarejolly >> SJ-A*B in Bright Polished Anodized Aluminum

H = mm	Art.			Finish	Variant	€ / m	pc ■
6	SJ	60	ASB	Bright Polished Anodized	Chrome	7,48	20 ■
8	SJ	80	ASB	Bright Polished Anodized	Chrome	7,88	20 ■
9	SJ	90	ASB	Bright Polished Anodized	Chrome	8,48	20 ■
10	SJ	100	ASB	Bright Polished Anodized	Chrome	8,80	20 ■
11	SJ	110	ASB	Bright Polished Anodized	Chrome	9,31	20 ■
12,5	SJ	125	ASB	Bright Polished Anodized	Chrome	9,88	20 ■
8	SJ	80	ATB	Bright Polished Anodized	Titanium	8,15	20 ■
9	SJ	90	ATB	Bright Polished Anodized	Titanium	8,77	20 ■
10	SJ	100	ATB	Bright Polished Anodized	Titanium	9,10	20 ■
11	SJ	110	ATB	Bright Polished Anodized	Titanium	9,63	20 ■
12,5	SJ	125	ATB	Bright Polished Anodized	Titanium	10,22	20 ■
8	SJ	80	ARB	Bright Polished Anodized	Copper	8,15	20 ■
9	SJ	90	ARB	Bright Polished Anodized	Copper	8,77	20 ■
10	SJ	100	ARB	Bright Polished Anodized	Copper	9,10	20 ■
11	SJ	110	ARB	Bright Polished Anodized	Copper	9,63	20 ■
12,5	SJ	125	ARB	Bright Polished Anodized	Copper	10,22	20 ■

squarecapsule >> SJC-A*B in Bright Polished Anodized Aluminum

H = mm	Art.			Finish	Variant	€ / set	set ■
6	SJC	60	A*B	Bright Polished Anodized	ASB	9,61	2 pcs
8	SJC	80	A*B	Bright Polished Anodized	ASB/ARB/ATB	9,61	2 pcs
9	SJC	90	A*B	Bright Polished Anodized	ASB/ARB/ATB	9,61	2 pcs
10	SJC	100	A*B	Bright Polished Anodized	ASB/ARB/ATB	9,61	2 pcs
11	SJC	110	A*B	Bright Polished Anodized	ASB/ARB/ATB	9,61	2 pcs
12,5	SJC	125	A*B	Bright Polished Anodized	ASB/ARB/ATB	9,61	2 pcs

Universal end caps (internal and external corner, and three-way intersection). Loose pcs not available.

squarejolly >> SJ-ASSB in Bright Polished Brushed Anodized Aluminum

H = mm	Art.			Finish	Variant	€ / m	pc ■
8	SJ	80	ASSB	Bright Polished Brushed Anodized	Silver	8,96	20 ■
9	SJ	90	ASSB	Bright Polished Brushed Anodized	Silver	9,35	20 ■
10	SJ	100	ASSB	Bright Polished Brushed Anodized	Silver	9,74	20 ■
11	SJ	110	ASSB	Bright Polished Brushed Anodized	Silver	10,96	20 ■
12,5	SJ	125	ASSB	Bright Polished Brushed Anodized	Silver	12,18	20 ■

squarecapsule >> SJC-ASSB in Bright Polished Anodized Aluminum Brushed

H = mm	Art.			Finish	Variant	€ / set	set ■
8	SJC	80	ASSB	Bright Polished Brushed Anodized	ASSB	12,32	2 pcs
9	SJC	90	ASSB	Bright Polished Brushed Anodized	ASSB	12,32	2 pcs
10	SJC	100	ASSB	Bright Polished Brushed Anodized	ASSB	12,32	2 pcs
11	SJC	110	ASSB	Bright Polished Brushed Anodized	ASSB	12,32	2 pcs
12,5	SJC	125	ASSB	Bright Polished Brushed Anodized	ASSB	12,32	2 pcs

Universal end caps (internal and external corner, and three-way intersection). Loose pcs not available.



squarejolly SJC-ASB



squarejolly SJ-ARB + SJC-ARB



Length: 2,70 meters



SJ - A*

Visible side B:

H size + 1mm

e.g. SJ80 = 9x9mm



SJC-A*



ASXB ACXB A11

squarejolly >> SJ-A*XB in Bright Polished Sanded Anodized Aluminum

H = mm	Art.		Finish	Variant	€ / m	pc ■
8	SJ	80 ASXB	Bright Polished Sanded Anodized	Silver	9,63	20
9	SJ	90 ASXB	Bright Polished Sanded Anodized	Silver	10,06	20
10	SJ	100 ASXB	Bright Polished Sanded Anodized	Silver	10,47	20
11	SJ	110 ASXB	Bright Polished Sanded Anodized	Silver	11,78	20
12,5	SJ	125 ASXB	Bright Polished Sanded Anodized	Silver	13,08	20
8	SJ	80 ACXB	Bright Polished Sanded Anodized	Champagne	9,63	20
9	SJ	90 ACXB	Bright Polished Sanded Anodized	Champagne	10,06	20
10	SJ	100 ACXB	Bright Polished Sanded Anodized	Champagne	10,47	20
11	SJ	110 ACXB	Bright Polished Sanded Anodized	Champagne	11,78	20
12,5	SJ	125 ACXB	Bright Polished Sanded Anodized	Champagne	13,08	20

squarecapsule >> SJC-A*XB in Bright Polished Anodized Aluminum Sanded

H = mm	Art.		Finish	Variant	€ / set	set ■
8	SJC	80 A*XB	Bright Polished Sanded Anodized	ASXB/ACXB	12,32	2 pcs
9	SJC	90 A*XB	Bright Polished Sanded Anodized	ASXB/ACXB	12,32	2 pcs
10	SJC	100 A*XB	Bright Polished Sanded Anodized	ASXB/ACXB	12,32	2 pcs
11	SJC	110 A*XB	Bright Polished Sanded Anodized	ASXB/ACXB	12,32	2 pcs
12,5	SJC	125 A*XB	Bright Polished Sanded Anodized	ASXB/ACXB	12,32	2 pcs

Universal end caps (internal and external corner, and three-way intersection). Loose pcs not available.

squarejolly >> SJ-A11 in Powder Coated Aluminum

H = mm	Art.		Finish	Variant	€ / m	pc ■
8	SJ	80 A11	Pow. Coated	Pure White	6,15	20
9	SJ	90 A11	Pow. Coated	Pure White	6,37	20
10	SJ	100 A11	Pow. Coated	Pure White	6,71	20
11	SJ	110 A11	Pow. Coated	Pure White	6,85	20
12,5	SJ	125 A11	Pow. Coated	Pure White	7,50	20

squarecapsule >> SJC-A11 in Powder Coated Aluminum

H = mm	Art.		Finish	Variant	€ / set	set ■
8	SJC	80 A*	Pow. Coated	A11	9,61	2 pcs
9	SJC	90 A*	Pow. Coated	A11	9,61	2 pcs
10	SJC	100 A*	Pow. Coated	A11	9,61	2 pcs
11	SJC	110 A*	Pow. Coated	A11	9,61	2 pcs
12,5	SJC	125 A*	Pow. Coated	A11	9,61	2 pcs

Universal end caps (internal and external corner, and three-way intersection). Loose pcs not available.




squarejolly SJ-ASXB



squarejolly SJ-ACXB

Length: 2,70 meters



SJ - A*

Visible side B:
H size + 1mm
e.g. SJ80 = 9x9mm



SJC-A*



A13 A24 A25 A33



A34 A50 A60 A64



A65

squarejolly >> SJ-A* in Powder Coated Aluminum "Modern Line"

	H = mm	Art.	Finish	Variant	€ / m	pc ■
new	8	SJ 80 A13	Pow. Coated	Embossed Antique White	6,04	20
new	10	SJ 100 A13	Pow. Coated	Embossed Antique White	6,58	20
new	11	SJ 110 A13	Pow. Coated	Embossed Antique White	6,95	20
new	12,5	SJ 125 A13	Pow. Coated	Embossed Antique White	7,36	20
new	8	SJ 80 A24	Pow. Coated	Embossed Pastel Grey	6,04	20
new	10	SJ 100 A24	Pow. Coated	Embossed Pastel Grey	6,58	20
new	11	SJ 110 A24	Pow. Coated	Embossed Pastel Grey	6,95	20
new	12,5	SJ 125 A24	Pow. Coated	Embossed Pastel Grey	7,36	20
new	8	SJ 80 A25	Pow. Coated	Embossed Cement Grey	6,04	20
new	10	SJ 100 A25	Pow. Coated	Embossed Cement Grey	6,58	20
new	11	SJ 110 A25	Pow. Coated	Embossed Cement Grey	6,95	20
new	12,5	SJ 125 A25	Pow. Coated	Embossed Cement Grey	7,36	20
new	8	SJ 80 A33	Pow. Coated	Embossed Dove-Grey	6,04	20
new	10	SJ 100 A33	Pow. Coated	Embossed Dove-Grey	6,58	20
new	11	SJ 110 A33	Pow. Coated	Embossed Dove-Grey	6,95	20
new	12,5	SJ 125 A33	Pow. Coated	Embossed Dove-Grey	7,36	20
new	8	SJ 80 A34	Pow. Coated	Embossed Kaki	6,04	20
new	10	SJ 100 A34	Pow. Coated	Embossed Kaki	6,58	20
new	11	SJ 110 A34	Pow. Coated	Embossed Kaki	6,95	20
new	12,5	SJ 125 A34	Pow. Coated	Embossed Kaki	7,36	20
new	8	SJ 80 A50	Pow. Coated	Embossed Micaceous	6,04	20
new	10	SJ 100 A50	Pow. Coated	Embossed Micaceous	6,58	20
new	11	SJ 110 A50	Pow. Coated	Embossed Micaceous	6,95	20
new	12,5	SJ 125 A50	Pow. Coated	Embossed Micaceous	7,36	20
new	8	SJ 80 A60	Pow. Coated	Embossed Corten	6,04	20
new	10	SJ 100 A60	Pow. Coated	Embossed Corten	6,58	20
new	11	SJ 110 A60	Pow. Coated	Embossed Corten	6,95	20
new	12,5	SJ 125 A60	Pow. Coated	Embossed Corten	7,36	20
new	8	SJ 80 A64	Pow. Coated	Embossed Dark Brown	6,04	20
new	10	SJ 100 A64	Pow. Coated	Embossed Dark Brown	6,58	20
new	11	SJ 110 A64	Pow. Coated	Embossed Dark Brown	6,95	20
new	12,5	SJ 125 A64	Pow. Coated	Embossed Dark Brown	7,36	20
new	8	SJ 80 A65	Pow. Coated	Embossed matt Black	6,04	20
new	10	SJ 100 A65	Pow. Coated	Embossed matt Black	6,58	20
new	11	SJ 110 A65	Pow. Coated	Embossed matt Black	6,95	20
new	12,5	SJ 125 A65	Pow. Coated	Embossed matt Black	7,36	20

squarecapsule >> SJC-A* in Powder Coated Aluminum "Modern Line"

	H = mm	Art.	Finish	Variant	€ / set	set ■
new	8	SJC 80 A*	Pow. Coated	A13/A24/A25/A33/A34/A50/A60/A64/A65	9,47	2 pcs
new	10	SJC 100 A*	Pow. Coated	A13/A24/A25/A33/A34/A50/A60/A64/A65	9,47	2 pcs
new	11	SJC 110 A*	Pow. Coated	A13/A24/A25/A33/A34/A50/A60/A64/A65	9,47	2 pcs
new	12,5	SJC 125 A*	Pow. Coated	A13/A24/A25/A33/A34/A50/A60/A64/A65	9,47	2 pcs



squarejolly SJ-A13



squarejolly SJ-A34

multipurpose


wall coverings



Length: 2,70 meters



SJ - A*



SJ - O*


Visible side B:
H size + 1mm
e.g. SJ80 = 9x9mm



SJC-A*



SJC-OL



ATRS ATWE ATRO ATTK



OL OC

squarejolly >> SJ-AT* in High Resistance Wood Laminated Aluminum

H = mm	Art.		Finish	Variant	€ / m	pc ■
8	SJ	80	ATRS	Wood effect	8,81	20 ■
10	SJ	100	ATRS	Wood effect	9,25	20 ■
12,5	SJ	125	ATRS	Wood effect	9,98	20 ■
8	SJ	80	ATWE	Wood effect	8,81	20 ■
10	SJ	100	ATWE	Wood effect	9,25	20 ■
12,5	SJ	125	ATWE	Wood effect	9,98	20 ■
8	SJ	80	ATTK	Wood effect	8,81	20 ■
10	SJ	100	ATTK	Wood effect	9,25	20 ■
12,5	SJ	125	ATTK	Wood effect	9,98	20 ■
8	SJ	80	ATRO	Wood effect	8,81	20 ■
10	SJ	100	ATRO	Wood effect	9,25	20 ■
12,5	SJ	125	ATRO	Wood effect	9,98	20 ■

squarecapsule >> SJC-AT* in Wood Effect Aluminum

H = mm	Art.		Finish	Variant	€ / set	set ■
8	SJC	80	AT*	Wood effect	22,39	2 pcs
10	SJC	100	AT*	Wood effect	22,39	2 pcs
12,5	SJC	125	AT*	Wood effect	22,39	2 pcs

Universal end caps (internal and external corner, and three-way intersection). Loose pcs not available.

squarejolly >> SJ-OL in Polished Brass

	H = mm	Art.			Finish	€ / m	pc ■
	8	SJ	80	OL	Polished	12,94	15
	10	SJ	100	OL	Polished	13,97	15
	12.5	SJ	125	OL	Polished	15,32	10

Profile protected with a removable film.

squarecapsule >> SJC-OL in Polished Brass

	H = mm	Art.		Finish	€ / set	set ■
	8	SJC	80 OL	Polished	20,31	2 pcs
	10	SJC	100 OL	Polished	20,31	2 pcs
	12,5	SJC	125 OL	Polished	20,31	2 pcs

Universal end caps (internal and external corner, and three-way intersection). Loose pcs not available.

squarejolly >> SJ-OC in Chromed Brass

	H = mm	Art.		Finish	€ / m	pc ■
	8	SJ	80 OC	Chrome	20,89	15
	10	SJ	100 OC	Chrome	22,82	15
	12,5	SJ	125 OC	Chrome	24,83	10

squarecapsule >> SJC-OC in Chromed Brass

	H = mm	Art.		Finish	€ / set	set ■
	8	SJC	80 OC	Chrome	27,82	2 pcs
	10	SJC	100 OC	Chrome	27,82	2 pcs
	12,5	SJC	125 OC	Chrome	27,82	2 pcs

Universal end caps (internal and external corner, and three-way intersection). Loose pcs not available.




squarejolly SJ-ATRS





squarejolly SJ-OL

Length: 2,70 meters



SJ - P*

Visible side B:
H size + 1mm
e.g. SJ80 = 9x9mm



squarejolly >> SJ-P* in Synthetic Resin Full Body Colored Resintop

	H = mm	Art.		Finish	Variant	€ / m	pc ■
	6	SJ	60 P11	Synthetic Resin	Pure White	1,53	20
	8	SJ	80 P11	Synthetic Resin	Pure White	1,68	20
	10	SJ	100 P11	Synthetic Resin	Pure White	1,88	20
	6	SJ	60 P12	Synthetic Resin	White	1,53	20
	8	SJ	80 P12	Synthetic Resin	White	1,68	20
	10	SJ	100 P12	Synthetic Resin	White	1,88	20
	6	SJ	60 P22	Synthetic Resin	Pastel Grey	1,53	20
	8	SJ	80 P22	Synthetic Resin	Pastel Grey	1,68	20
	10	SJ	100 P22	Synthetic Resin	Pastel Grey	1,88	20
	6	SJ	60 P31	Synthetic Resin	Beige Bahama	1,53	20
	8	SJ	80 P31	Synthetic Resin	Beige Bahama	1,68	20
	10	SJ	100 P31	Synthetic Resin	Beige Bahama	1,88	20
	6	SJ	60 P41	Synthetic Resin	Cream	1,53	20
	8	SJ	80 P41	Synthetic Resin	Cream	1,68	20
	10	SJ	100 P41	Synthetic Resin	Cream	1,88	20
	6	SJ	60 P42	Synthetic Resin	Ivory	1,53	20
	8	SJ	80 P42	Synthetic Resin	Ivory	1,68	20
	10	SJ	100 P42	Synthetic Resin	Ivory	1,88	20
	6	SJ	60 P51	Synthetic Resin	Black	1,53	20
	8	SJ	80 P51	Synthetic Resin	Black	1,68	20
	10	SJ	100 P51	Synthetic Resin	Black	1,88	20

Length: 2,70 meters



RJ - I*



RJC-IL



RJI-I*

Available end caps with an imitation
Polished Stainless Steel finish.



IL

roundjolly >> RJ-IL in Stainless Steel AISI 304 - DIN 1.4301 - Polished

	H = mm	Art.		Finish	€ / m	pc ■
	4,5	RJ	45 IL	Polished	9,02	20
	6	RJ	60 IL	Polished	9,11	20
	8	RJ	80 IL	Polished	9,80	20
	10	RJ	100 IL	Polished	10,60	20
	12,5	RJ	125 IL	Polished	11,29	20
	15	RJ	150 IL	Polished	13,25	20

Profile protected with a removable film.

roundcapsule >> RJC-IL/RJI-IL End caps in Stainless Steel AISI 304 - DIN.1.4301 Polished

	H = mm	Art.		Finish	€ / set	set ■
	4,5	RJC	45 IL	Polished	26,69	2 pcs
	6	RJC/RJI	60 IL	Polished	26,69	2 pcs
	8	RJC/RJI	80 IL	Polished	26,69	2 pcs
	10	RJC/RJI	100 IL	Polished	26,69	2 pcs
	12,5	RJC/RJI	125 IL	Polished	26,69	2 pcs
	15	RJC	150 IL	Polished	26,69	2 pcs

RJC = external corner; RJI = internal corner



squarejolly SJ-P11



roundjolly RJ-IL

multipurpose

wall coverings

Length: 2,70 meters



RJ - I*




RJC-IL



RJI-I*

Available end caps with an imitation Polished Stainless Steel finish.



ILM IS IX

roundjolly >> RJ-ILM in Stainless Steel AISI 316 - DIN 1.4404 - Polished

H = mm	Art.			Finish	€ / m	pc ■
4,5	RJ	45	ILM	Polished	11,78	20
6	RJ	60	ILM	Polished	11,89	20
8	RJ	80	ILM	Polished	12,58	20
10	RJ	100	ILM	Polished	13,39	20
12,5	RJ	125	ILM	Polished	14,09	20

Profile protected with a removable film.

roundcapsule >> RJC-ILM/RJI-ILM End caps in St. Steel AISI 316 - DIN.1.4404 Polished

H = mm	Art.			Finish	€ / set	set ■
6	RJC/RJI	60	ILM	Polished	33,09	2 pcs
8	RJC/RJI	80	ILM	Polished	33,09	2 pcs
10	RJC/RJI	100	ILM	Polished	33,09	2 pcs
12,5	RJC/RJI	125	ILM	Polished	33,09	2 pcs

RJC = external corner; RJI = internal corner

roundjolly >> RJ-IS in Stainless Steel AISI 304 - DIN 1.4301 - Brushed

H = mm	Art.			Finish	€ / m	pc ■
4,5	RJ	45	IS	Brushed	11,27	20
6	RJ	60	IS	Brushed	11,36	20
8	RJ	80	IS	Brushed	12,06	20
10	RJ	100	IS	Brushed	12,87	20
12,5	RJ	125	IS	Brushed	13,57	20
15	RJ	150	IS	Brushed	15,56	20

Profile protected with a removable film.

roundcapsule >> RJC-IS/RJI-IS End caps in Stainless Steel AISI 304-DIN.1.4301 Brushed

H = mm	Art.			Finish	€ / set	set ■
4,5	RJC	45	IS	Brushed	32,02	2 pcs
6	RJC/RJI	60	IS	Brushed	32,02	2 pcs
8	RJC/RJI	80	IS	Brushed	32,02	2 pcs
10	RJC/RJI	100	IS	Brushed	32,02	2 pcs
12,5	RJC/RJI	125	IS	Brushed	32,02	2 pcs
15	RJC	150	IS	Brushed	32,02	2 pcs

RJC = external corner; RJI = internal corner

roundjolly >> RJ-IX in Stainless Steel AISI 304 - DIN 1.4301 - Sanded

H = mm	Art.			Finish	€ / m	pc ■
8	RJ	80	IX	Sanded	12,85	20
10	RJ	100	IX	Sanded	13,68	20
12,5	RJ	125	IX	Sanded	14,39	20

roundcapsule >> RJC-IX/RJI-IX End caps in St. Steel AISI 304 - DIN.1.4301 Sanded

H = mm	Art.			Finish	€ / set	set ■
8	RJC/RJI	80	IX	Sanded	26,69	2 pcs
10	RJC/RJI	100	IX	Sanded	26,69	2 pcs
12,5	RJC/RJI	125	IX	Sanded	26,69	2 pcs

RJC = external corner; RJI = internal corner



roundjolly RJ-ILM



roundjolly RJ-IX



Length: 2,70 meters




RJ - A*



RJC-A*



RJI-A*



AS AT AR AO



AMSB

roundjolly >> RJ-A* in Anodized Aluminum

	H = mm	Art.			Finish	Variant	€ / m	pc ■
	4,5	RJ	45	AS	Anodized	Silver	3,75	40
	6	RJ	60	AS	Anodized	Silver	3,75	20
	8	RJ	80	AS	Anodized	Silver	3,86	20
	10	RJ	100	AS	Anodized	Silver	4,20	20
new	11	RJ	110	AS	Anodized	Silver	4,44	20
	12,5	RJ	125	AS	Anodized	Silver	4,74	20
	6	RJ	60	AT	Anodized	Titanium	5,08	20
	8	RJ	80	AT	Anodized	Titanium	5,34	20
	10	RJ	100	AT	Anodized	Titanium	5,71	20
	12,5	RJ	125	AT	Anodized	Titanium	6,35	20
	6	RJ	60	AR	Anodized	Copper	5,08	20
	8	RJ	80	AR	Anodized	Copper	5,34	20
	10	RJ	100	AR	Anodized	Copper	5,71	20
	12,5	RJ	125	AR	Anodized	Copper	6,35	20
	6	RJ	60	AO	Anodized	Gold	3,82	20
	8	RJ	80	AO	Anodized	Gold	3,82	20
	10	RJ	100	AO	Anodized	Gold	3,93	20
	12,5	RJ	125	AO	Anodized	Gold	4,28	20

roundjolly >> RJ-AMSB in Brushed Anodized Aluminum

	H = mm	Art.			Finish	Variant	€ / m	pc ■
new	8	RJ	80	AMSB	Brushed Anodized	Antique Bronze	12,62	40
new	10	RJ	100	AMSB	Brushed Anodized	Antique Bronze	12,83	40
new	12,5	RJ	125	AMSB	Brushed Anodized	Antique Bronze	12,97	30

roundcapsule >> RJC-A*/RJI-A* End caps in Anodized Aluminum

	H = mm	Art.			Finish	Variant	€ / set	set ■
	4,5	RJC	45	AS	Anodized	AS	9,61	2 pcs
	6	RJC/RJI	60	A*	Anodized	AS/AT/AR/AO	9,61	2 pcs
	8	RJC/RJI	80	A*	Anodized	AS/AT/AR/AO	9,61	2 pcs
	10	RJC/RJI	100	A*	Anodized	AS/AT/AR/AO	9,61	2 pcs
	11	RJC/RJI	110	AS	Anodized	AS	9,61	2 pcs
	12,5	RJC/RJI	125	A*	Anodized	AS/AT/AR/AO	9,61	2 pcs

RJC = external corner; RJI = internal corner



roundjolly RJ-AS



roundjolly RJC-AS



Length: 2,70 meters




RJ - A*




RJC-A*



RJI-A*



ASB ATB ARB AOB



ASSB ATSB ARSB ADSB

roundjolly >> RJ-A*B in Bright Polished Anodized Aluminum

	H = mm	Art.		Finish	Variant	€ / m	pc ■
	4,5	RJ	45 ASB	Bright Polished Anodized	Chrome	6,54	20
	6	RJ	60 ASB	Bright Polished Anodized	Chrome	6,54	20
	8	RJ	80 ASB	Bright Polished Anodized	Chrome	6,98	20
	10	RJ	100 ASB	Bright Polished Anodized	Chrome	7,79	20
new	11	RJ	110 ASB	Bright Polished Anodized	Chrome	8,36	20
	12,5	RJ	125 ASB	Bright Polished Anodized	Chrome	8,75	20
	6	RJ	60 ATB	Bright Polished Anodized	Titanium	6,77	20
	8	RJ	80 ATB	Bright Polished Anodized	Titanium	7,21	20
	10	RJ	100 ATB	Bright Polished Anodized	Titanium	8,06	20
	12,5	RJ	125 ATB	Bright Polished Anodized	Titanium	9,05	20
	6	RJ	60 ARB	Bright Polished Anodized	Copper	6,77	20
	8	RJ	80 ARB	Bright Polished Anodized	Copper	7,21	20
	10	RJ	100 ARB	Bright Polished Anodized	Copper	8,06	20
	12,5	RJ	125 ARB	Bright Polished Anodized	Copper	9,05	20
	6	RJ	60 AOB	Bright Polished Anodized	Gold	6,77	20
	8	RJ	80 AOB	Bright Polished Anodized	Gold	7,21	20
	10	RJ	100 AOB	Bright Polished Anodized	Gold	8,06	20
	12,5	RJ	125 AOB	Bright Polished Anodized	Gold	9,05	20

roundcapsule >> RJC-A*/RJI-A* End caps in Bright Polished Anodized Aluminum

	H = mm	Art.		Finish	Variant	€ / set	set ■
	4,5	RJC	45 ASB	Bright Polished Anodized	ASB	9,61	2 pcs
	6	RJC/RJI	60 A*B	Bright Polished Anodized	ASB/ATB/ARB/AOB	9,61	2 pcs
	8	RJC/RJI	80 A*B	Bright Polished Anodized	ASB/ATB/ARB/AOB	9,61	2 pcs
	10	RJC/RJI	100 A*B	Bright Polished Anodized	ASB/ATB/ARB/AOB	9,61	2 pcs
	11	RJC/RJI	110 ASB	Bright Polished Anodized	ASB	9,61	2 pcs
	12,5	RJC/RJI	125 A*B	Bright Polished Anodized	ASB/ATB/ARB/AOB	9,61	2 pcs

roundjolly >> RJ-A*SB in Bright Polished Anodized Aluminum - Brushed


	H = mm	Art.		Finish	Variant	€ / m	pc ■
new	8	RJ	80 ASSB	Anod. Bright Poli. Brushed	Chrome	9,76	40
new	10	RJ	100 ASSB	Anod. Bright Poli. Brushed	Chrome	10,99	40
new	12,5	RJ	125 ASSB	Anod. Bright Poli. Brushed	Chrome	12,27	30
new	8	RJ	80 ATSB	Anod. Bright Poli. Brushed	Titanium	9,76	40
new	10	RJ	100 ATSB	Anod. Bright Poli. Brushed	Titanium	10,99	40
new	12,5	RJ	125 ATSB	Anod. Bright Poli. Brushed	Titanium	12,27	30
new	10	RJ	100 ARSB	Anod. Bright Poli. Brushed	Copper	10,99	40
new	12,5	RJ	125 ARSB	Anod. Bright Poli. Brushed	Copper	12,27	30
new	10	RJ	100 ADSB	Anod. Bright Poli. Brushed	Black	12,83	40
new	12,5	RJ	125 ADSB	Anod. Bright Poli. Brushed	Black	12,97	30



Shape and resistance



- + ¼ of perfect circle
- + Solid visible part
- + Internal cavity for adhesive



roundjolly RJ-ARB



roundjolly RJ-ATB

Length: 2,70 meters




RJ - A*



RJC-A*




RJI-A*



A11 A12 A21 A22



A23 A31 A32 A41



A42 A51

roundjolly >> RJ-A* in Powder Coated Aluminum

H = mm	Art.	Finish	Variant	€ / m	pc ■
4,5	RJ 45 A11	Pow. Coated	Pure White	4,88	20
6	RJ 60 A11	Pow. Coated	Pure White	4,88	20
8	RJ 80 A11	Pow. Coated	Pure White	5,46	20
10	RJ 100 A11	Pow. Coated	Pure White	5,95	20
12,5	RJ 125 A11	Pow. Coated	Pure White	6,64	20
4,5	RJ 45 A12	Pow. Coated	White	4,88	20
6	RJ 60 A12	Pow. Coated	White	4,88	20
8	RJ 80 A12	Pow. Coated	White	5,46	20
10	RJ 100 A12	Pow. Coated	White	5,95	20
12,5	RJ 125 A12	Pow. Coated	White	6,64	20
4,5	RJ 45 A21	Pow. Coated	Light Grey	4,88	20
6	RJ 60 A21	Pow. Coated	Light Grey	4,88	20
8	RJ 80 A21	Pow. Coated	Light Grey	5,46	20
10	RJ 100 A21	Pow. Coated	Light Grey	5,95	20
4,5	RJ 45 A22	Pow. Coated	Pastel Grey	4,88	20
6	RJ 60 A22	Pow. Coated	Pastel Grey	4,88	20
8	RJ 80 A22	Pow. Coated	Pastel Grey	5,46	20
10	RJ 100 A22	Pow. Coated	Pastel Grey	5,95	20
12,5	RJ 125 A22	Pow. Coated	Pastel Grey	6,64	20
4,5	RJ 45 A23	Pow. Coated	Cement Grey	4,88	20
6	RJ 60 A23	Pow. Coated	Cement Grey	4,88	20
8	RJ 80 A23	Pow. Coated	Cement Grey	5,46	20
10	RJ 100 A23	Pow. Coated	Cement Grey	5,95	20
4,5	RJ 45 A31	Pow. Coated	Beige Bahama	4,88	20
6	RJ 60 A31	Pow. Coated	Beige Bahama	4,88	20
8	RJ 80 A31	Pow. Coated	Beige Bahama	5,46	20
10	RJ 100 A31	Pow. Coated	Beige Bahama	5,95	20
12,5	RJ 125 A31	Pow. Coated	Beige Bahama	6,64	20
4,5	RJ 45 A32	Pow. Coated	Dark Beige	4,88	20
6	RJ 60 A32	Pow. Coated	Dark Beige	4,88	20
8	RJ 80 A32	Pow. Coated	Dark Beige	5,46	20
10	RJ 100 A32	Pow. Coated	Dark Beige	5,95	20
4,5	RJ 45 A41	Pow. Coated	Cream	4,88	20
6	RJ 60 A41	Pow. Coated	Cream	4,88	20
8	RJ 80 A41	Pow. Coated	Cream	5,46	20
10	RJ 100 A41	Pow. Coated	Cream	5,95	20
4,5	RJ 45 A42	Pow. Coated	Ivory	4,88	20
6	RJ 60 A42	Pow. Coated	Ivory	4,88	20
8	RJ 80 A42	Pow. Coated	Ivory	5,46	20
10	RJ 100 A42	Pow. Coated	Ivory	5,95	20
4,5	RJ 45 A51	Pow. Coated	Black	4,88	20
6	RJ 60 A51	Pow. Coated	Black	4,88	20
8	RJ 80 A51	Pow. Coated	Black	5,46	20
10	RJ 100 A51	Pow. Coated	Black	5,95	20

roundcapsule >> RJC-A*/RJI-A* End caps in Powder Coated Aluminum

H = mm	Art.	Finish	Variant	€ / set	set ■
4,5	RJC 45 A*	Pow. Coated	11/12/21/22/23/31/32/41/42/51	6,15	2 pcs
6	RJC/RJI 60 A*	Pow. Coated	11/12/21/22/23/31/32/41/42/51	6,15	2 pcs
8	RJC/RJI 80 A*	Pow. Coated	11/12/21/22/23/31/32/41/42/51	6,15	2 pcs
10	RJC/RJI 100 A*	Pow. Coated	11/12/21/22/23/31/32/41/42/51	6,15	2 pcs
12,5	RJC/RJI 125 A*	Pow. Coated	11/12/22/23/31	6,15	2 pcs

RJC = external corner; RJI = internal corner



roundjolly RJ-A11



Length: 2,70 meters





RJ - A*



RJC-A*



RJI-A*



roundjolly >> RJ-A* in Powder Coated Aluminum "Modern Line"

	H = mm	Art.	Finish	Variant	€ / m	pc ■
new	8	RJ 80 A13	Pow. Coated	Embossed Antique White	5,36	20
new	10	RJ 100 A13	Pow. Coated	Embossed Antique White	5,84	20
new	11	RJ 110 A13	Pow. Coated	Embossed Antique White	6,17	20
new	12,5	RJ 125 A13	Pow. Coated	Embossed Antique White	6,52	20
new	8	RJ 80 A24	Pow. Coated	Embossed Pastel Grey	5,36	20
new	10	RJ 100 A24	Pow. Coated	Embossed Pastel Grey	5,84	20
new	11	RJ 110 A24	Pow. Coated	Embossed Pastel Grey	6,17	20
new	12,5	RJ 125 A24	Pow. Coated	Embossed Pastel Grey	6,52	20
new	8	RJ 80 A25	Pow. Coated	Embossed Cement Grey	5,36	20
new	10	RJ 100 A25	Pow. Coated	Embossed Cement Grey	5,75	20
new	11	RJ 110 A25	Pow. Coated	Embossed Cement Grey	6,17	20
new	12,5	RJ 125 A25	Pow. Coated	Embossed Cement Grey	6,52	20
new	8	RJ 80 A33	Pow. Coated	Embossed Dove-Grey	5,36	20
new	10	RJ 100 A33	Pow. Coated	Embossed Dove-Grey	5,75	20
new	11	RJ 110 A33	Pow. Coated	Embossed Dove-Grey	6,17	20
new	12,5	RJ 125 A33	Pow. Coated	Embossed Dove-Grey	6,52	20
new	8	RJ 80 A34	Pow. Coated	Embossed Kaki	5,36	20
new	10	RJ 100 A34	Pow. Coated	Embossed Kaki	5,84	20
new	11	RJ 110 A34	Pow. Coated	Embossed Kaki	6,17	20
new	12,5	RJ 125 A34	Pow. Coated	Embossed Kaki	6,52	20
new	8	RJ 80 A50	Pow. Coated	Embossed Micaceous	5,36	20
new	10	RJ 100 A50	Pow. Coated	Embossed Micaceous	5,75	20
new	11	RJ 110 A50	Pow. Coated	Embossed Micaceous	6,17	20
new	12,5	RJ 125 A50	Pow. Coated	Embossed Micaceous	6,52	20
new	8	RJ 80 A60	Pow. Coated	Embossed Corten	5,36	20
new	10	RJ 100 A60	Pow. Coated	Embossed Corten	5,84	20
new	11	RJ 110 A60	Pow. Coated	Embossed Corten	6,17	20
new	12,5	RJ 125 A60	Pow. Coated	Embossed Corten	6,52	20
new	8	RJ 80 A64	Pow. Coated	Embossed Dark Brown	5,36	20
new	10	RJ 100 A64	Pow. Coated	Embossed Dark Brown	5,84	20
new	11	RJ 110 A64	Pow. Coated	Embossed Dark Brown	6,17	20
new	12,5	RJ 125 A64	Pow. Coated	Embossed Dark Brown	6,52	20
new	8	RJ 80 A65	Pow. Coated	Embossed matt Black	5,36	20
new	10	RJ 100 A65	Pow. Coated	Embossed matt Black	5,84	20
new	11	RJ 110 A65	Pow. Coated	Embossed matt Black	6,17	20
new	12,5	RJ 125 A65	Pow. Coated	Embossed matt Black	6,52	20

roundcapsule >> RJC-A*/RJI-A* End caps in Powd. Coated Alum. "Modern Line"

	H = mm	Art.	Finish	Variant	€ / set	set ■
new	8	RJC/RJI 80 A*	Pow. Coated	A13/A24/A25/A33/A34/A50/A60/A64/A65	9,61	2 pcs
new	10	RJC/RJI 100 A*	Pow. Coated	A13/A24/A25/A33/A34/A50/A60/A64/A65	9,61	2 pcs
new	11	RJC/RJI 110 A*	Pow. Coated	A13/A24/A25/A33/A34/A50/A60/A64/A65	9,61	2 pcs
new	12,5	RJC/RJI 125 A*	Pow. Coated	A13/A24/A25/A33/A34/A50/A60/A64/A65	9,61	2 pcs

RJC = external corner; RJI = internal corner



roundjolly RJ-A50



roundjolly RJI-A13

Length: 2,70 meters



RJ - O*



RJ - P*




RJC-P*




RJl-P*



OC P11 P12 P21



P22 P23 P31 P32



P41 P42 P43 P44



P45 P46 P51

roundjolly >> RJ-OC in Chromed Brass

	H = mm	Art.			Finish	€ / m	pc ■
	6	RJ	60	OC	Chrome	18,40	10
	8	RJ	80	OC	Chrome	20,44	10
	10	RJ	100	OC	Chrome	22,30	10
	12,5	RJ	125	OC	Chrome	24,29	10

roundcapsule >> RJC-OC End caps in Chromed Brass

	H = mm	Art.			Finish	€ / set	set ■
	6	RJC	60	OC	Chrome	27,82	2 pcs
	8	RJC	80	OC	Chrome	27,82	2 pcs
	10	RJC	100	OC	Chrome	27,82	2 pcs
	12,5	RJC	125	OC	Chrome	27,82	2 pcs

roundjolly >> RJ-P* in Synthetic Resin Full Body Colored Resintop

	H = mm	Art.			Finish	Variant	€ / m	pc ■
	6	RJ	60	P11	Synthetic Resin	Pure White	1,57	20
	8	RJ	80	P11	Synthetic Resin	Pure White	1,72	20
	10	RJ	100	P11	Synthetic Resin	Pure White	1,89	20
	6	RJ	60	P12	Synthetic Resin	White	1,57	20
	8	RJ	80	P12	Synthetic Resin	White	1,72	20
	10	RJ	100	P12	Synthetic Resin	White	1,89	20
	6	RJ	60	P21	Synthetic Resin	Light Grey	1,57	20
	8	RJ	80	P21	Synthetic Resin	Light Grey	1,72	20
	10	RJ	100	P21	Synthetic Resin	Light Grey	1,89	20
	6	RJ	60	P22	Synthetic Resin	Pastel Grey	1,57	20
	8	RJ	80	P22	Synthetic Resin	Pastel Grey	1,72	20
	10	RJ	100	P22	Synthetic Resin	Pastel Grey	1,89	20
	6	RJ	60	P23	Synthetic Resin	Cement Grey	1,57	20
	8	RJ	80	P23	Synthetic Resin	Cement Grey	1,72	20
	10	RJ	100	P23	Synthetic Resin	Cement Grey	1,89	20
	6	RJ	60	P31	Synthetic Resin	Beige Bahama	1,57	20
	8	RJ	80	P31	Synthetic Resin	Beige Bahama	1,72	20
	10	RJ	100	P31	Synthetic Resin	Beige Bahama	1,89	20
	6	RJ	60	P32	Synthetic Resin	Dark Beige	1,57	20
	8	RJ	80	P32	Synthetic Resin	Dark Beige	1,72	20
	10	RJ	100	P32	Synthetic Resin	Dark Beige	1,89	20
	6	RJ	60	P41	Synthetic Resin	Cream	1,57	20
	8	RJ	80	P41	Synthetic Resin	Cream	1,72	20
	10	RJ	100	P41	Synthetic Resin	Cream	1,89	20
	6	RJ	60	P42	Synthetic Resin	Ivory	1,57	20
	8	RJ	80	P42	Synthetic Resin	Ivory	1,72	20
	10	RJ	100	P42	Synthetic Resin	Ivory	1,89	20
	6	RJ	60	P43	Synthetic Resin	Peach	1,57	20
	8	RJ	80	P43	Synthetic Resin	Peach	1,72	20
	10	RJ	100	P43	Synthetic Resin	Peach	1,89	20
	6	RJ	60	P44	Synthetic Resin	Soft Pink	1,57	20
	8	RJ	80	P44	Synthetic Resin	Soft Pink	1,72	20
	10	RJ	100	P44	Synthetic Resin	Soft Pink	1,89	20
	6	RJ	60	P45	Synthetic Resin	Soft Blue	1,57	20
	8	RJ	80	P45	Synthetic Resin	Soft Blue	1,72	20
	10	RJ	100	P45	Synthetic Resin	Soft Blue	1,89	20
	6	RJ	60	P46	Synthetic Resin	Soft Green	1,57	20
	8	RJ	80	P46	Synthetic Resin	Soft Green	1,72	20
	10	RJ	100	P46	Synthetic Resin	Soft Green	1,89	20
	6	RJ	60	P51	Synthetic Resin	Black	1,57	20
	8	RJ	80	P51	Synthetic Resin	Black	1,72	20
	10	RJ	100	P51	Synthetic Resin	Black	1,89	20




roundjolly RJ-OC



roundjolly RJ-P11



Length: 2,70 meters



RJF - A*



AS



ASB

filojolly >> RJF-AS in Anodized Aluminum

	H = mm	Art.		Finish	Variant	€ / m	pc ■
new	3	RJF	30 AS	Anodized	Silver	4,21	20
	4,4	RJF	44 AS	Anodized	Silver	4,38	20
	6	RJF	60 AS	Anodized	Silver	4,52	20
	8	RJF	80 AS	Anodized	Silver	4,81	20
	10	RJF	100 AS	Anodized	Silver	5,24	20
new	12,5	RJF	125 AS	Anodized	Silver	5,54	20
new	20	RJF	200 AS	Anodized	Silver	6,90	20

filojolly >> RJF-ASB in Bright Polished Anodized Aluminum

	H = mm	Art.		Finish	Variant	€ / m	pc ■
new	3	RJF	30 ASB	Bright Polished Anodized	Chrome	7,07	20
	4,4	RJF	44 ASB	Bright Polished Anodized	Chrome	7,34	20
	6	RJF	60 ASB	Bright Polished Anodized	Chrome	7,55	20
	8	RJF	80 ASB	Bright Polished Anodized	Chrome	8,04	20
	10	RJF	100 ASB	Bright Polished Anodized	Chrome	9,01	20
new	12,5	RJF	125 ASB	Bright Polished Anodized	Chrome	9,47	20



filojolly RJF 200 AS



filojolly RJF 44 ASB

Length: 2,60 meters



RJS - P*



P82 P83 P84 P85



P86 P87 P88 P89



P90 P91 P92 P93



P94 P95

roundjolly >> RJS-P* in PVC Coated "marble effect"

	H = mm	Art.		Finish	Variant	€ / m	pc ■
	10	RJS	100 P82	PVC	White Marble	3,68	55
	10	RJS	100 P83	PVC	Light Travertine	3,68	55
	10	RJS	100 P84	PVC	Beige Travertine	3,68	55
	10	RJS	100 P85	PVC	Navona	3,68	55
	10	RJS	100 P86	PVC	Pink Beige	3,68	55
	10	RJS	100 P87	PVC	Yellow Beige	3,68	55
	10	RJS	100 P88	PVC	Caramel Beige	3,68	55
	10	RJS	100 P89	PVC	Dove Beige	3,68	55
	10	RJS	100 P90	PVC	Antique Pink	3,68	55
	10	RJS	100 P91	PVC	Peach Pink	3,68	55
	10	RJS	100 P92	PVC	Light Green	3,68	55
	10	RJS	100 P93	PVC	Brasil Green	3,68	55
	10	RJS	100 P94	PVC	Azure Blue	3,68	55
	10	RJS	100 P95	PVC	Grey Marble	3,68	55

roundcapsule >> RJC-P*/RJI-P* end caps in Synthetic Resin for RJ-P*; RJE-P*; RJS-P*

	H = mm	Art.		Finish	Variant	€ / set	set ■
	6	RJC/RJI	60 P*	Synthetic Resin	P11/P12/P21/P22/P23/P31/P32/P41/P42/P43	2,84	2 pcs
	8	RJC/RJI	80 P*	Synthetic Resin	P11/P12/P21/P22/P23/P31/P32/P41/P42/P43	2,84	2 pcs
	10	RJC/RJI	100 P*	Synthetic Resin	P11/P12/P21/P22/P23/P31/P32/P41/P42/P43	2,84	2 pcs
	12,5	RJC	125 P*	Synthetic Resin	P11/P12/P21/P22/P23/P31/P32/P41/P42/P43	2,84	2 pcs



roundjolly RJS-P*

multipurpose and invisible


wall coverings



Length: 2,70 meters



RJE - P*



P11 P12 P22 P31

roundjolly >> RJE-P* in Synthetic Resin Full Body Colored Resintop

H = mm	Art.			Finish	Variant	€ / m	pc ■
6	RJE	60	P11	Synthetic Resin	Pure White	1,11	20
8	RJE	80	P11	Synthetic Resin	Pure White	1,17	20
10	RJE	100	P11	Synthetic Resin	Pure White	1,38	20
12,5	RJE	125	P11	Synthetic Resin	Pure White	1,46	20
6	RJE	60	P22	Synthetic Resin	Pastel Grey	1,11	20
8	RJE	80	P22	Synthetic Resin	Pastel Grey	1,17	20
10	RJE	100	P22	Synthetic Resin	Pastel Grey	1,38	20
12,5	RJE	125	P22	Synthetic Resin	Pastel Grey	1,46	20
6	RJE	60	P31	Synthetic Resin	Beige Bahama	1,11	20
8	RJE	80	P31	Synthetic Resin	Beige Bahama	1,17	20
10	RJE	100	P31	Synthetic Resin	Beige Bahama	1,38	20
12,5	RJE	125	P31	Synthetic Resin	Beige Bahama	1,46	20

roundjolly >> RJE-PT Synthetic Resin "Top line Bicolor" Resintop Varnished Polished

H = mm	Art.			Finish	Variant	€ / m	pc ■
6	RJE	60	PT11	Synthetic Resin	Pure White varnished polished	2,09	40
6	RJE	60	PT12	Synthetic Resin	White varnished polished	2,09	40
8	RJE	80	PT12	Synthetic Resin	White varnished polished	2,17	40
10	RJE	100	PT12	Synthetic Resin	White varnished polished	2,30	40
6	RJE	60	PT22	Synthetic Resin	Pastel Grey varnished polished	2,09	40
8	RJE	80	PT22	Synthetic Resin	Pastel Grey varnished polished	2,17	40
10	RJE	100	PT22	Synthetic Resin	Pastel Grey varnished polished	2,30	40
6	RJE	60	PT31	Synthetic Resin	Beige Bahama varnished polished	2,09	40
8	RJE	80	PT31	Synthetic Resin	Beige Bahama varnished polished	2,17	40
10	RJE	100	PT31	Synthetic Resin	Beige Bahama varnished polished	2,30	40

available while stocks last.

roundcapsule >> RJC-P*/RJI-P* Synthetic Resin Full Body Colored


H = mm	Art.			Finish	Variant	€ / set	set ■
6	RJC/RJI	60	P*	Synthetic Resin	P11/P12/P21/P22/P23/P31/ P32/P41/P42/P43	2,84	2 pcs
8	RJC/RJI	80	P*	Synthetic Resin	P11/P12/P21/P22/P23/P31/ P32/P41/P42/P43	2,84	2 pcs
10	RJC/RJI	100	P*	Synthetic Resin	P11/P12/P21/P22/P23/P31/ P32/P41/P42/P43	2,84	2 pcs
12,5	RJC	125	P*	Synthetic Resin	P11/P12/P21/P22/P23/P31/ P32/P41/P42/P43	2,84	2 pcs

**roundjolly** RJE-P22

Length: 2,70 meters



TR - I*



TR - A*

B = 3 mm



IL/M IS IX AS

trimtec >> TR-IL in Stainless Steel AISI 304 - DIN 1.4301 - Polished

H = mm	Art.	Finish	€ / m	pc ■
4,5	TR 45 IL	Polished	7,58	30
6	TR 60 IL	Polished	7,97	30
8	TR 80 IL	Polished	8,22	30
10	TR 100 IL	Polished	8,55	30
11	TR 110 IL	Polished	8,80	30
12,5	TR 125 IL	Polished	9,01	30

trimtec >> TR-ILM in Stainless Steel AISI 316 - DIN 1.4404 - Polished

H = mm	Art.	Finish	€ / m	pc ■
6	TR 60 ILM	Polished	9,69	30
8	TR 80 ILM	Polished	9,89	30
10	TR 100 ILM	Polished	10,41	30
11	TR 110 ILM	Polished	10,63	30
12,5	TR 125 ILM	Polished	11,37	30

trimtec >> TR-IS in Stainless Steel AISI 304 - DIN 1.4301 - Brushed

H = mm	Art.	Finish	€ / m	pc ■
4,5	TR 45 IS	Brushed	9,80	30
6	TR 60 IS	Brushed	10,20	30
8	TR 80 IS	Brushed	10,45	30
10	TR 100 IS	Brushed	10,79	30
11	TR 110 IS	Brushed	11,04	30
12,5	TR 125 IS	Brushed	11,26	30

trimtec >> TR-IX in Stainless Steel AISI 304 - DIN 1.4301 - Sanded

H = mm	Art.	Finish	€ / m	pc ■
10	TR 100 IX	Sanded	11,29	30
11	TR 110 IX	Sanded	11,51	30
12,5	TR 125 IX	Sanded	11,75	30

trimtec >> TR-AS in Anodized Aluminum

H = mm	Art.	Finish	Variant	€ / m	pc ■
4,5	TR 45 AS	Anodized	Silver	3,40	40
6	TR 60 AS	Anodized	Silver	3,53	40
8	TR 80 AS	Anodized	Silver	3,65	40
10	TR 100 AS	Anodized	Silver	3,83	40
11	TR 110 AS	Anodized	Silver	4,11	40
12,5	TR 125 AS	Anodized	Silver	4,38	40

Individually wrapped




trimtec TR45IL



trimtec TR-IL



Length: 2,70 meters



KJ - A*



AT



AR



AO



AMSB



AGRS



ASB



ATB



AOB

kerajolly >> KJ-A* in Anodized Aluminum

	H = mm	Art.		Finish	Variant	€ / m	pc ■
new	6	KJ	60 AT	Anodized	Titanium	4,92	40 ■
new	8	KJ	80 AT	Anodized	Titanium	5,04	40 ■
new	10	KJ	100 AT	Anodized	Titanium	5,28	40 ■
new	12,5	KJ	125 AT	Anodized	Titanium	5,89	40 ■
new	6	KJ	60 AR	Anodized	Copper	4,92	40 ■
new	8	KJ	80 AR	Anodized	Copper	5,04	40 ■
new	10	KJ	100 AR	Anodized	Copper	5,28	40 ■
new	12,5	KJ	125 AR	Anodized	Copper	5,89	40 ■
new	10	KJ	100 AO	Anodized	Gold	4,26	40 ■

kerajolly >> KJ-A* in Brushed Anodized Aluminum

	H = mm	Art.		Finish	Variant	€ / m	pc ■
new	6	KJ	60 AMSB	Brushed Anodized	Antique Bronze	11,04	40 ■
new	8	KJ	80 AMSB	Brushed Anodized	Antique Bronze	11,16	40 ■
new	10	KJ	100 AMSB	Brushed Anodized	Antique Bronze	11,34	40 ■
new	12,5	KJ	125 AMSB	Brushed Anodized	Antique Bronze	11,46	40 ■
new	8	KJ	80 AGRS	Brushed Anodized	Graphite	11,16	40 ■
new	10	KJ	100 AGRS	Brushed Anodized	Graphite	11,34	40 ■
new	12,5	KJ	125 AGRS	Brushed Anodized	Graphite	11,46	40 ■

kerajolly >> KJ-A*B in Bright Polished Anodized Aluminum

	H = mm	Art.		Finish	Variant	€ / m	pc ■
	6	KJ	60 ASB	Bright Polished Anodized	Chrome	6,35	20 ■
	8	KJ	80 ASB	Bright Polished Anodized	Chrome	6,66	20 ■
	10	KJ	100 ASB	Bright Polished Anodized	Chrome	6,98	20 ■
	11	KJ	110 ASB	Bright Polished Anodized	Chrome	7,17	20 ■
	12,5	KJ	125 ASB	Bright Polished Anodized	Chrome	7,34	20 ■
new	8	KJ	80 ATB	Bright Polished Anodized	Titanium	6,89	40 ■
new	10	KJ	100 ATB	Bright Polished Anodized	Titanium	7,21	40 ■
new	12,5	KJ	125 ATB	Bright Polished Anodized	Titanium	7,32	40 ■
	6	KJ	60 AOB	Bright Polished Anodized	Gold	6,57	20 ■
	8	KJ	80 AOB	Bright Polished Anodized	Gold	6,89	20 ■
	10	KJ	100 AOB	Bright Polished Anodized	Gold	7,21	20 ■
	12,5	KJ	125 AOB	Bright Polished Anodized	Gold	7,32	20 ■




kerajolly KJ-ASB







kerajolly KJ-AGRS

Length: 2,70 meters



KJ - A*



kerajolly >> KJ-A*SB in Bright Polished Anodized Aluminum - Brushed

	H = mm	Art.	Finish	Variant	€ / m	pc ■
new	6	KJ 60 ASSB	Bright Polished Brushed Anodized	Chrome	9,83	40
new	8	KJ 80 ASSB	Bright Polished Brushed Anodized	Chrome	9,95	40
new	10	KJ 100 ASSB	Bright Polished Brushed Anodized	Chrome	10,13	40
new	12,5	KJ 125 ASSB	Bright Polished Brushed Anodized	Chrome	10,25	40
new	6	KJ 60 ATSB	Bright Polished Brushed Anodized	Titanium	9,83	40
new	8	KJ 80 ATSB	Bright Polished Brushed Anodized	Titanium	9,95	40
new	10	KJ 100 ATSB	Bright Polished Brushed Anodized	Titanium	10,13	40
new	12,5	KJ 125 ATSB	Bright Polished Brushed Anodized	Titanium	10,25	40
new	10	KJ 100 ARSB	Bright Polished Brushed Anodized	Copper	10,13	40
new	12,5	KJ 125 ARSB	Bright Polished Brushed Anodized	Copper	10,25	40
new	10	KJ 100 AOSB	Bright Polished Brushed Anodized	Gold	10,13	40
new	12,5	KJ 125 AOSB	Bright Polished Brushed Anodized	Gold	10,25	40

kerajolly >> KJ-A* in Powder Coated Aluminum

	H = mm	Art.	Finish	Variant	€ / m	pc ■
	6	KJ 60 A11	Pow. Coated	Pure White	4,74	20
	8	KJ 80 A11	Pow. Coated	Pure White	4,86	20
	10	KJ 100 A11	Pow. Coated	Pure White	5,30	20
	12,5	KJ 125 A11	Pow. Coated	Pure White	5,61	20
	6	KJ 60 A12	Pow. Coated	White	4,74	20
	8	KJ 80 A12	Pow. Coated	White	4,86	20
	10	KJ 100 A12	Pow. Coated	White	5,30	20
	12,5	KJ 125 A12	Pow. Coated	White	5,61	20
	6	KJ 60 A21	Pow. Coated	Light Grey	4,74	20
	8	KJ 80 A21	Pow. Coated	Light Grey	4,86	20
	10	KJ 100 A21	Pow. Coated	Light Grey	5,30	20
	12,5	KJ 125 A21	Pow. Coated	Light Grey	5,61	20
	6	KJ 60 A22	Pow. Coated	Pastel Grey	4,74	20
	8	KJ 80 A22	Pow. Coated	Pastel Grey	4,86	20
	10	KJ 100 A22	Pow. Coated	Pastel Grey	5,30	20
	12,5	KJ 125 A22	Pow. Coated	Pastel Grey	5,61	20
	6	KJ 60 A23	Pow. Coated	Cement Grey	4,74	20
	8	KJ 80 A23	Pow. Coated	Cement Grey	4,86	20
	10	KJ 100 A23	Pow. Coated	Cement Grey	5,30	20
	12,5	KJ 125 A23	Pow. Coated	Cement Grey	5,61	20
	6	KJ 60 A31	Pow. Coated	Beige Bahama	4,74	20
	8	KJ 80 A31	Pow. Coated	Beige Bahama	4,86	20
	10	KJ 100 A31	Pow. Coated	Beige Bahama	5,30	20
	12,5	KJ 125 A31	Pow. Coated	Beige Bahama	5,61	20
	6	KJ 60 A32	Pow. Coated	Dark Beige	4,74	20
	8	KJ 80 A32	Pow. Coated	Dark Beige	4,86	20
	10	KJ 100 A32	Pow. Coated	Dark Beige	5,30	20
	12,5	KJ 125 A32	Pow. Coated	Dark Beige	5,61	20
	6	KJ 60 A41	Pow. Coated	Cream	4,74	20
	8	KJ 80 A41	Pow. Coated	Cream	4,86	20
	10	KJ 100 A41	Pow. Coated	Cream	5,30	20
	12,5	KJ 125 A41	Pow. Coated	Cream	5,61	20
	6	KJ 60 A42	Pow. Coated	Ivory	4,74	20
	8	KJ 80 A42	Pow. Coated	Ivory	4,86	20
	10	KJ 100 A42	Pow. Coated	Ivory	5,30	20
	12,5	KJ 125 A42	Pow. Coated	Ivory	5,61	20
	6	KJ 60 A51	Pow. Coated	Black	4,74	20
	8	KJ 80 A51	Pow. Coated	Black	4,86	20
	10	KJ 100 A51	Pow. Coated	Black	5,30	20
	12,5	KJ 125 A51	Pow. Coated	Black	5,61	20


profiltec



kerajolly KJ 100 ASSB




Length: 2,70 meters



KJ - A*



A13 A24 A25 A33



A34 A50 A60 A64



A65

kerajolly >> KJ-A* in Powder Coated Aluminum "Modern Line"

	H = mm	Art.	Finish	Variant	€ / m	pc ■
new	8	KJ 80 A13	Pow. Coated	Embossed Antique White	4,77	20
new	10	KJ 100 A13	Pow. Coated	Embossed Antique White	5,20	20
new	11	KJ 110 A13	Pow. Coated	Embossed Antique White	5,35	20
new	12,5	KJ 125 A13	Pow. Coated	Embossed Antique White	5,51	20
new	8	KJ 80 A24	Pow. Coated	Embossed Pastel Grey	4,77	20
new	10	KJ 100 A24	Pow. Coated	Embossed Pastel Grey	5,20	20
new	11	KJ 110 A24	Pow. Coated	Embossed Pastel Grey	5,35	20
new	12,5	KJ 125 A24	Pow. Coated	Embossed Pastel Grey	5,51	20
new	8	KJ 80 A25	Pow. Coated	Embossed Cement Grey	4,77	20
new	10	KJ 100 A25	Pow. Coated	Embossed Cement Grey	5,12	20
new	11	KJ 110 A25	Pow. Coated	Embossed Cement Grey	5,35	20
new	12,5	KJ 125 A25	Pow. Coated	Embossed Cement Grey	5,51	20
new	8	KJ 80 A33	Pow. Coated	Embossed Dove-Grey	4,77	20
new	10	KJ 100 A33	Pow. Coated	Embossed Dove-Grey	5,12	20
new	11	KJ 110 A33	Pow. Coated	Embossed Dove-Grey	5,35	20
new	12,5	KJ 125 A33	Pow. Coated	Embossed Dove-Grey	5,51	20
new	8	KJ 80 A34	Pow. Coated	Embossed Kaki	4,77	20
new	10	KJ 100 A34	Pow. Coated	Embossed Kaki	5,20	20
new	11	KJ 110 A34	Pow. Coated	Embossed Kaki	5,35	20
new	12,5	KJ 125 A34	Pow. Coated	Embossed Kaki	5,51	20
new	8	KJ 80 A50	Pow. Coated	Embossed Micaceous	4,77	20
new	10	KJ 100 A50	Pow. Coated	Embossed Micaceous	5,12	20
new	11	KJ 110 A50	Pow. Coated	Embossed Micaceous	5,35	20
new	12,5	KJ 125 A50	Pow. Coated	Embossed Micaceous	5,51	20
new	8	KJ 80 A60	Pow. Coated	Embossed Corten	4,77	20
new	10	KJ 100 A60	Pow. Coated	Embossed Corten	5,20	20
new	11	KJ 110 A60	Pow. Coated	Embossed Corten	5,35	20
new	12,5	KJ 125 A60	Pow. Coated	Embossed Corten	5,51	20
new	8	KJ 80 A64	Pow. Coated	Embossed Dark Brown	4,77	20
new	10	KJ 100 A64	Pow. Coated	Embossed Dark Brown	5,20	20
new	11	KJ 110 A64	Pow. Coated	Embossed Dark Brown	5,35	20
new	12,5	KJ 125 A64	Pow. Coated	Embossed Dark Brown	5,51	20
new	8	KJ 80 A65	Pow. Coated	Embossed matt Black	4,77	20
new	10	KJ 100 A65	Pow. Coated	Embossed matt Black	5,20	20
new	11	KJ 110 A65	Pow. Coated	Embossed matt Black	5,35	20
new	12,5	KJ 125 A65	Pow. Coated	Embossed matt Black	5,51	20



kerajolly KJ-A25



kerajolly KJ-A50

Length: 2,70 meters



KJ - 0*




KJ - P*



OC P11 P12 P21



P22 P23 P31 P32



P41 P42 P51

kerajolly >> KJ-OC in Chromed Brass

H = mm	Art.			Finish	€/ m	pc ■
6	KJ	60	OC	Chrome	15,69	20
8	KJ	80	OC	Chrome	16,63	20
10	KJ	100	OC	Chrome	17,29	20
12,5	KJ	125	OC	Chrome	18,52	20

kerajolly >> KJ-P* Synthetic Resin Full Body Colored Resintop

H = mm	Art.			Finish	Variant	€/ m	pc ■
6	KJ	60	P11	Synthetic Resin	Pure White	1,54	40
8	KJ	80	P11	Synthetic Resin	Pure White	1,74	40
10	KJ	100	P11	Synthetic Resin	Pure White	1,93	40
12,5	KJ	125	P11	Synthetic Resin	Pure White	2,19	40
6	KJ	60	P12	Synthetic Resin	White	1,54	40
8	KJ	80	P12	Synthetic Resin	White	1,74	40
10	KJ	100	P12	Synthetic Resin	White	1,93	40
12,5	KJ	125	P12	Synthetic Resin	White	2,19	40
6	KJ	60	P21	Synthetic Resin	Light Grey	1,54	40
8	KJ	80	P21	Synthetic Resin	Light Grey	1,74	40
10	KJ	100	P21	Synthetic Resin	Light Grey	1,93	40
12,5	KJ	125	P21	Synthetic Resin	Light Grey	2,19	40
6	KJ	60	P22	Synthetic Resin	Pastel Grey	1,54	40
8	KJ	80	P22	Synthetic Resin	Pastel Grey	1,74	40
10	KJ	100	P22	Synthetic Resin	Pastel Grey	1,93	40
12,5	KJ	125	P22	Synthetic Resin	Pastel Grey	2,19	40
6	KJ	60	P23	Synthetic Resin	Cement Grey	1,54	40
8	KJ	80	P23	Synthetic Resin	Cement Grey	1,74	40
10	KJ	100	P23	Synthetic Resin	Cement Grey	1,93	40
12,5	KJ	125	P23	Synthetic Resin	Cement Grey	2,19	40
6	KJ	60	P31	Synthetic Resin	Beige Bahama	1,54	40
8	KJ	80	P31	Synthetic Resin	Beige Bahama	1,74	40
10	KJ	100	P31	Synthetic Resin	Beige Bahama	1,93	40
12,5	KJ	125	P31	Synthetic Resin	Beige Bahama	2,19	40
6	KJ	60	P32	Synthetic Resin	Dark Beige	1,54	40
8	KJ	80	P32	Synthetic Resin	Dark Beige	1,74	40
10	KJ	100	P32	Synthetic Resin	Dark Beige	1,93	40
12,5	KJ	125	P32	Synthetic Resin	Dark Beige	2,19	40
6	KJ	60	P41	Synthetic Resin	Cream	1,54	40
8	KJ	80	P41	Synthetic Resin	Cream	1,74	40
10	KJ	100	P41	Synthetic Resin	Cream	1,93	40
12,5	KJ	125	P41	Synthetic Resin	Cream	2,19	40
6	KJ	60	P42	Synthetic Resin	Ivory	1,54	40
8	KJ	80	P42	Synthetic Resin	Ivory	1,74	40
10	KJ	100	P42	Synthetic Resin	Ivory	1,93	40
12,5	KJ	125	P42	Synthetic Resin	Ivory	2,19	40
6	KJ	60	P51	Synthetic Resin	Black	1,54	40
8	KJ	80	P51	Synthetic Resin	Black	1,74	40
10	KJ	100	P51	Synthetic Resin	Black	1,93	40
12,5	KJ	125	P51	Synthetic Resin	Black	2,19	40




kerajolly KJ-OC




kerajolly KJ-P11



Length: 2,70 meters



SJM 44 A*
B = 5,1 mm



AS ASB AOB

mosaitec >> SJM 44 A* for mosaic in Anodized Aluminum

H = mm	Art.	Finish	Variant	€ / m	pc ■
4,4	SJM 44 AS	Anodized	Silver	4,87	20

squarecapsule >> SJC-AS End cap in Anodized Aluminum


H = mm	Art.	Finish	Variant	€ / set	set ■
4,4	SJC 44 AS	Anodized	Silver	9,65	2 pcs

mosaitec >> SJM 44 A*B for mosaic in Bright Polished Anodized Aluminum

H = mm	Art.	Finish	Variant	€ / m	pc ■
4,4	SJM 44 ASB	Bright Polished Anodized	Chrome	8,34	20
4,4	SJM 44 AOB	Bright Polished Anodized	Gold	8,34	20

squarecapsule >> SJC-A*B End caps in Bright Polished Anodized Aluminum

H = mm	Art.	Finish	Variant	€ / set	set ■
4,4	SJC 44 ASB	Bright Polished Anodized	Chrome	9,65	2 pcs
4,4	SJC 44 AOB	Bright Polished Anodized	Gold	9,65	2 pcs



mosaitec SJM-AS



mosaitec RJM-AS

Length: 2,70 meters



RJM 44 A*

mosaitec >> RJM 44 AS in Anodized Aluminum

H = mm	Art.	Finish	Variant	€ / m	pc ■
4,4	RJM 44 AS	Anodized	Silver	5,38	20


mosaitec >> RJM 44 A*B in Bright Polished Anodized Aluminum

H = mm	Art.	Finish	Variant	€ / m	pc ■
4,4	RJM 44 ASB	Bright Polished Anodized	Chrome	8,28	20
4,4	RJM 44 AOB	Bright Polished Anodized	Gold	8,28	20



mosaitec RJF-ASB

Length: 2,70 meters



RJF 44 A*

filojolly >> RJF 44 A* invisible Jolly for Mosaic in Anodized Aluminum

H = mm	Art.	Finish	Variant	€ / m	pc ■
4,4	RJF 44 AS	Anodized	Silver	4,38	20


filojolly >> RJF 44 A*B invisible Jolly for mosaic in Bright Polished Anodized Aluminum

H = mm	Art.	Finish	Variant	€ / m	pc ■
4,4	RJF 44 ASB	Bright Polished Anodized	Chrome	7,34	20
4,4	RJF 44 AOB	Bright Polished Anodized	Gold	7,34	20

Length: 2,70 meters



CRM 44 A*




mosaitec >> CRM 44 AS Cove for Mosaic in Anodized Aluminum

H = mm	Art.	Finish	Variant	€ / m	pc ■
4,4	CRM 44 AS	Anodized	Silver	7,00	20 ■

mosaitec >> CRM 44 A*B Cove for mosaic in Bright Polished Anodized Aluminum

H = mm	Art.	Finish	Variant	€ / m	pc ■
4,4	CRM 44 ASB	Bright Polished Anodized	Chrome	10,05	20 ■
4,4	CRM 44 AOB	Bright Polished Anodized	Gold	10,05	20 ■

Length: 2,70 meters



BT 45 A*


baseboard >> BT 45 AS Anodized Aluminum

B = mm	Art.	Finish	Variant	€ / m	pc ■
4,5	BT 45 AS	Anodized	Silver	6,68	20 ■

baseboard >> BT 45 ASB Bright Polished Aluminum Baseboard

B = mm	Art.	Finish	Variant	€ / m	pc ■
4,5	BT 45 ASB	Bright Polished Anodized	Chrome	10,94	20 ■

Length: 2,70 meters



BP - A*

B = 46 mm

planotec >> BP-AS in Anodized Aluminum

H = mm	Art.	Finish	Variant	€ / m	pc ■
4,5	BP 45 AS	Anodized	Silver	11,42	20 ■
10	BP 100 AS	Anodized	Silver	11,81	20 ■
12,5	BP 125 AS	Anodized	Silver	12,20	20 ■


planotec >> BPE* External caps in Anodized Aluminum

Art.	Finish	Variant	€ / set	set ■
BPE AS	Anodized	Silver	30,03	2 pcs

Length: 2,70 meters



LIM 44 A*



LIM 51 A*

mosaitec >> LIM-AS listello for mosaic in Anodized Aluminum

H = mm	Art.	Finish	Variant	€ / m	pc ■
4,4	LIM 44 AS	Anodized	Silver	5,81	20 ■
5.1	LIM 51 AS	Anodized	Silver	4,39	20 ■

mosaitec >> LIM-A*B for mosaic in Bright Polished Anodized Aluminum

H = mm	Art.	Finish	Variant	€ / m	pc ■
4,4	LIM 44 ASB	Bright Polished Anodized	Chrome	8,86	20 ■
5.1	LIM 51 ASB	Bright Polished Anodized	Chrome	7,86	20 ■
4,4	LIM 44 AOB	Bright Polished Anodized	Gold	8,86	20 ■
5.1	LIM 51 AOB	Bright Polished Anodized	Gold	7,86	20 ■




mosaitec CRM 44 AS



baseboard BT







planotec BP



mosaitec LIM



Length: 2,70 meters



listec >> LI 20 IL in Stainless Steel AISI 304 - DIN 1.4301 - Polished

HxB mm	Art.	Finish	€ / m	pc ■
4,5 x 20	LI 20 IL	Polished	13,11	20

Effective width (19,7 mm) used in most glass mosaic tesseras, allowing easy integration. Its width matches that of the mosaic, thus allowing the listello's positioning without compromising the tiling pattern.

listec >> LI 20 IS in Stainless Steel AISI 304 - DIN 1.4301 - Brushed

HxB mm	Art.	Finish	€ / m	pc ■
4,5 x 20	LI 20 IS	Brushed	15,17	20

Effective width (19,7 mm) used in most glass mosaic tesseras, allowing easy integration. Its width matches that of the mosaic, thus allowing the listello's positioning without compromising the tiling pattern.

listec >> LI 22 IL in Stainless Steel AISI 304 - DIN 1.4301 - Polished

HxB mm	Art.	Finish	€ / m	pc ■
7 x 22	LI 22 IL	Polished	13,68	20

listec >> LI 22 IS in Stainless Steel AISI 304 - DIN 1.4301 - Brushed

HxB mm	Art.	Finish	€ / m	pc ■
7 x 22	LI 22 IS	Brushed	16,33	20

listec >> LI 22 A* in Anodized Aluminum

HxB mm	Art.	Finish	Variant	€ / m	pc ■
6 x 22	LI 22 AS	Anodized	Silver	6,23	20
new 6 x 22	LI 22 AR	Anodized	Copper	7,18	40
new 6 x 22	LI 22 AT	Anodized	Titanium	7,18	40

listec >> LI 22 ASS in Anodized Aluminum Brushed

HxB mm	Art.	Finish	Variant	€ / m	pc ■
new 6 x 22	LI 22 ASS	Brushed Anodized	Silver	7,18	40

listec >> LI 22 A*B in Bright Polished Anodized Aluminum

HxB mm	Art.	Finish	Variant	€ / m	pc ■
6 x 22	LI 22 ASB	Bright Polished Anodized	Chrome	8,88	20
6 x 22	LI 22 AOB	Bright Polished Anodized	Gold	8,88	20

listec >> LI 22 A51 in Powder Coated Aluminum

HxB mm	Art.	Finish	Variant	€ / m	pc ■
new 6 x 22	LI 22 A51	Pow. Coated	Black	5,11	40

profiltec







listec LI-IS



listec LI 22 A51

Individually wrapped

Length: 2,70 meters



lis+tec >> LI-A* Listello in Anodized Aluminum

H = mm	Art.			Finish	Variant	€ / m	pc ■
8 x 10	LI	10	AS	Anodized	Silver	4,96	20 ■
8 x 15	LI	15	AS	Anodized	Silver	6,21	20 ■
8 x 15	LI	15	AT	Anodized	Titanium	7,18	20 ■
8 x 15	LI	15	AR	Anodized	Copper	7,18	20 ■

listec >> LI-ASS in Anodized Aluminum Brushed

HxB mm	Art.			Finish	Variant	€ / m	pc ■
8 x 10	LI	10	ASS	Brushed Anodized	Silver	5,74	20 ■
8 x 15	LI	15	ASS	Brushed Anodized	Silver	7,18	20 ■

lis+tec >> LI-A*B Listello in Bright Polished Anodized Aluminum

H = mm	Art.			Finish	Variant	€ / m	pc ■
8 x 10	LI	10	ASB	Bright Polished Anodized	Chrome	6,87	20 ■
8 x 15	LI	15	ASB	Bright Polished Anodized	Chrome	8,61	20 ■
8 x 15	LI	15	ATB	Bright Polished Anodized	Titanium	8,61	20 ■
8 x 15	LI	15	ARB	Bright Polished Anodized	Copper	8,61	20 ■
8 x 15	LI	15	AOB	Bright Polished Anodized	Gold	8,61	20 ■

listec >> LI 15 ASGB in Bright Polished Anodized Aluminum Grinded

HxB mm	Art.			Finish	Variant	€ / m	pc ■
8 x 15	LI	15	ASGB	Grinded Bright Polished Anodized	Silver	9,73	20 ■

listec >> LI-ASSB in Bright Polished Anodized Aluminum Brushed

HxB mm	Art.			Finish	Variant	€ / m	pc ■
8 x 15	LI	15	ASSB	Bright Polished Brushed Anodized	Silver	8,78	20 ■

listec >> LI-A*XB in Bright Polished Sanded Anodized Aluminum

HxB mm	Art.			Finish	Variant	€ / m	pc ■
8 x 15	LI	15	ASXB	Bright Polished Sanded Anodized	Silver	10,30	20 ■
8 x 15	LI	15	ACXB	Bright Polished Sanded Anodized	Champagne	10,30	20 ■

listec >> LI 10 AG* in Anodized Aluminum Glitter

HxB mm	Art.			Finish	Variant	€ / m	pc ■
8 x 10	LI	10	AGS	Anodized	Glitter Silver	21,16	10 ■
8 x 10	LI	10	AGC	Anodized	Glitter Carbon	21,16	10 ■
8 x 10	LI	10	AGO	Anodized	Glitter Gold	21,16	10 ■

listec >> LI 15 AGS* in Anodized Aluminum Soft Glitter


HxB mm	Art.			Finish	Variant	€ / m	pc ■
8 x 15	LI	15	AGSS	Anodized	Glitter Soft Silver	23,85	10 ■
8 x 15	LI	15	AGSB	Anodized	Glitter Soft Bronze	23,85	10 ■
8 x 15	LI	15	AGSM	Anodized	Glitter Soft Anthracite	23,85	10 ■

■ Individually wrapped

profil+tec



lis+tec LI 15 AGSB



lis+tec LI 15 AGS

listello


wall coverings



Length: 2,70 meters




LI 15 A*



LI 15 A* + LIA 15 AN

Compensates 8 to 9,5 mm

Compensates 8 to 11,5 mm



ATRS ATWE ATTK ATRO

listec >> LI 15 in High Resistance Wood Laminated Aluminum

HxB mm	Art.			Finish	Variant	€ / m	pc ■
8 x 15	LI	15	ATRS	Wood Effect	Bleached	9,91	20
8 x 15	LI	15	ATWE	Wood Effect	Wengè	9,91	20
8 x 15	LI	15	ATTK	Wood Effect	Teak	9,91	20
8 x 15	LI	15	ATRO	Wood Effect	Oak	9,91	20


listec >> LIA 15 AN compensating shims for listellos in Anodized Aluminum LI 15 A*

B = mm	Art.			Finish	€ / pc	pc ■
15	LIA	15	AN	Natural	1,66	5

It is advisable to use 5 pcs for a profile of 2.70 m




listec LI-ATWE



listec LIA 15 AN



appendo APP 15 ACXB



appendo APP 15 ASXB

Length: 2,70 meters



APP 15 A*



ASB ASXB ACXB


appendo >> APP 15 ASB in Bright Polished Anodized Aluminum

HxB mm	Art.			Finish	Variant	€ / m	pc ■
8 x 15	APP	15	ASB	Bright Polished Anodized	Chrome	31.83	1

appendo >> APP 15 A*B in Bright Polished Anodized Aluminum - Sanded

HxB mm	Art.			Finish	Variant	€ / m	pc ■
8 x 15	APP	15	ASXB	Bright Polished Sanded Anodized	Silver	26.45	1
8 x 15	APP	15	ACXB	Bright Polished Sanded Anodized	Champagne	26.45	1

Length: 2,70 meters



SJQ - A*



AS ASB



SJQ-A*

squarejolly >> SJQ-AS in Anodized Aluminum

	H = mm	Art.		Finish	Variant	€ / m	pc ■
	8	SJQ	80 AS	Anodized	Silver	5,10	20
	10	SJQ	100 AS	Anodized	Silver	5,54	20

squarecapsule >> SJC-A* End caps in Anodized Aluminum

	H = mm	Art.		Finish	Variant	€ / set	set ■
	8	SJC	80 AS	Anodized	Silver	9,79	2 pcs
	10	SJC	100 AS	Anodized	Silver	9,61	2 pcs

Universal end caps (internal and external corner, and three-way intersection). Loose pcs not available.

squarejolly >> SJQ-ASB in Bright Polished Anodized Aluminum

	H = mm	Art.		Finish	Variant	€ / m	pc ■
	8	SJQ	80 ASB	Bright Polished Anodized	Chrome	8,15	20
	10	SJQ	100 ASB	Bright Polished Anodized	Chrome	9,10	20

squarecapsule >> SJC-A*B End cap in Bright Polished Anodized Aluminum


	H = mm	Art.		Finish	Variant	€ / set	set ■
	8	SJC	80 ASB	Bright Polished Anodized	Chrome	9,61	2 pcs
	10	SJC	100 ASB	Bright Polished Anodized	Chrome	9,61	2 pcs

Universal end caps (internal and external corner, and three-way intersection). Loose pcs not available.



squarejolly SJQ-AS

Length: 2,70 meters



TJ - A*

trialjolly >> TJ-AS in Anodized Aluminum

	H = mm	Art.		Finish	Variant	€ / m	pc ■
	8	TJ	80 AS	Anodized	Silver	4,74	20
	10	TJ	100 AS	Anodized	Silver	5,18	20
	12,5	TJ	125 AS	Anodized	Silver	5,83	20

trialjolly >> TJC-AS Internal and External corner pieces in Anodized Aluminum

	H = mm	Art.		Finish	Variant	€ / pc	pc ■
	8	TJC	80 AS	Anodized	Silver	14,06	2 pcs
	10	TJC	100 AS	Anodized	Silver	14,06	2 pcs
	12,5	TJC	125 AS	Anodized	Silver	14,06	2 pcs

Loose pcs not available.

trialjolly >> TJT-AS Flat end caps in Anodized Aluminum

	H = mm	Art.		Finish	Variant	€ / pc	pc ■
	8	TJT	80 AS	Anodized	Silver	13,75	2 pcs
	10	TJT	100 AS	Anodized	Silver	13,75	2 pcs
	12,5	TJT	125 AS	Anodized	Silver	13,75	2 pcs

Loose pcs not available.



trialjolly TJ-ASB

Length: 2,70 meters



TJ - A*



ASB

trialjolly >> TJ-ASB in Bright Polished Anodized Aluminum

H = mm	Art.			Finish	Variant	€ / m	pc ■
8	TJ	80	ASB	Bright Polished Anodized	Chrome	7,87	20
10	TJ	100	ASB	Bright Polished Anodized	Chrome	8,77	20
12,5	TJ	125	ASB	Bright Polished Anodized	Chrome	9,86	20

trialjolly >> TJC-ASB External caps in Bright Polished Anodized Aluminum

H = mm	Art.			Finish	Variant	€ / set	set ■
8	TJC	80	ASB	Bright Polished Anodized	Chrome	14,06	2 pcs
10	TJC	100	ASB	Bright Polished Anodized	Chrome	14,06	2 pcs
12,5	TJC	125	ASB	Bright Polished Anodized	Chrome	14,06	2 pcs



Loose pcs not available.

trialjolly >> TJT-ASB Terminal caps in Bright Polished Anodized Aluminum

H = mm	Art.			Finish	Variant	€ / set	set ■
8	TJT	80	ASB	Bright Polished Anodized	Chrome	13,75	2 pcs
10	TJT	100	ASB	Bright Polished Anodized	Chrome	13,75	2 pcs
12,5	TJT	125	ASB	Bright Polished Anodized	Chrome	13,75	2 pcs

Loose pcs not available.

Length: 2,70 meters

RO - I*
RO - O*

RO 25 A*



IL



AS



AO



AB



A11



OL

roundcorner >> RO-ILA in Stainless Steel AISI 430 - Polished - Self-Adhesive

H = mm	Art.			Finish	Variant	€ / m	pc ■
25 x 25	RO	25	ILA	Polished	Self-Adhesive	9,95	20
30 x 30	RO	30	ILA	Polished	Self-Adhesive	15,20	10
40 x 40	RO	40	ILA	Polished	Self-Adhesive	18,98	10
50 x 50	RO	50	ILA	Polished	Self-Adhesive	22,21	10

RO 25x25mm - thickness 10/10; starting from size 30x30mm - thickness 12/10; protected with a removable film.

roundcorner >> RO 25 A*A in Anodized Aluminum - Self-Adhesive

AxB mm	Art.			Finish	Variant	€ / m	pc ■
25 x 25	RO	25	ASA	Anodized	Silver Self-Adhesive	7,29	30
25 x 25	RO	25	AOA	Anodized	Gold Self-Adhesive	7,29	30
25 x 25	RO	25	ABA	Anodized	Bronze Self-Adhesive	7,29	30

roundcorner >> RO 25 A11A in Powder Coated Aluminum - Self-Adhesive

AxB mm	Art.			Finish	Variant	€ / m	pc ■
25 x 25	RO	25	A11A	Pow. Coated	Pure White - Self-Adhesive	8,81	30

roundcorner >> RO-OLA in Brass - Self-Adhesive

AxB mm	Art.			Finish	€ / m	pc ■
25 x 25	RO	25	OLA	Polished	13,40	20
30 x 30	RO	30	OLA	Polished	22,24	10
40 x 40	RO	40	OLA	Polished	27,23	10
50 x 50	RO	50	OLA	Polished	32,24	10

RO 25x25mm - thickness 10/10; starting from size 30x30mm - thickness 12/10; protected with a removable film.




trialjolly TJ-ASB



roundcorner RO

Length: 2,70 meters



CO 25 I*
CO 25 O*



CO 25 A*



IL IS AS AO



AB A11 OL

Length: 2,70 meters



WA 60 P*



P11 P22



keracomer >> CO-ILA in Stainless Steel AISI 430 - Polished - Self-Adhesive

B = mm	Art.	Finish	€/ m	pc ■
25 x 25	CO 25 ILA	Polished	9,20	20
30 x 30	CO 30 ILA	Polished	14,13	10
40 x 40	CO 40 ILA	Polished	17,03	10
50 x 50	CO 50 ILA	Polished	19,72	10



keracomer >> CO-ISA in Stainless Steel 304 - Brushed not Adhesive

B = mm	Art.	Finish	€/ m	pc ■
30 x 30	CO 30 ISA	Brushed	19,05	10

Thickness 10/10 - protected with a removable film.



keracomer >> CO 25 A*A in Anodized Aluminum - Self-Adhesive

B = mm	Art.	Finish	Variant	€/ m	pc ■
25 x 25	CO 25 ASA	Anodized	Silver Self-Adhesive	6,25	30 ■
25 x 25	CO 25 AOA	Anodized	Gold Self-Adhesive	6,25	30 ■
25 x 25	CO 25 ABA	Anodized	Bronze Self-Adhesive	6,25	30 ■



keracomer >> CO 25 A11A in Powder Coated Aluminum - Self-Adhesive

B = mm	Art.	Finish	Variant	€/ m	pc ■
25 x 25	CO 25 A11A	Pow. Coated	Pure White - Self-Adhesive	7,77	30



keracomer >> CO-OLA in Brass - Self-Adhesive

B = mm	Art.	Finish	€/ m	pc ■
25 x 25	CO 25 OLA	Polished	12,64	20
30 x 30	CO 30 OLA	Polished	19,35	20
40 x 40	CO 40 OLA	Polished	24,52	10
50 x 50	CO 50 OLA	Polished	30,60	10

CO 25x25mm - thickness 10/10; starting from size 30x30mm - thickness 12/10. Protected with a removable film.



keracomer co



wallprotection WA


wallprotection >> WA 60 P* Synthetic Resin Full Body Colored "BiColor"

B = mm	Art.	Finish	Variant	€/ m	pc ■
60 x 60	WA 60 P11/22	Synthetic Resin	White/Pastel Grey insert	11,11	15
60 x 60	WA 60 P11/11	Synthetic Resin	White/Pure White insert	11,11	15
60 x 60	WA 60 P22/22	Synthetic Resin	Grey/Pastel Grey insert	11,11	15

Other colours feasible on request, min. 1000 m. See colours available for series RJ-P, which can be coupled to get a "twocoloured" effect



Length: 2,70 meters

RS - IL*
R = 16 mm

IL

**sanitec >> RS-IL in Stainless Steel AISI 304 - DIN 1.4301**

	H = mm	Art.			Finish	€ / m	pc ■
	8	RS	80	IL	Polished	16,37	20
	10	RS	100	IL	Polished	16,89	20
	12,5	RS	125	IL	Polished	17,54	20


sanitec >> RS*-IL Junction for RS fixing in Stainless Steel - floor

H = mm	Art.			Finish	Variant	€ / set	set ■
8	RSI	80	IL	Polished	Internal corner junction	25,43	2 pcs
10	RSI	100	IL	Polished	Internal corner junction	25,43	2 pcs
12,5	RSI	125	IL	Polished	Internal corner junction	25,43	2 pcs
8	RSE	80	IL	Polished	External corner junction	25,43	2 pcs
10	RSE	100	IL	Polished	External corner junction	25,43	2 pcs
12,5	RSE	125	IL	Polished	External corner junction	25,43	2 pcs

sanitec >> RS*R-IL Junction for RS fixing in Stainless Steel - wall

H = mm	Art.			Finish	Variant	€ / set	set ■
8	RSIR	80	IL	Polished	Internal corner junction	25,43	2 pcs
10	RSIR	100	IL	Polished	Internal corner junction	25,43	2 pcs
12,5	RSIR	125	IL	Polished	Internal corner junction	25,43	2 pcs
8	RSER	80	IL	Polished	External corner junction	25,43	2 pcs
10	RSER	100	IL	Polished	External corner junction	25,43	2 pcs
12,5	RSER	125	IL	Polished	External corner junction	25,43	2 pcs

Length: 2,70 meters

RE - IL
B = 25 mm - 1"**roundcorner >> RE-IL in Stainless Steel AISI 304 - DIN 1.4301 - Polished**

	H = mm	Art.			Finish	€ / m	pc ■
	8	RE	80	IL	Polished	17,05	20
	10	RE	100	IL	Polished	17,67	20
	12,5	RE	125	IL	Polished	18,22	20

Thickness 10/10 - protected with a removable film.




sanitec RS-IL




roundcorner RE

Length: 2,70 meters



SB - I*
R = 16 mm



IL IX

sanitec >> SB-IL in Stainless Steel AISI 304 - DIN 1.4301 - Polished

H1/H2 mm	Art.	Finish	€/ m	pc ■
8/8	SB 80 IL	Polished	14,77	20
10/10	SB 100 IL	Polished	15,33	20
12,5/12,5	SB 125 IL	Polished	15,91	20
8/10	SB 80/100 IL	Polished	15,07	20
8/12,5	SB 80/125 IL	Polished	15,31	20
10/12,5	SB 100/125 IL	Polished	15,68	20

Profile protected with a removable film.

sanitec >> SB-IL Raccords in Stainless Steel AISI 304-DIN 1.4301 - Polished

Art.	Finish	Variant	€/ set	set ■
SBI IL	Polished	Internal corner junction	25,43	2 pcs
SBE IL	Polished	External corner junction	25,43	2 pcs
SBT IL	Polished	Three-way junction	37,80	2 pcs

sanitec >> SB 100 IX in Stainless Steel AISI 304 - DIN 1.4301 -Sanded

H1/H2 mm	Art.	Finish	€/ m	pc ■
new 10/10	SB 100 IX	Sanded	19,20	20

sanitec >> SB*-IX Raccords in Stainless Steel AISI 304-DIN 1.4301 - Sanded

Art.	Finish	Variant	€/ set	set ■
SBI IX	Sanded	Internal corner junction	25,43	2 pcs
SBE IX	Sanded	External corner junction	25,43	2 pcs
SBT IX	Sanded	Three-way junction	37,80	2 pcs



sanitec SB - IL




sanitec SB 100 IX



sanitec SB 15 IL

Length: 2,70 meters



SB 15 IL
R = 16 mm


sanitec >> SB 15 IL in Stainless Steel AISI 304 - DIN 1.4301 - Polished

B = mm	Art.	Finish	€/ m	pc ■
15 x 15	SB 15 IL	Polished	12,16	20

Profile protected with a removable film.Pre-welded joints not available.



Length: 2,70 meters



SB 12 A*



AS ASB


sanitec >> SB 12 AS in Anodized Aluminum

AxB mm	Art.	Finish	Variant	€ / m	pc ■
12 x 15,2	SB 12 AS	Anodized	Silver	5,01	20

sanitec >> SB 12 ASB in Bright Polished Anodized Aluminum

AxB mm	Art.	Finish	Variant	€ / m	pc ■
12 x 15,2	SB 12 ASB	Bright Polished Anodized	Chrome	7,99	20

Length: 2,70 meters



SB 20 A*



AS A11

sanitec >> SB 20 ASA in Anodized Aluminum self-adhesive

AxB mm	Art.	Finish	Variant	€ / m	pc ■
12 x 14	SB 20 ASA	Anodized	Silver Self-Adhesive	6,98	20

sanitec >> SB 20 ASN in Anodized Aluminum not-Adhesive


AxB mm	Art.	Finish	Variant	€ / m	pc ■
12 x 14	SB 20 ASN	Anodized	Silver - not Self-Adhesive	5,70	20

sanitec >> SB 20 A* in Powder Coated Aluminum Self-Adhesive

AxB mm	Art.	Finish	Variant	€ / m	pc ■
12 x 14	SB 20 A11A	Pow. Coated	Pure White - Self-Adhesive	7,75	20

sanitec >> SB 20 A11N in Powder Coated Aluminum not-Adhesive

AxB mm	Art.	Finish	Variant	€ / m	pc ■
12 x 14	SB 20 A11N	Pow. Coated	Pure White -not Adhesive	6,47	20




sanitec SB 12 AS



sanitec SB 20 A11

Length: 1,95 meters




SB 24 P*

sanitec >> SB 24 P11 in Synthetic Resin Full Body Colored Resinil

B = mm	Art.	Finish	Variant	€ / m	pc ■
11 x 11	SB 24 P11	Synthetic Resin	Pure White+Trasparent lips	3,67	40

Length: 1,95 meters



SB - P*

sanitec >> SB-P11 in Synthetic Resin Full Body Colored Resinil

B = mm	Art.	Finish	Variant	€ / m	pc ■
20 x 20	SB 30 P11	Synthetic Resin	Pure White	4,27	40
65 x 65	SB 65 P11	Synthetic Resin	Pure White	7,87	40
20 x 20	SB 30 P22	Synthetic Resin	Pastel Grey	4,27	40
20 x 20	SB 30 P30	Synthetic Resin	Dark Beige	4,27	40
11 x 11	SB 24 P11	Synthetic Resin	Pure White+Trasparent lips	3,67	40

sanitec >> SB 30 P* Junctions and Accessories

B = mm	Art.	Finish	Variant	€ / pc	pc ■
20x20	SBI 30 P11	Internal corner junction	Pure White	11,44	5
20x20	SBE 30 P11	External corner junction	Pure White	11,44	5
20x20	SBF 30 P11	End-cap	Pure White	11,44	5
20x20	SBG 30 P11	Junction	Pure White	11,44	5
20x20	SBI 30 P22	Internal corner junction	Pastel Grey	11,44	5
20x20	SBE 30 P22	External corner junction	Pastel Grey	11,44	5
20x20	SBF 30 P22	End-cap	Pastel Grey	11,44	5
20x20	SBG 30 P22	Junction	Pastel Grey	11,44	5
20x20	SBI 30 P30	Internal corner junction	Dark Beige	11,44	5
20x20	SBE 30 P30	External corner junction	Dark Beige	11,44	5
20x20	SBF 30 P30	End-cap	Dark Beige	11,44	5
20x20	SBG 30 P30	Junction	Dark Beige	11,44	5



SBI 30 P*


SBE 30 P*



SBF 30 P*

SBG 30 P*

Length: 1,95 meters



SB 18 P*

sanitec >> SB 18 P11 in Metacrylate PMMA

H = mm	Art.	Finish	Variant	€ / m	pc ■
13 x 11	SB 18 P11	Metacrylate	Pure White	29,05	50

Set including 2 pcs 1,95m long + 2 internal corners + 1 right end-cap + 1 left end-cap. Loose pcs not available.



P11




sanitec SB 30 P11



sanitec SB 18 P11



Length: 2,70 meters




CR 16 P* + KJ - P*

R = 16 mm

Example assembled with KJ



CR -P*



P11

P23

P32

coflex >> CR 16 P* Synthetic Co-extruded basic module

	H = mm	Art.		Finish	Variant	€ / m	pc ■
	16	CR	16 P11	Synthetic	Pure White	4,37	36
	16	CR	16 P23	Synthetic	Cement Grey	4,37	36
	16	CR	16 P32	Synthetic	Dark Beige	4,37	36

Clip system: additional modules art KJ-P to be ordered separately from the base module CR 16 according to the required height (tile thickness reduced of 2 mm). See table below.

kerajolly >> KJ-P* Synthetic Resin Full Body Colored Resintop

	H = mm	Art.		Finish	Variant	€ / m	pc ■
	6	KJ	60 P11	Synthetic Resin	Pure White	1,54	40
	8	KJ	80 P11	Synthetic Resin	Pure White	1,74	40
	10	KJ	100 P11	Synthetic Resin	Pure White	1,93	40

coflex >> CR-P* Jointing and Derivation pieces CR


		Art.	Finish	Variant	€ / set	set ■
		CRI P11	Internal corner junction	Pure White	12,03	5 pcs
		CRE P11	External corner junction	Pure White	12,03	5 pcs
		CRT P11	Three-way junction	Pure White	12,03	5 pcs
		CRF P11	End-cap	Pure White	12,03	5 pcs
		CRI P23	Internal corner junction	Cement Grey	12,03	5 pcs
		CRE P23	External corner junction	Cement Grey	12,03	5 pcs
		CRT P23	Three-way junction	Cement Grey	12,03	5 pcs
		CRF P23	End-cap	Cement Grey	12,03	5 pcs
		CRI P32	Internal corner junction	Dark Beige	12,03	5 pcs
		CRE P32	External corner junction	Dark Beige	12,03	5 pcs
		CRT P32	Three-way junction	Dark Beige	12,03	5 pcs
		CRF P32	End-cap	Dark Beige	12,03	5 pcs

Sold in 5 pcs/set.



coflex CR 16 P23 + KJ-P11

Length: 2,70 meters



ER - P*

R = 16 mm



P11

P22

sanitec >> ER-P* Synthetic Resin Full Body Colored Resinil

	H = mm	Art.		Finish	Variant	€ / m	pc ■
	9	ER	9 P11	Synthetic Resin	Pure White	4,43	40
	11	ER	11 P11	Synthetic Resin	Pure White	4,61	40
	9	ER	9 P22	Synthetic Resin	Pastel Grey	4,43	40
	11	ER	11 P22	Synthetic Resin	Pastel Grey	4,61	40

Sold in 5 pcs/set.

sanitec >> ER*-P* Junctions and Accessories


		Art.	Finish	Variant	€ / set	set ■
		ERI P11	Internal corner junction	Pure White	11,82	5 pcs
		ERE P11	External corner junction	Pure White	11,82	5 pcs
		ERF P11	End-cap	Pure White	11,82	5 pcs
		ERT P11	Three-way junction	Pure White	11,82	5 pcs
		ERI P22	Internal corner junction	Pastel Grey	11,82	5 pcs
		ERE P22	External corner junction	Pastel Grey	11,82	5 pcs
		ERF P22	End-cap	Pastel Grey	11,82	5 pcs
		ERT P22	Three-way junction	Pastel Grey	11,82	5 pcs

Sold in 5 pcs/set.



sanitec ER-P11 + ERI-P11

Length: 2,70 meters



IC 25 IL

R = 16 mm



IL


sanitec >> IC 25 IL in Stainless Steel AISI 304 - DIN 1.4301 - Polished

B = mm	Art.	Finish	€/ m	pc ■
25 x 25	IC 25 IL	Polished	12,86	20

Protected with a removable film. Pre-welded junction pieces.


sanitec >> IC* 25 IL Junctions in Stainless Steel AISI 304 - DIN 1.4301

	Art.	Finish	Description	€/ pc	pc ■
	ICI 25 IL	Polished	Internal corner junction	23,69	2
	ICE 25 IL	Polished	External corner junction	23,69	2
	ICT 25 IL	Polished	Three-way junction	23,87	2



sanitec IC 25 IL

Length: 2,70 meters



IC 60 P*


sanitec >> IC 60 P11 Synthetic Resin Full Body Colored Resinil

BxA mm	Art.	Finish	Variant	€/ m	pc ■
20 x 60	IC 60 P11	Synthetic Resin	Pure White	5,81	40




sanitec IC 60 P11


Length: 2,70 meters



IJ - IL



IJ - P*



P11

P12

P22

P31

interjolly >> IJ-IL in Stainless Steel AISI 304 - DIN 1.4301 - Polished

H = mm	Art.	Finish	€/ m	pc ■
8	IJ 80 IL	Polished	12,65	20
10	IJ 100 IL	Polished	13,27	20

Thickness 10/10 - protected with a removable film.

interjolly >> IJ-P* in Synthetic Resin Full Body Resintop

H = mm	Art.	Finish	Variant	€/ m	pc ■
7.5	IJ 75 P11	Synthetic Resin	Pure White	2,04	20
9.5	IJ 95 P11	Synthetic Resin	Pure White	2,15	20
7.5	IJ 75 P12	Synthetic Resin	White	2,04	20
9.5	IJ 95 P12	Synthetic Resin	White	2,15	20
7.5	IJ 75 P22	Synthetic Resin	Pastel Grey	2,04	20
9.5	IJ 95 P22	Synthetic Resin	Pastel Grey	2,15	20
7.5	IJ 75 P31	Synthetic Resin	Beige Bahama	2,04	20
9.5	IJ 95 P31	Synthetic Resin	Beige Bahama	2,15	20



interjolly IJ-P11



listello LEL 13 AS



wall profile LEB 37 AS



lamp LEM 37 A11

LED profiles >> LE* -AS in Anodized Aluminum

HxB mm	Art.			Finish	Variant	€ / m	pc ■
13 x 18	LEL	13	AS	Anodized	Silver	13,34	1
37 x 18	LEB	37	AS	Anodized	Silver	31,76	1

LED profiles >> LEM 37 A11 in Powder Coated Aluminum

HxB mm	Art.			Finish	Variant	€ / m	pc ■
37 x 23	LEM	37	A11	Pow. Coated	Pure White	57,11	1

LED Profiles >> Light diffuser

		Art.		Finish	€ / set	set ■
		LEC	15 OP	Opal diffuser	25,23	1
		LEC	15 TR	Clear diffuser	22,42	1
		LEC	15 SA	Sanded diffuser	22,42	1

LED profiles >> Accessories for LEL





H = mm	Art.		Finish	€ / set	set ■
12	LELF	12	Fastener clip	5,20	2 pcs
13	LELT	13 P22	End caps (right and left)	4,85	2 pcs
	LELC	60	Connector between two profiles	3,99	

LED profiles >> Accessories for LEB


H = mm	Art.		Finish	€ / set	set ■
	LEBP	15 AS	Fastener clip	12,82	
37	LEBT	37 AS	End caps (right and left)	26,41	2 pcs

LED profiles >> Accessories fo LEM


H = mm	Art.		Finish	€ / set	set ■
37	LEMT	37 A11	End caps (right and left)	34,42	2 pcs
	LEMS		PVC mounting housing clip	4,81	2 pcs
	LEMC		Connector between two profiles	10,41	



LEL 13 AS



LEB 37 AS



LEM 37 A11



Movement joint profiles

A building's structural frame is subject to differential movement due to the contraction and expansion of construction materials and its foundation. Movement joints are vital in accommodating the building's expected settlement. Movement joint design allows the designer to control where the movement manifests within the tile layout, preventing tile cracking and tenting.


Placement of expansion movement joint profiles begin at the construction phase as all underlying expansion joints in the substrate should continue up through the tile installation. Choosing an appropriate movement joint according to a building's structural needs is fundamentally important and designers often select them with some trepidation, worried about compromising the aesthetic qualities of the building. PROFILITEC offers technical yet elegant solutions that accentuate design features or disappear into the tile layout. Place PROFILITEC movement joints:

- In correspondence with the underlying substrate
 - In correspondence to pre-existing discontinuities in substrate such as structural construction joints. Screed section edges
 - In correspondence with fixed elements such as columns or doors
 - In correspondence with a directional change in the tile pattern
 - In correspondence with material changes, around the perimeter of tile and stone installations and at regular bays within the stone and tile field
- The proportion between the two bay sides should generally not exceed 2:1.

Article	Code	Use	Page
Coflex	CE	separation profile	98
Coflex	CA	separation profile	98
Coflex	CAJ	separation profile	99
Coflex	CAJP	separation profile	99
Coflex	CTL	grindable	100
Coflex	CT	grindable	102
Coflex	CTR	grindable	102
Coflex	CB	interchangeable	103
Coflex	CBR	interchangeable	103
Coflex	CBL	interchangeable	104
Coflex	CK	technical metal + Resinil	104
Coflex	CKM	technical metal + Resinil	105
Coflex	CMB	technical metal + Resinil	105
Coflex	CM	modular deep bed	105
Coflex	CF	modular deep bed	106
Coflex	CD	modular deep bed	106
Coflex	CTM	grindable and corner joint	106
Coflex	CR	grindable and corner joint	107
Jointec	GE	structural	108
Jointec	GEL	structural	108
Jointec	GR	structural	108
Jointec	GRM	structural	108
Jointec	GM	structural modular	109
Jointec	GML	structural modular	109
Jointec	GA	structural floor and wall	110
Jointec	GAL	structural floor and wall	110
Jointec	GAS	structural floor and wall	111
Jointec	GAD	structural floor and wall	111
Jointec	GH	carriageable and waterproof	112
Jointec	GW	carriageable and waterproof	112
Jointec	GS	carriageable and waterproof	112
Jointec	GEP	perimetrals and joint cover	113
Jointec	GMP	perimetrals and joint cover	113
Jointec	GDP	perimetrals and joint cover	113
Jointec	GD	perimetrals and joint cover	114
Jointec	GDM	perimetrals and joint cover	114
Coprtec	CPM	modular and industrial floors	114
Jointec	GT	modular and industrial floors	115
Jointec	GI	modular and industrial floors	115
Coprtec	CP	cover joint	115
Jointec	GC	cover joint	116



Length: 2,70 meters



CE - P*


B = 8 mm

coflex >> CE-P* in PVC

	H = mm	Art.			Finish	Variant	€ / m	pc ■
	7	CE	70	P10	PVC	Trasparent	1,23	20
	9	CE	90	P10	PVC	Trasparent	1,49	20
	11	CE	110	P10	PVC	Trasparent	1,69	20
	13	CE	130	P10	PVC	Trasparent	1,91	20
	15	CE	150	P10	PVC	Trasparent	2,16	20
	7	CE	70	P23	PVC	Cement Grey	1,23	20
	9	CE	90	P23	PVC	Cement Grey	1,49	20
	11	CE	110	P23	PVC	Cement Grey	1,69	20
	13	CE	130	P23	PVC	Cement Grey	1,91	20
	15	CE	150	P23	PVC	Cement Grey	2,16	20



Length: 2,70 meters



CA - P*

B = 10 mm

coflex >> CA-P* Co-extruded Synthetic Resinil + Resinflex


	H = mm	Art.			Finish	Variant	€ / m	pc ■
	6	CA	60	P11	Resinil + Resinflex	Pure White	4,13	20
	8	CA	80	P11	Resinil + Resinflex	Pure White	4,16	20
	10	CA	100	P11	Resinil + Resinflex	Pure White	4,61	20
	12,5	CA	125	P11	Resinil + Resinflex	Pure White	4,92	20
	6	CA	60	P23	Resinil + Resinflex	Cement Grey	4,13	20
	8	CA	80	P23	Resinil + Resinflex	Cement Grey	4,16	20
	10	CA	100	P23	Resinil + Resinflex	Cement Grey	4,61	20
	12,5	CA	125	P23	Resinil + Resinflex	Cement Grey	4,92	20
	15	CA	150	P23	Resinil + Resinflex	Cement Grey	5,42	20
	20	CA	200	P23	Resinil + Resinflex	Cement Grey	6,51	20
	6	CA	60	P32	Resinil + Resinflex	Dark Beige	4,13	20
	8	CA	80	P32	Resinil + Resinflex	Dark Beige	4,16	20
	10	CA	100	P32	Resinil + Resinflex	Dark Beige	4,61	20
	12,5	CA	125	P32	Resinil + Resinflex	Dark Beige	4,92	20
	6	CA	60	P51	Resinil + Resinflex	Black	4,13	20
	8	CA	80	P51	Resinil + Resinflex	Black	4,16	20
	10	CA	100	P51	Resinil + Resinflex	Black	4,61	20
	12,5	CA	125	P51	Resinil + Resinflex	Black	4,92	20

coflex CE-P10



coflex CA-P23

Length: 2,70 meters




coflex >> CAJ-P* Co-extruded Synthetic Resinil + Resinflex

	H = mm	Art.	Finish	Variant	€/ m	pc ■
	4,5	CAJ 45 P11	Resinil + Resinflex	Pure White	3,86	20
	6	CAJ 60 P11	Resinil + Resinflex	Pure White	3,86	20
	8	CAJ 80 P11	Resinil + Resinflex	Pure White	3,90	20
	10	CAJ 100 P11	Resinil + Resinflex	Pure White	4,30	20
	12,5	CAJ 125 P11	Resinil + Resinflex	Pure White	4,56	20
	4,5	CAJ 45 P23	Resinil + Resinflex	Cement Grey	3,86	20
	6	CAJ 60 P23	Resinil + Resinflex	Cement Grey	3,86	20
	8	CAJ 80 P23	Resinil + Resinflex	Cement Grey	3,90	20
	10	CAJ 100 P23	Resinil + Resinflex	Cement Grey	4,30	20
	12,5	CAJ 125 P23	Resinil + Resinflex	Cement Grey	4,56	20
	4,5	CAJ 45 P32	Resinil + Resinflex	Dark Beige	3,86	20
	6	CAJ 60 P32	Resinil + Resinflex	Dark Beige	3,86	20
	8	CAJ 80 P32	Resinil + Resinflex	Dark Beige	3,90	20
	10	CAJ 100 P32	Resinil + Resinflex	Dark Beige	4,30	20
	12,5	CAJ 125 P32	Resinil + Resinflex	Dark Beige	4,56	20
	4,5	CAJ 45 P51	Resinil + Resinflex	Black	3,86	20
	6	CAJ 60 P51	Resinil + Resinflex	Black	3,86	20
	8	CAJ 80 P51	Resinil + Resinflex	Black	3,90	20
	10	CAJ 100 P51	Resinil + Resinflex	Black	4,30	20
	12,5	CAJ 125 P51	Resinil + Resinflex	Black	4,56	20



coflex CAJ 100 P23

Length: 2,70 meters




coflex >> CAJP-P* Co-extruded Synthetic Resinil + Resinflex

	H = mm	Art.	Finish	Variant	€/ m	pc ■
	4,5	CAJP 45 P23	Resinil + Resinflex	Cement Grey	3,86	40
	6	CAJP 60 P23	Resinil + Resinflex	Cement Grey	3,86	40
	8	CAJP 80 P23	Resinil + Resinflex	Cement Grey	3,90	40
	10	CAJP 100 P23	Resinil + Resinflex	Cement Grey	4,30	40
	12,5	CAJP 125 P23	Resinil + Resinflex	Cement Grey	4,56	40



Movement profiles



- + Allow tile movement
- + Suggested floor bays 16 m2 - 172-7/32 ft2 (UNI 11.499:2013)
- + Always below the decking




coflex CAJP 80 P23

separation profile

joint



Length: 2,70 meters



CTL

B = 10 mm



coflex >> CTL-IL* St. Steel AISI 304 - DIN 1.4301 + Insert suitable for grinding EPDM

	H = mm	Art.		Finish	Variant	€ / m	pc ■
	8	CTL	80 IL23	Polished	Cement Grey	38,60	10
	10	CTL	100 IL23	Polished	Cement Grey	39,74	10
	12,5	CTL	125 IL23	Polished	Cement Grey	41,60	10
	15	CTL	150 IL23	Polished	Cement Grey	43,74	10
	20	CTL	200 IL23	Polished	Cement Grey	45,53	10
	25	CTL	250 IL23	Polished	Cement Grey	47,82	10
	30	CTL	300 IL23	Polished	Cement Grey	49,77	10
	8	CTL	80 IL32	Polished	Dark Beige	38,60	10
	10	CTL	100 IL32	Polished	Dark Beige	39,74	10
	12,5	CTL	125 IL32	Polished	Dark Beige	41,60	10
	15	CTL	150 IL32	Polished	Dark Beige	43,74	10
	20	CTL	200 IL32	Polished	Dark Beige	45,53	10
	25	CTL	250 IL32	Polished	Dark Beige	47,82	10
	30	CTL	300 IL32	Polished	Dark Beige	49,77	10
	8	CTL	80 IL51	Polished	Black	38,60	10
	10	CTL	100 IL51	Polished	Black	39,74	10
	12,5	CTL	125 IL51	Polished	Black	41,60	10
	15	CTL	150 IL51	Polished	Black	43,74	10
	20	CTL	200 IL51	Polished	Black	45,53	10
	25	CTL	250 IL51	Polished	Black	47,82	10
	30	CTL	300 IL51	Polished	Black	49,77	10



coflex >> CTL-AN* Aluminum + Insert suitable for grinding EPDM

	H = mm	Art.		Finish	Variant	€ / m	pc ■
	8	CTL	80 AN23	Natural	Cement Grey	25,75	10
	10	CTL	100 AN23	Natural	Cement Grey	26,85	10
	12,5	CTL	125 AN23	Natural	Cement Grey	28,41	10
	15	CTL	150 AN23	Natural	Cement Grey	30,19	10
	20	CTL	200 AN23	Natural	Cement Grey	31,32	10
	25	CTL	250 AN23	Natural	Cement Grey	33,48	10
	30	CTL	300 AN23	Natural	Cement Grey	35,43	10
	8	CTL	80 AN32	Natural	Dark Beige	25,75	10
	10	CTL	100 AN32	Natural	Dark Beige	26,85	10
	12,5	CTL	125 AN32	Natural	Dark Beige	28,41	10
	15	CTL	150 AN32	Natural	Dark Beige	30,19	10
	20	CTL	200 AN32	Natural	Dark Beige	31,32	10
	25	CTL	250 AN32	Natural	Dark Beige	33,48	10
	30	CTL	300 AN32	Natural	Dark Beige	35,43	10
	8	CTL	80 AN51	Natural	Black	25,75	10
	10	CTL	100 AN51	Natural	Black	26,85	10
	12,5	CTL	125 AN51	Natural	Black	28,41	10
	15	CTL	150 AN51	Natural	Black	30,19	10
	20	CTL	200 AN51	Natural	Black	31,32	10
	25	CTL	250 AN51	Natural	Black	33,48	10
	30	CTL	300 AN51	Natural	Black	35,43	10

profiltec




coflex CTL AN 51



coflex CTL AN 32

Length: 2,70 meters



CTL
B = 10 mm

coflex >> CTL-ON Brass + Insert suitable for grinding EPDM


	H = mm	Art.		Finish	Variant	€ / m	pc ■
	8	CTL	80 ON23	Natural	Cement Grey	33,23	10
	10	CTL	100 ON23	Natural	Cement Grey	34,95	10
	12,5	CTL	125 ON23	Natural	Cement Grey	36,83	10
	15	CTL	150 ON23	Natural	Cement Grey	39,12	10
	20	CTL	200 ON23	Natural	Cement Grey	41,27	10
	25	CTL	250 ON23	Natural	Cement Grey	44,27	10
	30	CTL	300 ON23	Natural	Cement Grey	46,88	10
	8	CTL	80 ON32	Natural	Dark Beige	33,23	10
	10	CTL	100 ON32	Natural	Dark Beige	34,95	10
	12,5	CTL	125 ON32	Natural	Dark Beige	36,83	10
	15	CTL	150 ON32	Natural	Dark Beige	39,12	10
	20	CTL	200 ON32	Natural	Dark Beige	41,27	10
	25	CTL	250 ON32	Natural	Dark Beige	44,27	10
	30	CTL	300 ON32	Natural	Dark Beige	46,88	10
	8	CTL	80 ON51	Natural	Black	33,23	10
	10	CTL	100 ON51	Natural	Black	34,95	10
	12,5	CTL	125 ON51	Natural	Black	36,83	10
	15	CTL	150 ON51	Natural	Black	39,12	10
	20	CTL	200 ON51	Natural	Black	41,27	10
	25	CTL	250 ON51	Natural	Black	44,27	10
	30	CTL	300 ON51	Natural	Black	46,88	10



coflex CTL ON 51



Length: 2,70 meters



CTR

B = 10 mm




coflex >> CTR-IL * Stainless Steel AISI 304 + Insert suitable for grinding EPDM

	H = mm	Art.		Finish	Variant	€ / m	pc ■
new	3	CTR	30 IL23	Polished	Cement Grey	25,11	10
new	4,5	CTR	45 IL23	Polished	Cement Grey	25,49	10
new	6	CTR	60 IL23	Polished	Cement Grey	25,88	10
new	8	CTR	80 IL23	Polished	Cement Grey	26,41	10
new	10	CTR	100 IL23	Polished	Cement Grey	27,32	10
new	12,5	CTR	125 IL23	Polished	Cement Grey	28,29	10
new	15	CTR	150 IL23	Polished	Cement Grey	33,11	10
new	20	CTR	200 IL23	Polished	Cement Grey	37,13	10
new	3	CTR	30 IL51	Polished	Black	25,11	10
new	4,5	CTR	45 IL51	Polished	Black	25,49	10
new	6	CTR	60 IL51	Polished	Black	25,88	10
new	8	CTR	80 IL51	Polished	Black	26,41	10
new	10	CTR	100 IL51	Polished	Black	27,32	10
new	12,5	CTR	125 IL51	Polished	Black	28,29	10
new	15	CTR	150 IL51	Polished	Black	33,11	10
new	20	CTR	200 IL51	Polished	Black	37,13	10



coflex CTR IL 23

Length: 2,70 meters



CT

B = 15 mm



coflex >> CT-IL *St. Steel AISI 304-DIN.1.4301-Polish. + Insert suitable for grinding EPDM


	H = mm	Art.		Finish	Variant	€ / m	pc ■
new	8	CT	80 IL23	Polished	Cement Grey	30,32	10
new	10	CT	100 IL23	Polished	Cement Grey	31,37	10
new	12,5	CT	125 IL23	Polished	Cement Grey	32,48	10
new	15	CT	150 IL23	Polished	Cement Grey	38,01	10
new	20	CT	200 IL23	Polished	Cement Grey	42,63	10
new	8	CT	80 IL51	Polished	Black	30,32	10
new	10	CT	100 IL51	Polished	Black	31,37	10
new	12,5	CT	125 IL51	Polished	Black	32,48	10
new	15	CT	150 IL51	Polished	Black	38,01	10
new	20	CT	200 IL51	Polished	Black	42,63	10



coflex CT IL 23

Length: 2,70 meters

Insert assembled.



CBR

B = 10 mm



CBRI

coflex >> CBR-AN* Natural Aluminum + Synthetic Insert

	H = mm	Art.		Finish	Variant	€ / m	pc ■
new	4,5	CBR	45 AN23	Natural	Cement Grey	10,33	10
new	6	CBR	60 AN23	Natural	Cement Grey	10,49	10
new	8	CBR	80 AN23	Natural	Cement Grey	10,70	10
new	10	CBR	100 AN23	Natural	Cement Grey	10,89	10
new	12,5	CBR	125 AN23	Natural	Cement Grey	11,19	10
new	15	CBR	150 AN23	Natural	Cement Grey	11,86	10
new	20	CBR	200 AN23	Natural	Cement Grey	12,85	10
new	4,5	CBR	45 AN51	Natural	Black	10,33	10
new	6	CBR	60 AN51	Natural	Black	10,49	10
new	8	CBR	80 AN51	Natural	Black	10,70	10
new	10	CBR	100 AN51	Natural	Black	10,89	10
new	12,5	CBR	125 AN51	Natural	Black	11,19	10
new	15	CBR	150 AN51	Natural	Black	11,86	10
new	20	CBR	200 AN51	Natural	Black	12,85	10

coflex >> CBRI-P* Spare insert in Resinflex

	H = mm	Art.		Finish	Variant	€ / m	pc ■
new	5	CBRI	5 P23	Resinflex	Cement Grey	1,49	10
new	5	CBRI	5 P51	Resinflex	Black	1,49	10

Length: 2,70 meters

Insert assembled.



CB

B = 16 mm

Replaceable insert. See next page.

coflex >> CB-AN* Natural Aluminum + Synthetic insert in Resinflex

	H = mm	Art.		Finish	Variant	€ / m	pc ■
	8	CB	80 AN23	Natural	Cement Grey	12,26	10
	10	CB	100 AN23	Natural	Cement Grey	12,49	10
	12,5	CB	125 AN23	Natural	Cement Grey	12,88	10
	15	CB	150 AN23	Natural	Cement Grey	13,66	10
	20	CB	200 AN23	Natural	Cement Grey	14,97	10
	8	CB	80 AN51	Natural	Black	12,26	10
	10	CB	100 AN51	Natural	Black	12,49	10
	12,5	CB	125 AN51	Natural	Black	12,88	10
	15	CB	150 AN51	Natural	Black	13,66	10
	20	CB	200 AN51	Natural	Black	14,97	10

Supplied completely assembled.

coflex >> CB-ON* Natural Brass + Synthetic insert in Resinflex

	H = mm	Art.		Finish	Variant	€ / m	pc ■
	8	CB	80 ON23	Natural	Cement Grey	28,01	10
	10	CB	100 ON23	Natural	Cement Grey	29,35	10
	12,5	CB	125 ON23	Natural	Cement Grey	30,97	10
	15	CB	150 ON23	Natural	Cement Grey	32,61	10
	20	CB	200 ON23	Natural	Cement Grey	36,07	10
	8	CB	80 ON51	Natural	Black	28,01	10
	10	CB	100 ON51	Natural	Black	29,35	10
	12,5	CB	125 ON51	Natural	Black	30,97	10
	15	CB	150 ON51	Natural	Black	32,61	10
	20	CB	200 ON51	Natural	Black	36,07	10

Supplied completely assembled.



coflex CBR AN 23




coflex CB AN 23

interchangeable


joint

Length: 2,70 meters


Insert assembled.



CBL



CBI 10 P*



CBI 20 P*

Length: 2,70 meters



CK

coflex >> CBL-AN* Natural Aluminum + Synthetic insert in Resinflex

	H = mm	Art.		Finish	Variant	€/ m	pc ■	
	8	CBL	80	AN23	Natural	Cement Grey	14,12	10
	10	CBL	100	AN23	Natural	Cement Grey	14,42	10
	12,5	CBL	125	AN23	Natural	Cement Grey	14,86	10
	15	CBL	150	AN23	Natural	Cement Grey	15,79	10
	20	CBL	200	AN23	Natural	Cement Grey	17,28	10
	8	CBL	80	AN51	Natural	Black	14,12	10
	10	CBL	100	AN51	Natural	Black	14,42	10
	12,5	CBL	125	AN51	Natural	Black	14,86	10
	15	CBL	150	AN51	Natural	Black	15,79	10
	20	CBL	200	AN51	Natural	Black	17,28	10

Supplied completely assembled.

coflex >> CBL-ON* Natural Brass + Synthetic insert in Resinflex

	H = mm	Art.		Finish	Variant	€ / m	pc ■	
	8	CBL	80	ON23	Natural	Cement Grey	29,70	10
	10	CBL	100	ON23	Natural	Cement Grey	31,11	10
	12,5	CBL	125	ON23	Natural	Cement Grey	32,84	10
	15	CBL	150	ON23	Natural	Cement Grey	34,55	10
	20	CBL	200	ON23	Natural	Cement Grey	38,24	10
	8	CBL	80	ON51	Natural	Black	29,70	10
	10	CBL	100	ON51	Natural	Black	31,11	10
	12,5	CBL	125	ON51	Natural	Black	32,84	10
	15	CBL	150	ON51	Natural	Black	34,55	10
	20	CBL	200	ON51	Natural	Black	38,24	10

Supplied completely assembled.

coflex >> CBI-P* Spare insert in Resinflex

	B = mm	Art.		Finish	Variant	€/ m	pc ■
	10	CBI	10 P23	Resinflex	Cement Grey	3,72	10
	20	CBI	20 P23	Resinflex	Cement Grey	4,48	10
	10	CBI	10 P51	Resinflex	Black	3,72	10
	20	CBI	20 P51	Resinflex	Black	4,48	10

coflex >> CK-AN Natural Aluminum

	H = mm	Art.		Finish	€ / m	pc ■
	10	CK	100 AN	Natural	13,58	10
	12.5	CK	125 AN	Natural	14,09	10

Supplied completely assembled.

coflex >> CK-ON Brass

	H = mm	Art.		Finish	€/ m	pc ■
	10	CK	100 ON	Natural	30,53	10
	12,5	CK	125 ON	Natural	32,29	10

Supplied completely assembled.



coflex CBL ON 51



coflex CK-AN



Length: 2,70 meters



CKM

coflex >> CKM 450 AN in Natural Aluminum

HxB mm	Art.	Finish	€/ m	pc ■
45 x 11	CKM 450 AN	Natural	14,05	10


Profile not assembled. Assemble rubber-foam just before the installation.

coflex >> CKM 450 ON Brass

HxB mm	Art.	Finish	€/ m	pc ■
45 x 11	CKM 450 ON	Natural	39,41	10

Profile not assembled. Assemble rubber-foam just before the installation.

Length: 2,70 meters




CMB - P*
B = 8 mm

coflex >> CMB-P* Co-extruded Synthetic Resinil + Resinflex

H = mm	Art.	Finish	Variant	€/ m	pc ■
30	CMB 300 P23	Resinil + Resinflex	Cement Grey	6,35	15
45	CMB 450 P23	Resinil + Resinflex	Cement Grey	8,60	15
60	CMB 600 P23	Resinil + Resinflex	Cement Grey	10,77	15
30	CMB 300 P	Resinil + Resinflex	Cement Grey	5,37	15

CMB is a modular expansion joint; further heights can be achieved using the modules Art. CM. Article coupled but supplied separate from additional modules and extensions.

Length: 2,70 meters



CM - P*

B = 8 mm

coflex >> CM-P* Co-extruded Synthetic Resinil + Resinflex

H = mm	Art.	Finish	Variant	€/ m	pc ■
30	CM 300 P23	Resinil + Resinflex	Cement Grey	3,23	50
30	CM 300 P51	Resinil + Resinflex	Black	3,23	50
30	CM 300 P61	Resinil + Resinflex	Red Klinker	3,23	50
15-20	CM 200 P	Extension		2,18	50



coflex CKM 450 AN



coflex CMB-P23



coflex CM-P23



Length: 2,70 meters



CF - P*

coflex >> CF-P* in PVC


	HxB mm	Art.		Finish	Variant	€ / m	pc ■
	23 x 8	CF	230 P10	PVC	Trasparent	1,85	20
	35 x 8	CF	350 P10	PVC	Trasparent	2,47	20
	45 x 8	CF	450 P10	PVC	Trasparent	2,97	20
	23 x 8	CF	230 P23	PVC	Cement Grey	1,85	20
	35 x 8	CF	350 P23	PVC	Cement Grey	2,47	20
	45 x 8	CF	450 P23	PVC	Cement Grey	2,97	20

+ profilit^{tec}



coflex CF-P23

Length: 2,70 meters



CD - P*

coflex >> CD-P* in PVC

	HxB mm	Art.		Finish	Variant	€ / m	pc ■
	23 x 8	CD	230 P10	PVC	Grey + Trasparent	2,40	50
	23 x 8	CD	230 P23	PVC	Grey + Cement Grey	2,40	50
	22 x 8	CD	220 P		Extension	1,54	50



coflex CD-P10

Length: 2,70 meters



CTM 440

coflex >> CTM-IL* Stainless Steel AISI 304 - DIN 1.4301 + EPDM

H = mm	Art.		Finish	Variant	€ / m	pc ■
44 x 10	CTM	440 IL23	Polished	Cement Grey	50,71	10
44 x 10	CTM	440 IL32	Polished	Beige	50,71	10
44 x 10	CTM	440 IL51	Polished	Black	50,71	10


coflex >> CTM-ON* Brass + EPDM

H = mm	Art.		Finish	Variant	€ / m	pc ■
44 x 10	CTM	440 ON23	Natural	Cement Grey	47,93	10
44 x 10	CTM	440 ON32	Natural	Beige	47,93	10
44 x 10	CTM	440 ON51	Natural	Black	47,93	10




coflex CTM 440 ON51


Length: 2,70 meters



CR 16 P*
R = 16 mm



Example assembled with KJ



CR -P*

coflex >> CR 16 P* Synthetic Co-extruded basic module

R = mm	Art.	Finish	Variant	€ / m	pc ■
16	CR 16 P11	Synthetic	Pure White	4,37	36
16	CR 16 P23	Synthetic	Cement Grey	4,37	36
16	CR 16 P32	Synthetic	Dark Beige	4,37	36

Clip system: additional modules art KJ-P to be ordered separately from the base module CR16 according to the required height (tile thickness reduced of 2 mm). See table below.

kerajolly >> KJ-P* Module to be combined to the coflex CR16P*

H = mm	Art.	Finish	Variant	€ / m	pc ■
6	KJ 60 P11	Synthetic Resin	Pure White	1,54	40
8	KJ 80 P11	Synthetic Resin	Pure White	1,74	40
10	KJ 100 P11	Synthetic Resin	Pure White	1,93	40
12,5	KJ 125 P11	Synthetic Resin	Pure White	2,19	40

coflex >> CRI-P* Jointing and internal corner pieces CR

Art.	Finish	Variant	€ / set	set ■
CRI P11	Internal corner junction	Pure White	12,03	5 pcs
CRI P23	Internal corner junction	Cement Grey	12,03	5 pcs
CRI P32	Internal corner junction	Dark Beige	12,03	5 pcs

Loose pcs not available.

coflex >> CRE-P* Jointing and External corner pieces CR

Art.	Finish	Variant	€ / set	set ■
CRE P11	External corner junction	Pure White	12,03	5 pcs
CRE P23	External corner junction	Cement Grey	12,03	5 pcs
CRE P32	External corner junction	Dark Beige	12,03	5 pcs

Loose pcs not available.

coflex >> CRT-P* Three-way junction for CR

Art.	Finish	Variant	€ / set	set ■
CRT P11	Three-way junction	Pure White	12,03	5 pcs
CRT P23	Three-way junction	Cement Grey	12,03	5 pcs
CRT P32	Three-way junction	Dark Beige	12,03	5 pcs

Loose pcs not available.

coflex >> CRF-P* End cap for CR

Art.	Finish	Variant	€ / set	set ■
CRF P11	End-cap	Pure White	12,03	5 pcs
CRF P23	End-cap	Cement Grey	12,03	5 pcs
CRF P32	End-cap	Dark Beige	12,03	5 pcs

Loose pcs not available.



Co-extruded joint



- + Can be used with KJ
- + Reduced stock
- + Flexibility with different thicknesses




coflex CR 16 P23 + KJ-P11



coflex CR 16 P11 + KJ-P11

Length: 4,00 meters



GE - AN*
GEL - AN*

GE:
L = 44 mm
L' = 38 mm
GEL:
L = 54 mm
L' = 48 mm

jointec >> GE-AN* Aluminum + Resinprene Insert

H = mm	Art.			Finish	Variant	€ / m	pc ■
20	GE	200	AN23	Natural + Resinprene	Cement Grey	49,50	10
50	GE	500	AN23	Natural + Resinprene	Cement Grey	69,90	10
20	GE	200	AN51	Natural + Resinprene	Black (recommended)	49,50	10
50	GE	500	AN51	Natural + Resinprene	Black (recommended)	69,90	10

Profile not assembled with the rubber insert.

jointec >> GEL-AN* Aluminum + Resinprene Insert

H = mm	Art.			Finish	Variant	€ / m	pc ■
20	GEL	200	AN23	Natural + Resinprene	Cement Grey	51,89	10
50	GEL	500	AN23	Natural + Resinprene	Cement Grey	72,30	10
20	GEL	200	AN51	Natural + Resinprene	Black (recommended)	51,89	10
50	GEL	500	AN51	Natural + Resinprene	Black (recommended)	72,30	10

Profile not assembled with the rubber insert.

Length: 4,00 meters



GR - AN*
GRL - AN*

GR:
L = 68 mm
L' = 46 mm
GRL:
L = 78 mm
L' = 56 mm

jointec >> GR-AN* Aluminum + Resinprene Insert

H = mm	Art.			Finish	Variant	€ / m	pc ■
20	GR	200	AN23	Natural + Resinprene	Cement Grey	86,60	10
50	GR	500	AN23	Natural + Resinprene	Cement Grey	105,14	10
70	GR	700	AN23	Natural + Resinprene	Cement Grey	119,52	10
20	GR	200	AN51	Natural + Resinprene	Black (recommended)	86,60	10
50	GR	500	AN51	Natural + Resinprene	Black (recommended)	105,14	10
70	GR	700	AN51	Natural + Resinprene	Black (recommended)	119,52	10


Profile not assembled with the rubber insert.

jointec >> GRL-AN* Aluminum + Resinprene Insert

H = mm	Art.			Finish	Variant	€ / m	pc ■
20	GRL	200	AN23	Natural + Resinprene	Cement Grey	89,00	10
50	GRL	500	AN23	Natural + Resinprene	Cement Grey	107,55	10
70	GRL	700	AN23	Natural + Resinprene	Cement Grey	121,91	10
20	GRL	200	AN51	Natural + Resinprene	Black (recommended)	89,00	10
50	GRL	500	AN51	Natural + Resinprene	Black (recommended)	107,55	10
70	GRL	700	AN51	Natural + Resinprene	Black (recommended)	121,91	10

Profile not assembled with the rubber insert.

Length: 4,00 meters



GRM - AN*

L = 105 mm
L' = 90 mm

jointec >> GRM-AN* Aluminum + Resinprene Insert

H = mm	Art.			Finish	Variant	€ / m	pc ■
50	GRM	500	AN23	Natural + Resinprene	Cement Grey	173,35	10
70	GRM	700	AN23	Natural + Resinprene	Cement Grey	190,25	10
50	GRM	500	AN51	Natural + Resinprene	Black (recommended)	173,35	10
70	GRM	700	AN51	Natural + Resinprene	Black (recommended)	190,25	10

Profile not assembled with the rubber insert.



jointec GE-AN23




jointec GRL - AN51



jointec GRM - AN51



Length: 3,00 meters



GM
GML

GM:
L = 50 mm
L1 = 38 mm
GML:
L = 60 mm
L1 = 48 mm

GM and GML series can be used
with all mortar bed heights.
Minimum qty: 45m.

jointec >> GM-IL* Stainless Steel AISI 304 + Aluminum Base + Resinprene Insert

H = mm	Art.	Finish	Variant	€ / m	pc ■
35	GM 350 IL23	Lucido + Resinprene	Cement Grey	163,22	10
50	GM 500 IL23	Lucido + Resinprene	Cement Grey	173,79	10
75	GM 750 IL23	Lucido + Resinprene	Cement Grey	184,35	10
35	GM 350 IL51	Lucido + Resinprene	Black (recommended)	163,22	10
50	GM 500 IL51	Lucido + Resinprene	Black (recommended)	173,79	10
75	GM 750 IL51	Lucido + Resinprene	Black (recommended)	184,35	10

Profile not assembled with the rubber insert.

jointec >> GML-IL* Stainless Steel AISI 304 + Aluminum Base + Resinprene Insert

H = mm	Art.	Finish	Variant	€ / m	pc ■
35	GML 350 IL23	Lucido + Resinprene	Cement Grey	165,74	10
50	GML 500 IL23	Lucido + Resinprene	Cement Grey	176,30	10
75	GML 750 IL23	Lucido + Resinprene	Cement Grey	186,33	10
35	GML 350 IL51	Lucido + Resinprene	Black (recommended)	165,74	10
50	GML 500 IL51	Lucido + Resinprene	Black (recommended)	176,30	10
75	GML 750 IL51	Lucido + Resinprene	Black (recommended)	186,33	10

Profile in part assembled.

jointec >> GM-AN* Aluminum + Resinprene Insert

H = mm	Art.	Finish	Variant	€ / m	pc ■
35	GM 350 AN23	Natural + Resinprene	Cement Grey	116,71	10
50	GM 500 AN23	Natural + Resinprene	Cement Grey	128,37	10
75	GM 750 AN23	Natural + Resinprene	Cement Grey	137,51	10
35	GM 350 AN51	Natural + Resinprene	Black (recommended)	116,71	10
50	GM 500 AN51	Natural + Resinprene	Black (recommended)	128,37	10
75	GM 750 AN51	Natural + Resinprene	Black (recommended)	137,51	10

Profile not assembled with the rubber insert.


jointec >> GML-AN* Aluminum + Resinprene Insert

H = mm	Art.	Finish	Variant	€ / m	pc ■
35	GML 350 AN23	Natural + Resinprene	Cement Grey	118,98	10
50	GML 500 AN23	Natural + Resinprene	Cement Grey	130,78	10
75	GML 750 AN23	Natural + Resinprene	Cement Grey	139,92	10
35	GML 350 AN51	Natural + Resinprene	Black (recommended)	118,98	10
50	GML 500 AN51	Natural + Resinprene	Black (recommended)	130,78	10
75	GML 750 AN51	Natural + Resinprene	Black (recommended)	139,92	10

Profile not assembled with the rubber insert.




jointec GM - IL



jointec GM - AN



Length: 3,00 meters



GM
GML

GM:
L = 50 mm
L1 = 38 mm
GML:
L = 60 mm
L1 = 48 mm
GM and GML series can be used with
all mortar bed heights. Minimum qty:
45m.

jointec >> GM-ON* Brass + Aluminum Base - Resinprene Insert

H = mm	Art.			Finish	Variant	€ / m	pc ■
35	GM	350	ON23	Natural + Resinprene	Cement Grey	167,61	10
50	GM	500	ON23	Natural + Resinprene	Cement Grey	178,46	10
75	GM	750	ON23	Natural + Resinprene	Cement Grey	189,31	10
35	GM	350	ON51	Natural + Resinprene	Black (recommended)	167,61	10
50	GM	500	ON51	Natural + Resinprene	Black (recommended)	178,46	10
75	GM	750	ON51	Natural + Resinprene	Black (recommended)	189,31	10

Profile not assembled with the rubber insert.

jointec >> GML-ON* Brass + Aluminum Base - Resinprene Insert


H = mm	Art.			Finish	Variant	€ / m	pc ■
35	GML	350	ON23	Natural + Resinprene	Cement Grey	170,19	10
50	GML	500	ON23	Natural + Resinprene	Cement Grey	181,04	10
75	GML	750	ON23	Natural + Resinprene	Cement Grey	191,34	10
35	GML	350	ON51	Natural + Resinprene	Black (recommended)	170,19	10
50	GML	500	ON51	Natural + Resinprene	Black (recommended)	181,04	10
75	GML	750	ON51	Natural + Resinprene	Black (recommended)	191,34	10

Profile not assembled with the rubber insert.

Length: 4,00 meters



GA - AN



GAP - AN

GA / GAP

L = 74 mm

L1 = 54 mm

jointec >> GA-AN Natural Aluminum


H = mm	Art.			Finish	€ / m	pc ■
20	GA	200	AN	Natural	114,46	10
50	GA	500	AN	Natural	135,18	10
70	GA	700	AN	Natural	153,60	10

jointec >> GAP-AN Perimetral joint in Aluminum resulting from GA series

H = mm	Art.			Finish	€ / m	pc ■
20	GAP	200	AN	Natural	114,46	10
50	GAP	500	AN	Natural	135,18	10
70	GAP	700	AN	Natural	153,60	10

The wall flange can be positioned both upwards as a baseboard and downwards.

Length: 4,00 meters



GAL - AN



GALP - AN

GAL / GALP:

L = 105 mm

L1 = 86 mm


jointec >> GAL-AN Natural Aluminum

H = mm	Art.			Finish	€ / m	pc ■
20	GAL	200	AN	Natural	136,03	10
50	GAL	500	AN	Natural	156,27	10
70	GAL	700	AN	Natural	173,28	10

jointec >> GALP-AN Perimetral joint in Aluminum

H = mm	Art.			Finish	€ / m	pc ■
20	GALP	200	AN	Natural	136,03	10
50	GALP	500	AN	Natural	156,27	10
70	GALP	700	AN	Natural	173,28	10

The wall flange can be positioned both upwards as a baseboard and downwards.



jointec GM - ON




jointec GAP - AN



jointec GAL - AN



Length: 2,70 meters



GAS - A*

B = 37 mm

jointec >> GAS-AN Natural Aluminum

	H = mm	Art.			Finish	€/ m	pc ■
new	10	GAS	100	AN	Natural	30,10	10 ■
new	12,5	GAS	125	AN	Natural	31,70	10 ■
new	15	GAS	150	AN	Natural	33,30	10 ■
new	20	GAS	200	AN	Natural	36,50	10 ■

jointec >> GAS-AS Anodized Aluminum

	H = mm	Art.			Finish	Variant	€/ m	pc ■
new	10	GAS	100	AS	Anodized	Silver	39,30	10 ■
new	12,5	GAS	125	AS	Anodized	Silver	41,30	10 ■
new	15	GAS	150	AS	Anodized	Silver	43,30	10 ■
new	20	GAS	200	AS	Anodized	Silver	46,90	10 ■




jointec GAS - AN

Length: 4,00 meters



GAD - AN
GALD - AN




GADP - AN
GALDP - AN

jointec >> GAD-AN and GALD-AN Perimetral cover in Aluminum - above floor

	B = mm	Art.			Finish	€/ m	pc ■
	75	GAD	700	AN	Natural	89,39	10
	105	GALD	1000	AN	Natural	109,03	10

jointec >> GADP-AN and GALDP-AN Perimetral cover in Aluminum - above floor and on wall

	B = mm	Art.			Finish	€/ m	pc ■
	78	GADP	700	AN	Natural	89,39	10
	110	GALDP	1000	AN	Natural	109,03	10



jointec GAD - AN




jointec GADP - AN

Individually wrapped



Length: 3,00 meters


GH - AN
H = 20 mm

jointec >> GH-AN Aluminum

	L/L1 mm	Art.			Finish	€ / m	pc ■
	100 / 305	GH	1000	AN	Natural	377,78	10
	150 / 360	GH	1500	AN	Natural	448,88	10
	200 / 410	GH	2000	AN	Natural	528,46	10

Profile supplied assembled. Supplied with mountings holes and countersunk bolts at 15cm intervals.

Length: 3,00 meters

GW - AN
L = 135 mm
L1 = 80 mm


jointec >> GW-IN Stainless Steel AISI 304 + Insert

	H = mm	Art.			Finish	€ / m	pc ■
	54	GW	540	IN	Natural + Resinprene	650,83	10
	64	GW	640	IN	Natural + Resinprene	703,31	10
	94	GW	940	IN	Natural + Resinprene	783,09	10

Waterproof structural joint:

- Profile with galvanized steel structure covered by Stainless Steel AISI 304.
- Equipped with Wolfin membrane compatible with PVC and elastomeric bituminous membranes, with hot or cold butyl.

Length: 4,00 meters

GS - AN
L = 210 mm
L1 = 100 mm


jointec >> GS-AN* Aluminum + Insert

	H = mm	Art.			Finish	Variant	€ / m	pc ■
	18	GS	1000	AN23	Natural + Resinprene	Cement Grey	166,95	10
	18	GS	1000	AN51	Natural + Resinprene	Black (recommended)	166,95	10

Profile not assembled with the rubber insert



GS seismic joint



- + High horizontal absorption +/- 12mm
- + Vehicle Accessible
- + Double insert



jointec GH - AN



jointec GS - AN

Length: 4,00 meters



GEP - AN*
GELP - AN*

GEP:
L1 = 40 mm
GELP:
L1 = 50 mm

jointec >> GEP-AN* Perimetral

H = mm	Art.	Finish	Variant	€ / m	pc ■
20	GEP 200 AN23	Aluminum + Resinprene	Cement Grey	49,50	10
50	GEP 500 AN23	Aluminum + Resinprene	Cement Grey	69,90	10
20	GEP 200 AN51	Aluminum + Resinprene	Black (recommended)	49,50	10
50	GEP 500 AN51	Aluminum + Resinprene	Black (recommended)	69,90	10

Profile not assembled with the rubber insert

jointec >> GELP-AN Perimetral

H = mm	Art.	Finish	Variant	€ / m	pc ■
20	GELP 200 AN23	Aluminum + Resinprene	Cement Grey	51,92	10
50	GELP 500 AN23	Aluminum + Resinprene	Cement Grey	72,33	10
20	GELP 200 AN51	Aluminum + Resinprene	Black (recommended)	51,92	10
50	GELP 500 AN51	Aluminum + Resinprene	Black (recommended)	72,33	10

Profile not assembled with the rubber insert

Length: 3,00 meters



GMP - AN*
GMLP - AN*

GMP:
L1 = 40 mm
GMLP:
L1 = 50 mm

jointec >> GMP-AN* Perimetral

H = mm	Art.	Finish	Variant	€ / m	pc ■
35	GMP 350 AN23	Aluminum + Resinprene	Cement Grey	116,71	10
50	GMP 500 AN23	Aluminum + Resinprene	Cement Grey	128,37	10
75	GMP 750 AN23	Aluminum + Resinprene	Cement Grey	137,51	10
35	GMP 350 AN51	Aluminum + Resinprene	Black (recommended)	116,71	10
50	GMP 500 AN51	Aluminum + Resinprene	Black (recommended)	128,37	10
75	GMP 750 AN51	Aluminum + Resinprene	Black (recommended)	137,51	10


Profile not assembled with the rubber insert

jointec >> GMLP-AN* Perimetral

H = mm	Art.	Finish	Variant	€ / m	pc ■
35	GMLP 350 AN23	Aluminum + Resinprene	Cement Grey	119,11	10
50	GMLP 500 AN23	Aluminum + Resinprene	Cement Grey	130,78	10
75	GMLP 750 AN23	Aluminum + Resinprene	Cement Grey	139,47	10
35	GMLP 350 AN51	Aluminum + Resinprene	Black (recommended)	119,11	10
50	GMLP 500 AN51	Aluminum + Resinprene	Black (recommended)	130,78	10
75	GMLP 750 AN51	Aluminum + Resinprene	Black (recommended)	139,47	10

Profile not assembled with the rubber insert

Length: 4,00 meters



GDP - AN*
GDLP - AN*

GDP:
L1 = 43 mm
GDLP:
L1 = 53 mm

jointec >> GDP-AN* Perimetral

H = mm	Art.	Finish	Variant	€ / m	pc ■
12	GDP 400 AN23	Aluminum + Resinprene	Cement Grey	32,17	10
12	GDP 400 AN51	Aluminum + Resinprene	Black (recommended)	32,17	10

Profile not assembled with the rubber insert

jointec >> GDLP-AN* Perimetral

H = mm	Art.	Finish	Variant	€ / m	pc ■
12	GDLP 500 AN23	Aluminum + Resinprene	Cement Grey	34,56	10
12	GDLP 500 AN51	Aluminum + Resinprene	Black (recommended)	34,56	10

Profile not assembled with the rubber insert



jointec GEP - AN51

Length: 4,00 meters



GD - AN*
GDL - AN*
H = 13 mm

jointec >> GD-AN* in Aluminum + Resinprene Insert

L1 = mm	Art.			Finish	Variant	€ / m	pc ■
40	GD	400	AN23	Natural + Resinprene	Cement Grey	32,17	10
40	GD	400	AN51	Natural + Resinprene	Black (recommended)	32,17	10

Profile not assembled with the rubber insert

jointec >> GDL-AN* in Aluminum + Resinprene Insert

L1 = mm	Art.			Finish	Variant	€ / m	pc ■
50	GDL	500	AN23	Natural + Resinprene	Cement Grey	34,56	10
50	GDL	500	AN51	Natural + Resinprene	Black (recommended)	34,56	10

Profile not assembled with the rubber insert

Length: 4,00 meters




GDM 860 AN*
H = 17,7 mm

jointec >> GDM 860 AN* Aluminum + Resinprene Insert


L1 = mm	Art.			Finish	Variant	€ / m	pc ■
86	GDM	860	AN23	Natural + Resinprene	Cement Grey	107,31	10
86	GDM	860	AN51	Natural + Resinprene	Black (recommended)	107,31	10

Profile not assembled with the rubber insert

Length: 2,70 meters



CPM 450 AS



CPM*/AS

copritec >> CPM 450 AS Fixing module in Anodized Aluminum for modular expansion joints

B1 = mm	Art.			Finish	Variant	€ / m
45	CPM	450	AS	Anodized	Silver	12,58

Module supplied separately from the custom-made cover plate. Two modules are required to complete the joint. The silicone should be applied while assembling the module with the insert. Particularly suitable as expansion joint covers for wall or ceiling.

copritec >> CPM*/AS Custom made in Anodized Aluminum cover plate for modular joints

H = mm	Art.			Finish	Variant	€ / m2
B	CPML	/	AS	Anodized	Silver Lateral part	93,80
A x B	CPMP	/	AS	Anodized	Silver Corner	103,29


To calculate the size of the cover plate allow 8mm of expansion within each CPM450AS module and consider the dimension of 32mm specified in the drawing as starting "0" point.
Price per m2 calculated according to the development of the piece.
Thickness 15/10 protected by removable film.
Particularly suitable as expansion joint covers for wall or ceiling.



jointec GD 400 A51



jointec GDM 860 AN51



copritec CPML-AS + CPM 450 AS

Roll length 200 meters



GT 35/55 P51

jointec >> GT 35/55 P51 Joint seal for industrial floors cut in site

H = mm	Art.	Finish	€/ m	rol. ■
13	GT 35/55 P51	Resinil + Resinflex	0,71	200 m

Seal provided with an inner glass thread to reduce its extension during installation.
Due to its shape. it suits saw cuts between min 3.5mm - 1/8" and max 5.5mm - 7/32"

Roll length 40 meters



GI-P*/GIL370P*

jointec >> GI-P* Insert in standard Resinprene


L = mm	Art.	Finish	Variant	€/ m	pc ■
37	GI 370 P23	Resinprene	Cement Grey	8,48	40
47	GI 470 P23	Resinprene	Cement Grey	10,92	40
37	GI 370 P51	Resinprene	Black	8,48	40
47	GI 470 P51	Resinprene	Black	10,92	40

jointec >> GIL 370 P* Insert in Resinprene with smooth surface

L = mm	Art.	Finish	Variant	€/ m	pc ■
37	GIL 370 P23	Resinprene	Cement Grey	8,48	40
37	GIL 370 P51	Resinprene	Black	8,48	40

The joints are supplied unassembled from the rubber insert: GI370 or GI470 as order.
To order the insert with the smooth surface add the letter S after the article code. Ex: GE500AN51S.

Length: 2,70 meters



CP-IL*

copritec >> CP-IL* in Stainless Steel AISI 430 - Self-Adhesive

B = mm	Art.	Finish	Variant	€/ m	pc ■
60	CP 60 ILA	Polished	Self-Adhesive	14,76	10
80	CP 80 ILA	Polished	Self-Adhesive	18,46	10
100	CP 100 ILA	Polished	Self-Adhesive	21,49	10

Thickness 12/10 protected with a removable film.

copritec >> CP-IL* in Stainless Steel AISI 430 - not-Adhesive

B = mm	Art.	Finish	Variant	€/ m	pc ■
60	CP 60 ILN	Polished	not Adhesive	12,91	10
80	CP 80 ILN	Polished	not Adhesive	16,63	10
100	CP 100 ILN	Polished	not Adhesive	19,63	10

Thickness 12/10 protected with a removable film.



jointec GT-35/55



jointec GIL 370 P51



copri+tec CP - IL



Length: 2,70 meters



CP-AS*
CP-OL*

copritec >> CP 80 AS* in Anodized Aluminum - Self-Adhesive

B = mm	Art.	Finish	Variant	€ / m	pc ■
80	CP 80 ASA	Anodized	Silver Self-Adhesive	15,27	10

copritec >> CP 80 AS* in Anodized Aluminum - not-Adhesive

B = mm	Art.	Finish	Variant	€ / m	pc ■
80	CP 80 ASN	Anodized	**non tradotto**	13,58	20

copritec >> CP-OL* In Brass - Self-Adhesive

B = mm	Art.	Finish	Variant	€ / m	pc ■
60	CP 60 OLA	Polished	Self-Adhesive	24,90	10
80	CP 80 OLA	Polished	Self-Adhesive	31,90	10
100	CP 100 OLA	Polished	Self-Adhesive	37,56	10

Thickness 12/10 protected with a removable film.

copritec >> CP-OL* In Brass - not-Adhesive

B = mm	Art.	Finish	Variant	€ / m	pc ■
60	CP 60 OLN	Polished	not Adhesive	22,65	10
80	CP 80 OLN	Polished	not Adhesive	29,65	10
100	CP 100 OLN	Polished	not Adhesive	35,31	10


Thickness 12/10 protected with a removable film.

profiltec



copritec CP - AS

Length: 2,50 meters and 5,00 meters



GC 80 P23



GCP 80 P23

GCR 80 P23

jointec >> GC 80 P23 Co-extruded Synthetic in PVC

H = mm	Art.	Finish	€ / m	pc ■
80	GC 80 P23	PVC	3,68	12

Place the top of the base module level with the finished floor surface on a 5x5m grid. Pour, cure and polish the concrete using the top of the profile as a guide.

jointec >> GCP 80 P23 Synthetic perimeter seal in Resinflex

H = mm	Art.	Finish	€ / m	pc ■
12	GCP 80 P23	PVC	2,61	100

Using the basic module GC80P23 with the specific seal you can realize a perimeter joint at the surface level, replacing foams or baseboards. Clean the joint after polishing.

jointec >> GCR 80 P23 Assembled joint Resinflex synthetic seal for casting

H = mm	Art.	Finish	€ / m	pc ■
15	GCR 80 P23	PVC	3,10	200

Use two basic modules GC80P23 with the specific seal to realize a joint for casting discontinuities. Clean the joint after polishing.



jointec GC + GCR 80 P23




Perimeter profiles for balconies and terraces

PROFILITEC offers a complete range of multipurpose perimeter profiles for balconies and terraces. Produced in stainless steel and powder-coated aluminum available in seven different colors, they present a first-rate alternative to traditional natural stone thresholds and angle profiles in ceramic tile. This product line proposes contour, transition and trim profiles for finishing tile edges as well as innovative terrace and outdoor floating floor systems.


Article	Code	Use	Page
Bordertec	BD	draining screed	118
Bordertec	BDC	draining screed	118
Bordertec	BBS	balconies + draining screed	119
Bordertec	BCS	balconies + draining screed	119
Bordertec	BBO	perimetral and draining	123
Bordertec	BCO	perimetral and draining	123
Bordertec	BO	perimetral and draining	124
Bordertec	BOS	perimetral and draining	125
Bordertec	BOS	perimetral and draining	126
Bordertec	BR	perimetral	127
Bordertec	BBR	modular and drain well	128
Bordertec	BSR	for floating floors	128
Uptec	SUPA*	universal pedestals	129



Length: 2,70 meters



BD - A*



BDC - A*

bordertec >> BD-A* in Powder Coated Aluminum with draining holes

	H = mm	Art.		Finish	Variant	€ / m	pc ■
	55	BD	55 A11	Pow. Coated	Pure White	27,20	10
	75	BD	75 A11	Pow. Coated	Pure White	29,36	10
	55	BD	55 A22	Pow. Coated	Pastel Grey	27,20	10
	75	BD	75 A22	Pow. Coated	Pastel Grey	29,36	10
	55	BD	55 A32	Pow. Coated	Dark Beige	27,20	10
	75	BD	75 A32	Pow. Coated	Dark Beige	29,36	10
	55	BD	55 A62	Pow. Coated	Red Brown	27,20	10
	75	BD	75 A62	Pow. Coated	Red Brown	29,36	10
	55	BD	55 A63	Pow. Coated	Dark Brown	27,20	10
	75	BD	75 A63	Pow. Coated	Dark Brown	29,36	10

Profile must be used with the draining matting DRAINTEC 8 on pag.135

bordertec >> BDE-A* External junction in Powder Coated Aluminum

	H = mm	Art.		Finish	Variant	€ / pc	pc ■
	55	BDE	55 A*	Pow. Coated	Choose BD color	33,34	10
	75	BDE	75 A*	Pow. Coated	Choose BD color	33,34	10

bordertec >> BDG-A* Joint piece in Powder Coated Aluminum

	H = mm	Art.		Finish	Variant	€ / pc	pc ■
	55	BDG	55 A*	Pow. Coated	Choose BD color	6,44	10
	75	BDG	75 A*	Pow. Coated	Choose BD color	6,44	10

bordertec >> BDC-A* in Powder Coated Aluminum without draining holes

	H = mm	Art.		Finish	Variant	€ / m	pc ■
	55	BDC	55 A11	Pow. Coated	Pure White	23,97	10
	75	BDC	75 A11	Pow. Coated	Pure White	26,13	10
	55	BDC	55 A22	Pow. Coated	Pastel Grey	23,97	10
	75	BDC	75 A22	Pow. Coated	Pastel Grey	26,13	10
	55	BDC	55 A32	Pow. Coated	Dark Beige	23,97	10
	75	BDC	75 A32	Pow. Coated	Dark Beige	26,13	10
	55	BDC	55 A62	Pow. Coated	Red Brown	23,97	10
	75	BDC	75 A62	Pow. Coated	Red Brown	26,13	10
	55	BDC	55 A63	Pow. Coated	Dark Brown	23,97	10
	75	BDC	75 A63	Pow. Coated	Dark Brown	26,13	10


Profile must be used with the draining matting DRAINTEC 8 on page 135

bordertec >> BDCE-A* External junction in Powder Coated Aluminum

	H = mm	Art.		Finish	Variant	€ / pc	pc ■
	55	BDCE	55 A*	Pow. Coated	Choose BDC color	31,29	10
	75	BDCE	75 A*	Pow. Coated	Choose BDC color	31,29	10


bordertec >> BDG-A* Joint piece in Powder Coated Aluminum

	H = mm	Art.		Finish	Variant	€ / pc	pc ■
	55	BDG	55 A*	Pow. Coated	Choose BD color	6,44	10
	75	BDG	75 A*	Pow. Coated	Choose BD color	6,44	10




bordertec BD A22

Length: 2,70 meters



BBS - IL
H1 = 10 mm



BCS - IL
H1 = 12,5 mm



bordertec >> BBS-IL in Stainless Steel Polished AISI 304 - DIN 1.4301

H = mm	Art.	Finish	€/ m	pc ■
42	BBS 42 IL	Polished	26,52	10
55	BBS 55 IL	Polished	29,92	10
75	BBS 75 IL	Polished	33,30	10
95	BBS 95 IL	Polished	37,04	10

bordertec >> BBSE-IL External junction in Stainless Steel AISI 304 - DIN 1.4301

H = mm	Art.	Finish	€/ pc	pc ■
42	BBSE 42 IL	Polished	39,53	10
55	BBSE 55 IL	Polished	39,53	10
75	BBSE 75 IL	Polished	39,53	10
95	BBSE 95 IL	Polished	39,53	10

bordertec >> BBSG-IL Joint piece in Stainless Steel AISI 304 - DIN 1.4301

H = mm	Art.	Finish	€/ pc	pc ■
42	BBSG 42 IL	Polished	6,40	10
55	BBSG 55 IL	Polished	6,40	10
75	BBSG 75 IL	Polished	6,40	10
95	BBSG 95 IL	Polished	6,40	10



bordertec >> BCS-IL in Stainless Steel Polished AISI 304 - DIN 1.4301

H = mm	Art.	Finish	€/ m	pc ■
42	BCS 42 IL	Polished	26,52	10
55	BCS 55 IL	Polished	29,92	10
75	BCS 75 IL	Polished	33,30	10
95	BCS 95 IL	Polished	37,04	10

bordertec >> BCSE-IL External junction in Stainless Steel AISI 304 - DIN 1.4301

H = mm	Art.	Finish	€/ pc	pc ■
42	BCSE 42 IL	Polished	39,53	10
55	BCSE 55 IL	Polished	39,53	10
75	BCSE 75 IL	Polished	39,53	10
95	BCSE 95 IL	Polished	39,53	10

bordertec >> BCSG-IL Joint piece in Stainless Steel AISI 304 - DIN 1.4301


H = mm	Art.	Finish	€/ pc	pc ■
42	BCSG 42 IL	Polished	6,40	10
55	BCSG 55 IL	Polished	6,40	10
75	BCSG 75 IL	Polished	6,40	10
95	BCSG 95 IL	Polished	6,40	10



bordertec BBS - IL



Length: 2,70 meters



BBS - A*

H1 = 10 mm

bordertec >> BBS-A* in Powder Coated Aluminum

	H = mm	Art.		Finish	Variant	€ / m	pc ■
	42	BBS	42 A11	Pow. Coated	Pure White	16,04	10
	55	BBS	55 A11	Pow. Coated	Pure White	18,46	10
	75	BBS	75 A11	Pow. Coated	Pure White	21,34	10
	95	BBS	95 A11	Pow. Coated	Pure White	24,37	10
	42	BBS	42 A22	Pow. Coated	Pastel Grey	16,04	10
	55	BBS	55 A22	Pow. Coated	Pastel Grey	18,46	10
	75	BBS	75 A22	Pow. Coated	Pastel Grey	21,34	10
	95	BBS	95 A22	Pow. Coated	Pastel Grey	24,37	10
	42	BBS	42 A32	Pow. Coated	Dark Beige	16,04	10
	55	BBS	55 A32	Pow. Coated	Dark Beige	18,46	10
	75	BBS	75 A32	Pow. Coated	Dark Beige	21,34	10
	95	BBS	95 A32	Pow. Coated	Dark Beige	24,37	10
	42	BBS	42 A62	Pow. Coated	Red Brown	16,04	10
	55	BBS	55 A62	Pow. Coated	Red Brown	18,46	10
	75	BBS	75 A62	Pow. Coated	Red Brown	21,34	10
	95	BBS	95 A62	Pow. Coated	Red Brown	24,37	10
	42	BBS	42 A63	Pow. Coated	Dark Brown	16,04	10
	55	BBS	55 A63	Pow. Coated	Dark Brown	18,46	10
	75	BBS	75 A63	Pow. Coated	Dark Brown	21,34	10
	95	BBS	95 A63	Pow. Coated	Dark Brown	24,37	10

bordertec >> BBS-A* in Powder Coated Aluminum Modern Line

	H = mm	Art.		Finish	Variant	€ / m	pc ■
	42	BBS	42 A24	Pow. Coated	Embossed Pastel Grey	16,04	10
	55	BBS	55 A24	Pow. Coated	Embossed Pastel Grey	18,46	10
	75	BBS	75 A24	Pow. Coated	Embossed Pastel Grey	21,34	10
	95	BBS	95 A24	Pow. Coated	Embossed Pastel Grey	24,37	10
	42	BBS	42 A25	Pow. Coated	Embossed Cement Grey	16,04	10
	55	BBS	55 A25	Pow. Coated	Embossed Cement Grey	18,46	10
	75	BBS	75 A25	Pow. Coated	Embossed Cement Grey	21,34	10
	95	BBS	95 A25	Pow. Coated	Embossed Cement Grey	24,37	10
	42	BBS	42 A50	Pow. Coated	Embossed Micaceous	16,04	10
	55	BBS	55 A50	Pow. Coated	Embossed Micaceous	18,46	10
	75	BBS	75 A50	Pow. Coated	Embossed Micaceous	21,34	10
	95	BBS	95 A50	Pow. Coated	Embossed Micaceous	24,37	10
	42	BBS	42 A64	Pow. Coated	Embossed Dark Brown	16,04	10
	55	BBS	55 A64	Pow. Coated	Embossed Dark Brown	18,46	10
	75	BBS	75 A64	Pow. Coated	Embossed Dark Brown	21,34	10
	95	BBS	95 A64	Pow. Coated	Embossed Dark Brown	24,37	10
	42	BBS	42 A60	Pow. Coated	Embossed Corten	16,04	10
	55	BBS	55 A60	Pow. Coated	Embossed Corten	18,46	10
	75	BBS	75 A60	Pow. Coated	Embossed Corten	21,34	10
	95	BBS	95 A60	Pow. Coated	Embossed Corten	24,37	10

bordertec >> BBSE-A* External junction in Powder Coated Aluminum Modern Line

	H = mm	Art.		Finish	Variant	€ / pc	pc ■
	42	BBSE	42 A*	Pow. Coated	Choose BBS color	26,73	10
	55	BBSE	55 A*	Pow. Coated	Choose BBS color	26,73	10
	75	BBSE	75 A*	Pow. Coated	Choose BBS color	26,73	10
	95	BBSE	95 A*	Pow. Coated	Choose BBS color	26,73	10



bordertec BBS A50



bordertec BBS A60

bordertec >> BBSI-A* Internal junction in Powder Coated Aluminum Modern Line

	H = mm	Art.			Finish	Variant	€ / pc	pc ■
	42	BBSI	42	A*	Pow. Coated	Available 11/22/50	26,73	10
	55	BBSI	55	A*	Pow. Coated	Available 11/22/50	26,73	10

The article BBSI-A is available only in 11/22/50 Colors.

bordertec >> BBSG-A* Joint piece in Powder Coated Aluminum Modern Line

	H = mm	Art.			Finish	Variant	€ / pc	pc ■
	42	BBSG	42	A*	Pow. Coated	Choose BBS color	5,26	10
	55	BBSG	55	A*	Pow. Coated	Choose BBS color	5,26	10
	75	BBSG	75	A*	Pow. Coated	Choose BBS color	5,26	10
	95	BBSG	95	A*	Pow. Coated	Choose BBS color	5,26	10

bordertec >> BBSGT 42 A22 Joint piece in Powder Coated Aluminum

	H = mm	Art.			Finish	Variant	€ / pc	pc ■
	42	BBSGT	42	A22	Pow. Coated	Pastel Grey	9,19	10

BBSGT joints to be used for terraces with columns anchored on the mortar bed.



Embossed finishes

A24
A25
A50
A60
A64

- + Greater impact resistance
- + Greater scratch resistance
- + Minor sunlight reflection




bordertec BBSE + BBSG



bordertec BBSE + BBSG A22



Length: 2,70 meters



BCS - A*
BCS - IL

H1 = 12,5 mm

bordertec >> BCS-A* in Powder Coated Aluminum

	H = mm	Art.		Finish	Variant	€ / m	pc ■
	42	BCS	42 A11	Pow. Coated	Pure White	16,04	10
	55	BCS	55 A11	Pow. Coated	Pure White	18,46	10
	75	BCS	75 A11	Pow. Coated	Pure White	21,34	10
	95	BCS	95 A11	Pow. Coated	Pure White	24,37	10
	42	BCS	42 A22	Pow. Coated	Pastel Grey	16,04	10
	55	BCS	55 A22	Pow. Coated	Pastel Grey	18,46	10
	75	BCS	75 A22	Pow. Coated	Pastel Grey	21,34	10
	95	BCS	95 A22	Pow. Coated	Pastel Grey	24,37	10
	42	BCS	42 A32	Pow. Coated	Dark Beige	16,04	10
	55	BCS	55 A32	Pow. Coated	Dark Beige	18,46	10
	75	BCS	75 A32	Pow. Coated	Dark Beige	21,34	10
	95	BCS	95 A32	Pow. Coated	Dark Beige	24,37	10
	42	BCS	42 A62	Pow. Coated	Red Brown	16,04	10
	55	BCS	55 A62	Pow. Coated	Red Brown	18,46	10
	75	BCS	75 A62	Pow. Coated	Red Brown	21,34	10
	95	BCS	95 A62	Pow. Coated	Red Brown	24,37	10
	42	BCS	42 A63	Pow. Coated	Dark Brown	16,04	10
	55	BCS	55 A63	Pow. Coated	Dark Brown	18,46	10
	75	BCS	75 A63	Pow. Coated	Dark Brown	21,34	10
	95	BCS	95 A63	Pow. Coated	Dark Brown	24,37	10

bordertec >> BCS-A* in Powder Coated Aluminum Modern Line

	H = mm	Art.		Finish	Variant	€ / m	pc ■
	42	BCS	42 A24	Pow. Coated	Embossed Pastel Grey	16,04	10
	42	BCS	42 A25	Pow. Coated	Embossed Cement Grey	16,04	10
	42	BCS	42 A50	Pow. Coated	Embossed Micaceous	16,04	10
	55	BCS	55 A50	Pow. Coated	Embossed Micaceous	18,46	10
	75	BCS	75 A50	Pow. Coated	Embossed Micaceous	21,34	10
	95	BCS	95 A50	Pow. Coated	Embossed Micaceous	24,37	10
	42	BCS	42 A64	Pow. Coated	Embossed Dark Brown	16,04	10
	42	BCS	42 A60	Pow. Coated	Embossed Corten	16,04	10
	55	BCS	55 A60	Pow. Coated	Embossed Corten	18,46	10
	75	BCS	75 A60	Pow. Coated	Embossed Corten	21,34	10
	95	BCS	95 A60	Pow. Coated	Embossed Corten	24,37	10

bordertec >> BCSE-A* External junction in Powder Coated Aluminum

	H = mm	Art.		Finish	Variant	€ / pc	pc ■
	42	BCSE	42 A*	Pow. Coated	Choose BCS color	26,73	10
	55	BCSE	55 A*	Pow. Coated	Choose BCS color	26,73	10
	75	BCSE	75 A*	Pow. Coated	Choose BCS color	26,73	10
	95	BCSE	95 A*	Pow. Coated	Choose BCS color	26,73	10

bordertec >> BCSG-A* Joint piece in Powder Coated Aluminum

	H = mm	Art.		Finish	Variant	€ / pc	pc ■
	42	BCSG	42 A*	Pow. Coated	Choose BCS color	5,26	10
	55	BCSG	55 A*	Pow. Coated	Choose BCS color	5,26	10
	75	BCSG	75 A*	Pow. Coated	Choose BCS color	5,26	10
	95	BCSG	95 A*	Pow. Coated	Choose BCS color	5,26	10



bordertec >> BBSGT 45 A22 Joint piece for terraces in Powder Coated Aluminum

	H = mm	Art.		Finish	Variant	€ / pc	pc ■
	42	BBSGT	42 A22	Pow. Coated	Pastel Grey	9,19	10


BBSGT joints to be used for terraces with columns anchored on the mortar bed.



bordertec BBSGT 42 A22



Length: 2,70 meters



BBO - A*

H1 = 10 mm

bordertec >> BBO-A* in Powder Coated Aluminum

H = mm	Art.	Finish	Variant	€/ m	pc ■
50	BBO 50 A22	Pow. Coated	Pastel Grey	24,51	10

bordertec >> BBO-A* in Powder Coated Aluminum Modern Line

H = mm	Art.	Finish	Variant	€/ m	pc ■
50	BBO 50 A50	Pow. Coated	Embossed Micaceous	24,51	10

bordertec >> BBOE 50 A* External junction in Powder Coated Aluminum

H = mm	Art.	Finish	Variant	€/ pc	pc ■
50	BBOE 50 A*	Pow. Coated	Choose BBO color	31,36	10


bordertec >> BBOG50A* Joint piece in Powder Coated Aluminum

H = mm	Art.	Finish	Variant	€/ pc	pc ■
50	BBOG 50 A*	Pow. Coated	Choose BBO color	6,30	10



bordertec BBO 50 A50

Length: 2,70 meters



BCO - A*

H1 = 12,5 mm

bordertec >> BCO-A* in Powder Coated Aluminum

H = mm	Art.	Finish	Variant	€/ m	pc ■
50	BCO 50 A22	Pow. Coated	Pastel Grey	24,51	10
50	BCO 50 A32	Pow. Coated	Dark Beige	24,51	10
50	BCO 50 A63	Pow. Coated	Dark Brown	24,51	10

bordertec >> BCO-A* in Powder Coated Aluminum Modern Line

H = mm	Art.	Finish	Variant	€/ m	pc ■
50	BCO 50 A50	Pow. Coated	Embossed Micaceous	24,51	10

bordertec >> BCOE 50 A* External junction in Powder Coated Aluminum


H = mm	Art.	Finish	Variant	€/ pc	pc ■
50	BCOE 50 A*	Pow. Coated	Choose BCO color	31,36	10

bordertec >> BCOG50A* Joint piece in Powder Coated Aluminum

H = mm	Art.	Finish	Variant	€/ pc	pc ■
50	BCOG 50 A*	Pow. Coated	Choose BCO color	6,30	10



Length: 2,70 meters

BO - IL
BO - A***bordertec >> BO-IL in Stainless Steel Polished AISI 304 - DIN 1.4301**

	H = mm	Art.			Finish	€ / m	pc ■
	30	BO	30	IL	Polished	23,43	10
	42	BO	42	IL	Polished	24,81	10
	55	BO	55	IL	Polished	27,21	10
	75	BO	75	IL	Polished	30,33	10
	95	BO	95	IL	Polished	33,41	10

bordertec >> BOE-IL External junction in Stainless Steel AISI 304 - DIN 1.4301

	H = mm	Art.			Finish	€ / pc	pc ■
	30	BOE	30	IL	Polished	32,10	10
	42	BOE	42	IL	Polished	32,10	10
	55	BOE	55	IL	Polished	32,10	10
	75	BOE	75	IL	Polished	32,10	10
	95	BOE	95	IL	Polished	32,10	10

bordertec >> BOG-IL Joint piece in Stainless Steel AISI 304 - DIN 1.4301

	H = mm	Art.			Finish	€ / pc	pc ■
	30	BOG	30	IL	Polished	5,97	10
	42	BOG	42	IL	Polished	5,97	10
	55	BOG	55	IL	Polished	5,97	10
	75	BOG	75	IL	Polished	5,97	10
	95	BOG	95	IL	Polished	5,97	10

**bordertec >> BO-A* in Powder Coated Aluminum**

	H = mm	Art.			Finish	Variant	€ / m	pc ■
	30	BO	30	A11	Pow. Coated	Pure White	13,31	10
	42	BO	42	A11	Pow. Coated	Pure White	14,10	10
	55	BO	55	A11	Pow. Coated	Pure White	16,44	10
	75	BO	75	A11	Pow. Coated	Pure White	18,94	10
	95	BO	95	A11	Pow. Coated	Pure White	21,33	10
	30	BO	30	A22	Pow. Coated	Pastel Grey	13,31	10
	42	BO	42	A22	Pow. Coated	Pastel Grey	14,10	10
	55	BO	55	A22	Pow. Coated	Pastel Grey	16,44	10
	75	BO	75	A22	Pow. Coated	Pastel Grey	18,94	10
	95	BO	95	A22	Pow. Coated	Pastel Grey	21,33	10
	30	BO	30	A32	Pow. Coated	Dark Beige	13,31	10
	42	BO	42	A32	Pow. Coated	Dark Beige	14,10	10
	55	BO	55	A32	Pow. Coated	Dark Beige	16,44	10
	75	BO	75	A32	Pow. Coated	Dark Beige	18,94	10
	95	BO	95	A32	Pow. Coated	Dark Beige	21,33	10
	30	BO	30	A62	Pow. Coated	Red Brown	13,31	10
	42	BO	42	A62	Pow. Coated	Red Brown	14,10	10
	55	BO	55	A62	Pow. Coated	Red Brown	16,44	10
	75	BO	75	A62	Pow. Coated	Red Brown	18,94	10
	95	BO	95	A62	Pow. Coated	Red Brown	21,33	10
	30	BO	30	A63	Pow. Coated	Dark Brown	13,31	10
	42	BO	42	A63	Pow. Coated	Dark Brown	14,10	10
	55	BO	55	A63	Pow. Coated	Dark Brown	16,44	10
	75	BO	75	A63	Pow. Coated	Dark Brown	18,94	10
	95	BO	95	A63	Pow. Coated	Dark Brown	21,33	10

**border+tec** BO A63


bordertec >> BOE-A* External junction in Powder Coated Aluminum

	H = mm	Art.	Finish	Variant	€ / pc	pc ■
	30	BOE 30 A*	Pow. Coated	Choose BO color	21,83	10
	42	BOE 42 A*	Pow. Coated	Choose BO color	21,83	10
	55	BOE 55 A*	Pow. Coated	Choose BO color	21,83	10
	75	BOE 75 A*	Pow. Coated	Choose BO color	21,83	10
	95	BOE 95 A*	Pow. Coated	Choose BO color	21,83	10

bordertec >> BOG-A* Joint piece in Powder Coated Aluminum

	H = mm	Art.	Finish	Variant	€ / pc	pc ■
	30	BOG 30 A*	Pow. Coated	Choose BO color	5,08	10
	42	BOG 42 A*	Pow. Coated	Choose BO color	5,08	10
	55	BOG 55 A*	Pow. Coated	Choose BO color	5,08	10
	75	BOG 75 A*	Pow. Coated	Choose BO color	5,08	10
	95	BOG 95 A*	Pow. Coated	Choose BO color	5,08	10

Length: 2,70 meters



BOS - IL

bordertec >> BOS-IL in Stainless Steel Polished AISI 304 - DIN 1.4301

	H = mm	Art.	Finish	€ / m	pc ■
	42	BOS 42 IL	Polished	25,85	10
	55	BOS 55 IL	Polished	28,59	10
	75	BOS 75 IL	Polished	32,04	10
	95	BOS 95 IL	Polished	35,49	10

bordertec >> BOSE-IL External joints in Stainless Steel AISI 304 - DIN 1.4301

	H = mm	Art.	Finish	€ / pc	pc ■
	42	BOSE 42 IL	Polished	40,07	10
	55	BOSE 55 IL	Polished	40,07	10
	75	BOSE 75 IL	Polished	40,07	10
	95	BOSE 95 IL	Polished	40,07	10

bordertec >> BOSG-IL Joint piece in Stainless Steel AISI 304 - DIN 1.4301

	H = mm	Art.	Finish	€ / pc	pc ■
	42	BOSG 42 IL	Polished	6,50	10
	55	BOSG 55 IL	Polished	6,50	10
	75	BOSG 75 IL	Polished	6,50	10
	95	BOSG 95 IL	Polished	6,50	10




perimetral and draining

balconies



Length: 2,70 meters



BOS - IL

bordertec >> BOS-A* in Powder Coated Aluminum

	H = mm	Art.		Finish	Variant	€ / m	pc ■
	42	BOS	42 A11	Pow. Coated	Pure White	15,48	10
	55	BOS	55 A11	Pow. Coated	Pure White	17,69	10
	75	BOS	75 A11	Pow. Coated	Pure White	20,31	10
	95	BOS	95 A11	Pow. Coated	Pure White	23,21	10
	42	BOS	42 A22	Pow. Coated	Pastel Grey	15,48	10
	55	BOS	55 A22	Pow. Coated	Pastel Grey	17,69	10
	75	BOS	75 A22	Pow. Coated	Pastel Grey	20,31	10
	95	BOS	95 A22	Pow. Coated	Pastel Grey	23,21	10
	42	BOS	42 A32	Pow. Coated	Dark Beige	15,48	10
	55	BOS	55 A32	Pow. Coated	Dark Beige	17,69	10
	75	BOS	75 A32	Pow. Coated	Dark Beige	20,31	10
	95	BOS	95 A32	Pow. Coated	Dark Beige	23,21	10
	42	BOS	42 A62	Pow. Coated	Red Brown	15,48	10
	55	BOS	55 A62	Pow. Coated	Red Brown	17,69	10
	75	BOS	75 A62	Pow. Coated	Red Brown	20,31	10
	95	BOS	95 A62	Pow. Coated	Red Brown	23,21	10
	42	BOS	42 A63	Pow. Coated	Dark Brown	15,48	10
	55	BOS	55 A63	Pow. Coated	Dark Brown	17,69	10
	75	BOS	75 A63	Pow. Coated	Dark Brown	20,31	10
	95	BOS	95 A63	Pow. Coated	Dark Brown	23,21	10


bordertec >> BOSE-A* External junction in Powder Coated Aluminum

	H = mm	Art.		Finish	Variant	€ / pc	pc ■
	42	BOSE	42 A*	Pow. Coated	Choose BOS color	27,09	10
	55	BOSE	55 A*	Pow. Coated	Choose BOS color	27,09	10
	75	BOSE	75 A*	Pow. Coated	Choose BOS color	27,09	10
	95	BOSE	95 A*	Pow. Coated	Choose BOS color	27,09	10

bordertec >> BOSG-A* Joint piece in Powder Coated Aluminum

	H = mm	Art.		Finish	Variant	€ / pc	pc ■
	42	BOSG	42 A*	Pow. Coated	Choose BOS color	5,33	10
	55	BOSG	55 A*	Pow. Coated	Choose BOS color	5,33	10
	75	BOSG	75 A*	Pow. Coated	Choose BOS color	5,33	10
	95	BOSG	95 A*	Pow. Coated	Choose BOS color	5,33	10

Length: 2,70 meters



BSJ 20 *

H1 = 20 mm

bordertec >> BSJ 20 IS in Stainless Steel Brushed

	BxH mm	Art.		Finish	€ / m	pc ■
new	20 x 12	BSJ	20 IS	Brushed	34,30	10

bordertec >> BSJ 20 A50 in Powder coated Aluminum Embossed

	BxH mm	Art.		Finish	Variant	€ / m	pc ■
new	20 x 12	BSJ	20 A50	Pow. Coated	Micaceous	18,54	10


bordertec >> BSJE 20 * external corner for BSJ in IS and A50

	H = mm	Art.		Finish	Variant	€ / pc	pc ■
new	20	BSJE	20 IS	Brushed	IS	43,52	10
new	20	BSJE	20 A50	Pow. Coated	A50	29,36	10




bordertec BSJ 20 A50

Length: 2,70 meters




BR - A*

B = 24 mm




BRE - A*

Length: 2,70 meters



BTR 30 AS



BTR 30 AS + TR - AS

bordertec >> BR-A* in Powder Coated Aluminum

	H = mm	Art.		Finish	Variant	€ / m	pc ■
	8	BR	80 A11	Pow. Coated	Pure White	13,67	10
	10	BR	100 A11	Pow. Coated	Pure White	13,67	10
	8	BR	80 A22	Pow. Coated	Pastel Grey	13,67	10
	10	BR	100 A22	Pow. Coated	Pastel Grey	13,67	10
	8	BR	80 A32	Pow. Coated	Dark Beige	13,67	10
	10	BR	100 A32	Pow. Coated	Dark Beige	13,67	10
	8	BR	80 A62	Pow. Coated	Red Brown	13,67	10
	10	BR	100 A62	Pow. Coated	Red Brown	13,67	10
	8	BR	80 A63	Pow. Coated	Dark Brown	13,67	10
	10	BR	100 A63	Pow. Coated	Dark Brown	13,67	10

bordertec >> BRE 80/100 A* External junction in Powder Coated Aluminum

	Art.		Finish	Variant	€ / pc	pc ■
	BRE	80/100 A*	Pow. Coated	Choose BR color	10,32	10

The external junction and the joint piece suit profiles of both heights.

bordertec >> BRG 80/100 A* Joint piece in Powder Coated Aluminum

	Art.		Finish	Variant	€ / pc	pc ■
	BRG	80/100 A*	Pow. Coated	Choose BR color	4,54	10

The external junction and the joint piece suit profiles of both heights.

bordertec >> BTR 30 AS Water drip profile in An. Alum. to assemble with series TR

	H = mm	Art.		Finish	Variant	€ / m	pc ■
	30	BTR	30 AS	Anodized	Silver	6,48	20

Once assembled with TR profile the height is raised by 2mm (tile thickness reduced by 2mm).

trimtec >> TR-AS Profile in Anodized Aluminum

	H = mm	Art.		Finish	Variant	€ / m	pc ■
	4,5	TR	45 AS	Anodized	Silver	3,40	40
	6	TR	60 AS	Anodized	Silver	3,53	40
	8	TR	80 AS	Anodized	Silver	3,65	40
	10	TR	100 AS	Anodized	Silver	3,83	40
	11	TR	110 AS	Anodized	Silver	4,11	40
	12,5	TR	125 AS	Anodized	Silver	4,38	40
	15	TR	150 AS	Anodized	Silver	4,76	30
	17,5	TR	175 AS	Anodized	Silver	5,17	30
	20	TR	200 AS	Anodized	Silver	5,55	30



Water drip profile BTR



- + It can be used with TR- profile to fit any tile height
- + Reduced stock
- + Strong mechanical coupling




bordertec BRA22



bordertec BTR 30 AS + TR AS



Length: 2,70 meters



BBR 100 A*


bordertec >> BBR 100 AS shorter border in Anodized Aluminum

H = mm	Art.	Finish	Variant	€ / m	pc ■
10	BBR 100 AS	Anodized	Silver	6,02	10

bordertec >> BBR 100 A* shorter border in Powder Coated Aluminum Modern Line

H = mm	Art.	Finish	Variant	€ / m	pc ■
10	BBR 100 A24	Pow. Coated	Embossed Pastel Grey	7,84	10
10	BBR 100 A25	Pow. Coated	Embossed Cement Grey	7,84	10
10	BBR 100 A64	Pow. Coated	Embossed Dark Brown	7,84	10

Length: 2,70 meters



BSR - IL
BSR - A*

bordertec >> BSR-IL Reversible profile in Stainless Steel AISI 304 - DIN 1.4301

H/H1 mm	Art.	Finish	€ / m	pc ■
10/35	BSR 10/35 IL	Polished	28,53	10
15/30	BSR 15/30 IL	Polished	28,53	10
20/25	BSR 20/25 IL	Polished	28,53	10

bordertec >> BSRE 45 IL junction in Stainless Steel AISI 304 - DIN 1.4301

H = mm	Art.	Finish	€ / pc	pc ■
/	BSRE 45 IL	Polished	34,87	10

Universal joint: suitable for all sizes.

bordertec >> BSRG 45 IL Joint piece in Stainless Steel AISI 304 - DIN 1.4301

H = mm	Art.	Finish	€ / pc	pc ■
/	BSRG 45 IL	Polished	6,36	10

Universal joint: suitable for all sizes.

bordertec >> BSR-A22 Reversible profile in Powder Coated Alum.- marble and stone

H/H1 mm	Art.	Finish	Variant	€ / m	pc ■
10/35	BSR 10/35 A22	Pow. Coated	Pastel Grey	18,69	10
15/30	BSR 15/30 A22	Pow. Coated	Pastel Grey	18,69	10
20/25	BSR 20/25 A22	Pow. Coated	Pastel Grey	18,69	10
20/40	BSR 20/40 A22	Pow. Coated	Pastel Grey	22,70	10
20/60	BSR 20/60 A22	Pow. Coated	Pastel Grey	25,01	10
20/80	BSR 20/80 A22	Pow. Coated	Pastel Grey	28,10	10
20/100	BSR 20/100 A22	Pow. Coated	Pastel Grey	31,98	10

bordertec >> BSRE-A22 Junction in Powder Coated Aluminum

H/H1 mm	Art.	Finish	Variant	€ / pc	pc ■
/	BSRE 45 A22	Pow. Coated	Pastel Grey	25,84	10
20/40	BSRE 20/40 A22	Pow. Coated	Pastel Grey	31,41	10
20/60	BSRE 20/60 A22	Pow. Coated	Pastel Grey	34,61	10
20/80	BSRE 20/80 A22	Pow. Coated	Pastel Grey	38,87	10
20/100	BSRE 20/100 A22	Pow. Coated	Pastel Grey	44,21	10

bordertec >> BSRG-A22 Joint piece in Powder Coated Aluminum

H/H1 mm	Art.	Finish	Variant	€ / pc	pc ■
/	BSRG 45 A22	Pow. Coated	Pastel Grey	5,14	10
20/40	BSRG 20/40 A22	Pow. Coated	Pastel Grey	6,25	10
20/60	BSRG 20/60 A22	Pow. Coated	Pastel Grey	6,88	10
20/80	BSRG 20/80 A22	Pow. Coated	Pastel Grey	7,73	10
20/100	BSRG 20/100 A22	Pow. Coated	Pastel Grey	8,82	10

profiltec




bordertec BSR-IL



bordertec BSR-A22 + SUPAS

Length: 2,70 meters



BSR - IL
BSR - A*

bordertec >> BSR-A50 in Powder Coated Aluminum Modern Line

H/H1 mm	Art.	Finish	Variant	€ / m	pc ■
10/35	BSR 10/35 A50	Pow. Coated	Embossed Micaceous	18,69	10
15/30	BSR 15/30 A50	Pow. Coated	Embossed Micaceous	18,69	10
20/25	BSR 20/25 A50	Pow. Coated	Embossed Micaceous	18,69	10
20/40	BSR 20/40 A50	Pow. Coated	Embossed Micaceous	22,70	10
20/60	BSR 20/60 A50	Pow. Coated	Embossed Micaceous	25,01	10
20/80	BSR 20/80 A50	Pow. Coated	Embossed Micaceous	28,10	10
20/100	BSR 20/100 A50	Pow. Coated	Embossed Micaceous	31,98	10

Other finishes Modern Line (24/25/60/64) on minimum request of 100 pcs.

bordertec >> BSRE-A50 Junction in Powder Coated Aluminum Modern Line

H/H1 mm	Art.	Finish	Variant	€ / set	set ■
/	BSRE 45 A50	Pow. Coated	Embossed Micaceous	25,84	10
20/40	BSRE 20/40 A50	Pow. Coated	Embossed Micaceous	31,41	10
20/60	BSRE 20/60 A50	Pow. Coated	Embossed Micaceous	34,61	10
20/80	BSRE 20/80 A50	Pow. Coated	Embossed Micaceous	38,87	10
20/100	BSRE 20/100 A50	Pow. Coated	Embossed Micaceous	44,21	10


Other finishes Modern Line (24/25/60/64) on minimum request of 100 pcs.

bordertec >> BSRG-A50 Joint piece in Powder Coated Aluminum

H/H1 mm	Art.	Finish	Variant	€ / set	set ■
/	BSRG 45 A50	Pow. Coated	Embossed Micaceous	5,14	10
20/40	BSRG 20/40 A50	Pow. Coated	Embossed Micaceous	6,25	10
20/60	BSRG 20/60 A50	Pow. Coated	Embossed Micaceous	6,88	10
20/80	BSRG 20/80 A50	Pow. Coated	Embossed Micaceous	7,73	10
20/100	BSRG 20/100 A50	Pow. Coated	Embossed Micaceous	8,82	10

Other finishes Modern Line (24/25/60/64) on minimum request of 100 pcs.

+ Perimeter profile for floating floors



- + Sizes from 20 to 100mm
- + No special ceramic pieces required
- + Quick anchorage to SUPAL and SUPAS floor supports (see page 166)

uptec >> adjustable universal pedestals for raised floors - components

	Art.	Finish	€ / pc	pkg ■
new	SUPAL	Low pedestal	3,67	24 pcs
new	SUPAS	Standard pedestal	3,84	24 pcs
new	SUPAR	Modular Ring	0,77	24 pcs


Check the complete range on page 166.

uptec >> accessories

	Art.	Finish	€ / pc	pkg ■
new	SUPA2	spacer - 2 mm tabs	1,34	240 pcs
new	SUPA4	spacer - 4 mm tabs - also compatible with Aluminum joists	1,34	240 pcs
new	SUPAW	spacer - wooden beams	1,34	240 pcs
new	SUPAK	3 functions adjusting key	63,55	1 pc
	SUPK	Only adjustment key	51,49	1 pc

SUPK available while stocks last.

profiltec



bordertec BSRE-A50



bordertec BSRG-A50




uptec SUPAL



uptec SUPAS




uptec SUPAR



SUPAL



SUPAS



SUPAR




SUPA2



SUPA4




SUPAW



SUPAK

for floating floors

balconies





Tile installation membranes

Waterproofing, drainage and uncoupling membranes are indispensable for flawless ceramic and stone tile installations. Engineered to perform over challenging substrates, PROFILITEC offers a variety of solutions: A membrane that uncouples the tile layer from the substrate, preventing stress build-up which leads to cracking.


Innovative drainage membranes for outdoor flooring over balconies and terraces to prevent deterioration due to water infiltration and condensation in the mortar bed.

Membranes that meet ANSI 118.10 waterproofing standards, guaranteeing first-rate results in diverse construction applications.

Article	Code	Use	Page
Foiltec	Foiltec	waterproofing	132
Floortec	Floortec	uncoupling	134
Draintec	8	drainage	135
Draintec	8S	drainage	135
Draintec	3	drainage	135
Bandtec		thermoplastic waterpr. elastomer	136



Membrane roll length:
Foiltec/05/G
B 1 m x 30 m
Total: 30 m²
Foiltec/05/5/G
B 1 m x L 5 m
Total: 5 m²



Membrane roll length:
Foiltec/15
B 0.15x30



Only a correct execution of all junctions
assures a perfect result.

foiltec water-stop >> Insulating membrane thickness 0.5mm in Polyethylene suitable for tile adhesive

H = mm	Art.	Finish	Variant	€ / m ²	roll ■
5	FOILTEC /05 /G	Polyethylene	in Roll	13,22	1
5	FOILTEC /05/5 /G	Polyethylene	in Roll	14,93	1

foiltec water-stop >> Sealing strip for butt joints and perimeter edges

H = mm	Art.	Finish	Variant	€ / m	pc ■
4	FOILTEC /15	Polyethylene	Sealing strip	18,64	1

foiltec water-stop >> External corner junction in laminated pre-formed Polyethylene

Art.	Finish	Variant	€ / pc	set ■
FOILTEC /E /G	Polyethylene	External corner	12,57	2

Loose pcs not available

foiltec water-stop >> Internal corner junction in laminated pre-formed Polyethylene

Art.	Finish	Variant	€ / pc	set ■
FOILTEC /I /G	Polyethylene	Internal corner	12,57	2

Loose pcs not available

foiltec water-stop >> Pipe collar in laminated pre-formed Polyethylene



Art.	Finish	Variant	€ / pc	pc ■
FOILTEC /T20 /G	Polyethylene	Pipe collar ø 20mm	5,72	1



Water-stop foiltec membrane is made of a polyethylene film 200 µ - 0-1/64" thick laminated with a synthetic fleece on both sides, for its proper anchoring to ceramic tile adhesive. water-stop foiltec can be used under wall or floor tiling and works not only as waterproofing but also as vapour barrier and uncoupling layer.

Water-Stop FOILTEC si può utilizzare sia a pavimento che a rivestimento e funge, oltre che da impermeabilizzante anche da desolidarizzante e barriera vapore.


Certificazione francese CSTB - a richiesta
Il prodotto Water-Stop FOILTEC è stato certificato dall'istituto francese CSTB (Ref 13/11-1132) come prodotto impermeabilizzante per il contenimento sia dell'acqua che dell'umidità, negli interni sia sotto piastrella a pavimento che a muro. Gli estremi della modalità con le quali sono stati effettuati i test e le indicazioni di posa sono disponibili su richiesta e sul sito del CSTB.




1 - mattings foiltec



2 - foiltec / T20/ G



3 - foiltec / I/ G



4 - foiltec / E/ G



Membrane roll length:

B 1m x 30m



Total: 30m²

The membrane is 3 mm in total thickness and composed of high density polyethylene laminated with Spunbond non-woven fabric on the underside.

The membrane is 3 mm in total thickness and composed of high density polyethylene laminated with Spunbond non-woven fabric on the underside.


floor+tec >> polyethylene membrane for tile floor

	H = mm	Art.	Finish	€ / m ²	roll ■
new	3	FLOORTEC	Virgin polyethylene (PE HD)	14,80	1




TENSION COMPENSATION (uncoupling characteristic)

The membrane is able to compensate for differential movement in all directions, neutralizing tension between the substrate (concrete or wood structures) and tile, hence preventing stress build-up and damages to the tile layer.




VAPOR MANAGEMENT

The open cavities on the underside of the membrane provide pressure relief for moisture rising from the substrate allowing the tile flooring to be installed without waiting the usual curing time for concrete (28 days). The humidity evaporates through the interstitial spacing between the waterproof membrane and the non-woven fabric.



LOAD RESISTANCE

The circular column support structure on the surface of the membrane provides increased load resistance compared to other-shaped columns: the mortar-based adhesive on the surface of the mat fills the circular cavities forming a solid column support structure. FLOORTEC has been tested by TCNA and passed all 14 cycles (Extra-Heavy Commercial) on the Robinson Wheel Test (ASTM C627) over 19.2" wood frame construction.




WATERPROOFING*

The membrane material, HDPE (high density polyethylene), is waterproof. The top layer of the membrane blocks water infiltration, facilitating the natural water evaporation process. The mortar bed is therefore protected from water percolation and not subjected to damage due to ice formation caused by low temperatures during the winter months.

* PLEASE NOTE : The Floor+tec membrane is composed of a plastic material resistant to water, but the complete waterproofing of the application must be carried out by using Foiltec strips and corner joints. The incorrect application of these accessories may compromise waterproofing. Additionally, please note that the FLOORTEC membrane cannot be used as a primary waterproofing system, for which a bituminous membrane or similar product must be used.

floor+tec



floor+tec




floor+tec roll

Membrane roll length:

B 1,0 m x L 15 m Total: 15m²

draintec 8 >> Polyethylene drainage membrane with a pyramid section with a synthetic filtering fleece

H = mm	Art.	Finish	€ / m ²	roll ■
8	DRAINTEC 8	Polyethylene	10,79	1




Membrane roll length:

B 1,0 m x L 12,5 m Total: 12.5m²

draintec 8S >> Drainage membrane with knobs and filter fabric for dry laying

H = mm	Art.	Finish	€ / m ²	roll ■
8	DRAINTEC 8 S	Polyethylene	12,15	1




Membrane roll length:

B 1,0 m x L 26,2 m Total: 30.13m²

draintec 3 >> Perforated drainage membrane for gravel laying, ventilation and screeding separa

H = mm	Art.	Finish	€ / m ²	roll ■
3	DRAINTEC 3	Polyethylene	9,13	1



drain+tec 8



drain+tec 8S




drain+tec 3




BANDTEC/12



BANDTEC/E



BANDTEC/I



BANDTEC/T

bandtec >> Thermoplastic waterproofing elastomer

HxL mm	Art.	Finish	€ / m	roll ■
0.12 x 50	BANDTEC /12	Thermoplastic elastomer	3,45	1

bandtec >> Internal corner in Thermoplastic waterproofing elastomer

	Art.	Finish	€ / pc	set ■
	BANDTEC /I	Thermoplastic elastomer	7,76	10

bandtec >> External corner in Thermoplastic waterproofing elastomer

	Art.	Finish	€ / pc	set ■
	BANDTEC /E	Thermoplastic elastomer	7,76	10

bandtec >> Joints for pipes in Thermoplastic waterproofing elastomer

B = mm	Art.	Finish	€ / pc	set ■
120 x 120	BANDTEC /T	Thermoplastic elastomer	5,36	10





Baseboards and wall protection rails

PROFILITEC presents a wide range of technical baseboards, a first-rate alternative to traditional wood or ceramic base profiles. Designed as aesthetic yet technical elements, the modern line of aluminum baseboards are durable and resistant to humidity. An internal cavity acts as a channel for low voltage cabling such as telephone, TV and computer wiring. An innovative “two-tone” baseboard is available in a variety of chromatic variations and matches most material finishes. Coordinating “two-tone” wall protection rails, particularly suited for public settings, complete the design. “Plano,” the latest member of the baseboard family, fully integrates into the wall surface, creating a level, linear transition between wall and floor.

Article	Code	Use	Page
Baseboard	BA	standard decorative	138
Baseboard	BAR	standard decorative	141
Baseboard	BA400	minimal interlocking	142
Baseboard	BAS800	minimal interlocking	142
Baseboard	BI	minimal interlocking	143
Baseboard	BIB	bicolor	143
Baseboard	BM	bicolor	144
Baseboard	BT	bicolor	144
Plano	BF	plano design	145
Sanitec	IC	plano design	145
Plano	PS	plano design	145
Baseboard	BFW	plano design	146
Baseboard	BFZ	structural/construction	146
Wallprotection	WA	corner protection	147
Wallprotection	WP	corner protection	147
Wallprotection	WB	corner protection	147



Length: 2,70 meters



BA - I*

B = 10 mm

baseboard >> BA-ILA in Stainless Steel AISI 304 - DIN 1.4301 - Polished - Self-Adhesive

H = mm	Art.	Finish	Variant	€ / m	pc ■
60	BA 600 ILA	Polished	Self-Adhesive	13,39	20
80	BA 800 ILA	Polished	Self-Adhesive	17,61	20

baseboard >> BA-ILN in St. Steel AISI 304 - DIN. 3.4301 - Polished - not Adhesive

H = mm	Art.	Finish	Variant	€ / m	pc ■
60	BA 600 ILN	Polished	not Adhesive	11,54	20
80	BA 800 ILN	Polished	not Adhesive	15,74	20

baseboard >> BAE-PI Internal Junction in plastic Stainless Steel Color

H = mm	Art.	Finish	Variant	€ / pc	pc ■
60	BAE 600 PI	Plastic	Inox look	4,56	1
80	BAE 800 PI	Plastic	Inox look	4,56	1

baseboard >> BAI-PI External Junction in plastic Stainless Steel Color

H = mm	Art.	Finish	Variant	€ / pc	pc ■
60	BAI 600 PI	Plastic	Inox look	4,56	1
80	BAI 800 PI	Plastic	Inox look	4,56	1

baseboard >> BAT-PI End-caps in plastic Stainless Steel Color

H = mm	Art.	Finish	Variant	€ / set	set ■
60	BAT 600 PI	Plastic	Inox look	9,13	2 pcs
80	BAT 800 PI	Plastic	Inox look	9,13	2 pcs

BAT - / 1 set = 1Right 1Left

baseboard >> BA-ISA in Stainless Steel AISI 304 - DIN 1.4301 - Brushed - Self-Adhesive

H = mm	Art.	Finish	Variant	€ / m	pc ■
60	BA 600 ISA	Brushed	Self-Adhesive	15,98	20
80	BA 800 ISA	Brushed	Self-Adhesive	20,20	20

baseboard >> BA-ISA in St. Steel AISI 304 - DIN. 3.4301 - Brushed - not Adhesive

H = mm	Art.	Finish	Variant	€ / m	pc ■
60	BA 600 ISN	Brushed	not Adhesive	14,13	20
80	BA 800 ISN	Brushed	not Adhesive	18,33	20

baseboard >> BA 600 IX in Stainless Steel AISI 304 - DIN 1.4301 - Sanded - Self-Adhesive

H = mm	Art.	Finish	€ / m	pc ■
60	BA 600 IX	Sanded	14,75	20

profiltec



baseboard BA-IL




baseboard BA 600 IX

Length: 2,70 meters



BA - A*

B = 10 mm



BAE - A*

BAI - A*

baseboard >> BA-ASA in Anodized Aluminum - Self-Adhesive

H = mm	Art.		Finish	Variant	€ / m	pc ■
45	BA	450 ASA	Anodized	Silver Self-Adhesive	7,77	30 ■
60	BA	600 ASA	Anodized	Silver Self-Adhesive	9,27	30 ■
80	BA	800 ASA	Anodized	Silver Self-Adhesive	11,40	30 ■
100	BA	1000 ASA	Anodized	Silver Self-Adhesive	14,61	30 ■

baseboard >> BA-ASF in Anodized Aluminum - not Adhesive

H = mm	Art.		Finish	Variant	€ / m	pc ■
45	BA	450 ASN	Anodized	Silver - not Self-Adhesive	6,08	30 ■
60	BA	600 ASN	Anodized	Silver - not Self-Adhesive	7,55	30 ■
80	BA	800 ASN	Anodized	Silver - not Self-Adhesive	9,65	30 ■
100	BA	1000 ASN	Anodized	Silver - not Self-Adhesive	12,88	30 ■

baseboard >> BA 600 AT in Anodized Aluminum - Self-Adhesive

H = mm	Art.		Finish	Variant	€ / m	pc ■
60	BA	600 AT	Anodized	Titanium	11,20	30 ■

baseboard >> BAE-A* External corner in Anodized Aluminum - Self-Adhesive

	H = mm	Art.		Finish	Variant	€ / set	set ■
	45	BAE	450 AS	Anodized	Silver	33,67	2 pcs
	60	BAE	600 AS	Anodized	Silver	35,50	2 pcs
	80	BAE	800 AS	Anodized	Silver	37,32	2 pcs
	100	BAE	1000 AS	Anodized	Silver	39,13	2 pcs
	60	BAE	600 AT	Anodized	Titanium	43,69	2 pcs

baseboard >> BAI-A* Internal corner in Anodized Aluminum - Self-Adhesive

	H = mm	Art.		Finish	Variant	€ / set	set ■
	45	BAI	450 AS	Anodized	Silver	33,67	2 pcs
	60	BAI	600 AS	Anodized	Silver	35,50	2 pcs
	80	BAI	800 AS	Anodized	Silver	37,32	2 pcs
	100	BAI	1000 AS	Anodized	Silver	39,13	2 pcs
	60	BAI	600 AT	Anodized	Titanium	43,69	2 pcs

baseboard >> BAE-PS External Junction in plastic

	H = mm	Art.		Finish	Variant	€ / pc	pc ■
	60	BAE	600 PS	Plastic	Silver	3,08	1
	80	BAE	800 PS	Plastic	Silver	3,08	1

baseboard >> BAI-PS Internal Junction in plastic

	H = mm	Art.		Finish	Variant	€ / pc	pc ■
	60	BAI	600 PS	Plastic	Silver	3,08	1
	80	BAI	800 PS	Plastic	Silver	3,08	1

baseboard >> BAT-PS End cap in plastic

	H = mm	Art.		Finish	Variant	€ / set	set ■
	60	BAT	600 PS	Plastic	Silver	3,09	2 pcs
	80	BAT	800 PS	Plastic	Silver	3,06	2 pcs

BAT - / 1 set = 1Right 1Left

■ Individually wrapped



baseboard BA-AS



baseboard BA-AT



Length: 2,70 meters



BA - A*

B = 10 mm

baseboard >> BA 600 AM11 in Powder Coated Aluminum

H = mm	Art.	Finish	Variant	€ / m	pc ■
60	BA 600 AM11	Pow. Coated	Matt White	8,45	30

baseboard >> BAE 600 AM11 External junction in Powder Coated Aluminum

H = mm	Art.	Finish	Variant	€ / set	set ■
60	BAE 600 AM11	Pow. Coated	Matt White	39,05	2 pcs

baseboard >> BAI 600 AM11 Internal junction in Powder Coated Aluminum

H = mm	Art.	Finish	Variant	€ / set	set ■
60	BAI 600 AM11	Pow. Coated	Matt White	39,05	2 pcs

baseboard >> BA 600 A* in Powder Coated Aluminum "Modern Line"

H = mm	Art.	Finish	Variant	€ / m	pc ■
60	BA 600 A50	Pow. Coated	Embossed Micaceous	11,20	30
60	BA 600 A60	Pow. Coated	Embossed Corten	11,20	30

baseboard >> BAE 600 A* External corner in Powder Coated Aluminum "Modern Line"

H = mm	Art.	Finish	Variant	€ / set	set ■
60	BAE 600 A50	Pow. Coated	Embossed Micaceous	39,05	2 pcs
60	BAE 600 A60	Pow. Coated	Embossed Corten	39,05	2 pcs

baseboard >> BAI 600 A* Internal corner in Powder Coated Aluminum "Modern Line"

H = mm	Art.	Finish	Variant	€ / set	set ■
60	BAI 600 A50	Pow. Coated	Embossed Micaceous	39,05	2 pcs
60	BAI 600 A60	Pow. Coated	Embossed Corten	39,05	2 pcs

baseboard >> BA 600 AT* in High Resistance Wood Laminated Aluminum

H = mm	Art.	Finish	Variant	€ / m	pc ■
60	BA 600 ATRSN	Wood effect	Texture Bleached	11,20	30
60	BA 600 ATWEN	Wood effect	Texture Wengè	11,20	30
60	BA 600 ATTKN	Wood effect	Texture Teak	11,20	30
60	BA 600 ATRON	Wood effect	Texture Oak	11,20	30

profiltec




baseboard BA 600 ATRSN



baseboard BA-ATRO



Length: 2,70 meters



BAR 600 A*

baseboard >> BAR 600 ASA Multiline Ribbed Anodized Aluminum - Self-Adhesive

H = mm	Art.	Finish	Variant	€ / m	pc ■
60	BAR 600 ASA	Anodized	Silver Self-Adhesive	10,64	30

baseboard >> BAR 600 ASN Multiline Ribbed Anodized Aluminum - not Adhesive

H = mm	Art.	Finish	Variant	€ / m	pc ■
60	BAR 600 ASN	Anodized	Silver - not Self-Adhesive	8,90	30

baseboard >> BAI-PS Internal Junction in plastic

H = mm	Art.	Finish	€ / pc	pc ■
60	BAI 600 PS	Plastic	3,08	1

baseboard >> BAE-PS External Junction in plastic

H = mm	Art.	Finish	€ / pc	pc ■
60	BAE 600 PS	Plastic	3,08	1

baseboard >> BAT-PS End cap in plastic


H = mm	Art.	Finish	€ / set	set ■
60	BAT 600 PS	Plastic	3,09	2 pcs

BAT - / 1 set = 1Right 1Left



baseboard BAR 600 ASN

Length: 2,00 m



BA 700 P*

B = 10 mm

baseboard >> BA 700 P* in Expanded PVC

H = mm	Art.	Finish	Variant	€ / m	pc ■
70	BA 700 P12	PVC	White	1,97	100
70	BA 700 P22	PVC	Pastel Grey	1,97	100
70	BA 700 P51	PVC	Black	1,97	100
70	BA 700 P79	PVC	Walnut	1,97	100

Sold in full box. Loose pcs not available.

* The extrusion process for skirting boards is different from the process used for profiles. The RAL correspondence reported at the end of this present price list, which refers to profiles, cannot be guaranteed.



baseboard BAR 600 ASA



Length: 2,70 meters



BA 400 A*

B = 10 mm



BAS 800 A*

B = 10 mm

baseboard >> BA 400 AS* in Anodized Aluminum

H = mm	Art.	Finish	Variant	€ / m	pc ■
40	BA 400 ASN	Anodized	Silver	8,65	20
40	BA 400 ASS	Brushed Anodized	Silver	9,73	20

baseboard >> BAC 400 AS* Universal end caps in Anodized Aluminum

H = mm	Art.	Finish	Variant	€ / pc	pc ■
40	BAC 400 AS	Anodized	Silver	8,08	5
40	BAC 400 ASS	Brushed Anodized	Silver	8,08	5

baseboard >> BA 400 ASB in Bright Polished Anodized Aluminum

H = mm	Art.	Finish	Variant	€ / m	pc ■
40	BA 400 ASB	Bright Polished Anodized	Chrome	10,73	20

baseboard >> BAC 400 ASB Universal end caps in Bright Polished Anodized Aluminum

H = mm	Art.	Finish	Variant	€ / pc	pc ■
40	BAC 400 ASB	Anodized	Bright Polished Chrome	8,08	5

baseboard >> BA 400 AM11 in Powder Coated Aluminum

H = mm	Art.	Finish	Variant	€ / m	pc ■
40	BA 400 AM11	Pow. Coated	Matt White	8,45	20

baseboard >> BAC 400 AM11 End-caps in Powder Coated Aluminum

H = mm	Art.	Finish	Variant	€ / pc	pc ■
40	BAC 400 AM11	Pow. Coated	Matt White	8,08	5

baseboard >> BA 400 A* in Powder Coated Aluminum "Modern Line"

H = mm	Art.	Finish	Variant	€ / m	pc ■
40	BA 400 A50	Pow. Coated	Embossed Micaceous	12,29	20
40	BA 400 A60	Pow. Coated	Embossed Corten	12,29	20

baseboard >> BAC 400 A* Universal end caps in Powder Coated Al. "Modern Line"

H = mm	Art.	Finish	Variant	€ / pc	pc ■
40	BAC 400 A60	Pow. Coated	Embossed Corten	8,08	5
40	BAC 400 A50	Pow. Coated	Embossed Micaceous	8,08	5

baseboard >> BAS 800 ASS in Anodized Aluminum Brushed

H = mm	Art.	Finish	Variant	€ / m	pc ■
80	BAS 800 ASS	Brushed Anodized	Silver	24,22	20

baseboard >> BAC 800 ASS End caps in Brushed Anodized Aluminum

H = mm	Art.	Finish	Variant	€ / pc	pc ■
80	BAC 800 ASS	Brushed Anodized	Silver	19,44	5




baseboard BA 400 AS



baseboard BAS 800 ASS

Length: 2,70 meters



BASE: BIS 20 ANF
+ TOP: BI - ASN

battiscopa >> BI-ASNTOP Interlocking pieces in Anodized Aluminum

A = mm	Art.	Finish	Variant	€ / m	pc ■
70	BI 700 ASN	Anodized	Silver	8,78	30 ■
100	BI 1000 ASN	Anodized	Silver	12,52	30 ■

baseboard >> BIS 20 ANF BASE Support in Anodized Aluminum - Drilled

Art.	Finish	Variant	€ / pc	set ■
BIS 20 ANF	Natural	Drilled	0,35	10 pcs

Supports not included to order separately, suggested from 2 to 3 pcs/m.

baseboard >> BIE 700 PS External junction in plastic

Art.	Finish	€ / pc	set ■
BIE 700 PS	Plastic	3,17	10 pcs

Supports not included to order separately, suggested from 2 to 3 pcs/m.

baseboard >> BII 700 PS Internal junction in plastic

Art.	Finish	€ / pc	set ■
BII 700 PS	Plastic	3,17	10 pcs

Supports not included to order separately, suggested from 2 to 3 pcs/m.

baseboard >> BIT 700 PS End cap in plastic

Art.	Finish	€ / pc	set ■
BIT 700 PS	Plastic	3,17	2 pcs


SET = 1 right + 1 left. Supports not included to order separately, suggested from 2 to 3 pcs/m.

profiltec



baseboard BI 700 ASN

Length: 2,70 meters



BASE: BIB 800 ASN
+ TOP: BI 800

baseboard >> BIB 800 ASN Interlocking BASE in Anodized Aluminum combinable with the "TOP" mentioned in the tables below

B = mm	Art.	Finish	Variant	€ / m	pc ■
50	BIB 800 ASN	Anodized	BASE Silver	10,49	20

baseboard >> BI 800 ASN TOP interlocking in Anodized Aluminum

H = mm	Art.	Finish	Variant	€ / m	pc ■
30	BI 800 ASN	Anodized	TOP Silver	5,94	20

baseboard >> BI 800 A50 TOP Interlocking in Powder Coated Aluminum "Modern Line"

H = mm	Art.	Finish	Variant	€ / m	pc ■
30	BI 800 A50	Pow. Coated	TOP Embos. Micaceous Grey	7,30	20

baseboard >> BI 800 RO* TOP interlocking in Wood "BiColor" effect

H = mm	Art.	Finish	Variant	€ / m	pc ■
30	BI 800 RO	Pow. Coated	TOP Oak	11,63	20
30	BI 800 RON	Wood	TOP Natural Oak	10,71	20

■ Individually wrapped




baseboard BIB + BI 800

minimal interlocking

baseboard



Length: 2,70 meters



BASE: BIM 800 ASN
+ TOP: BI 800 A*

baseboard >> BIM 800 ASN BASE interlocking baseboard which covers the waterproof layer in Aluminum combinable with the "TOP" in tables below

A = mm	Art.	Finish	Variant	€ / m	pc ■
50	BIM 800 ASN	Anodized	BASE Silver	10,49	20

baseboard >> BI 800 ASN TOP interlocking in Anodized Aluminum

B = mm	Art.	Finish	Variant	€ / m	pc ■
30	BI 800 ASN	Anodized	TOP Silver	5,94	20

baseboard >> BI 800 A50 TOP Interlocking in Powder Coated Aluminum "Modern Line"

A = mm	Art.	Finish	Variant	€ / m	pc ■
30	BI 800 A50	Pow. Coated	TOP Micaceous Grey	7,30	20

baseboard >> BIE-PS External junction in plastic

H = mm	Art.	Finish	€ / pc	pc ■
30	BIE 800 PS	Plastic	3,08	1

baseboard >> BII-PS Internal junction in plastic

H = mm	Art.	Finish	€ / pc	pc ■
30	BII 800 PS	Plastic	3,08	1

baseboard >> BIT-PS End cap in plastic

H = mm	Art.	Finish	€ / set	set ■
30	BIT 800 PS	Plastic	3,08	2 pcs

Set = 1dx + 1sx.



baseboard BIM + BI

Length: 2,70 meters



BT 45 A*

baseboard >> BT 45 AS Anodized Aluminum

B = mm	Art.	Finish	Variant	€ / m	pc ■
4,5	BT 45 AS	Anodized	Silver	6,68	20


baseboard >> BT 45 ASB baseboard in Bright Polished Aluminum for ultra thin tiles

B = mm	Art.	Finish	Variant	€ / m	pc ■
4,5	BT 45 ASB	Bright Polished Anodized	Chrome	10,94	20



baseboard BT

Length: 2,70 meters



BASE: BF 600 ASN
+ TOP: BF 550

plano >> BF 600 ASN BASE "Plano Design" for Drywall at the wall level in Aluminum

H = mm	Art.	Finish	Variant	€ / m	pc ■
60	BF 600 ASN	Anodized	Silver	10,94	20

plano >> BF 550 ASN TOP in Anodized Aluminum for BF 600

H = mm	Art.	Finish	Variant	€ / m	pc ■
55	BF 550 ASN	Anodized	Silver	9,71	20

plano >> BF 550 AM11 TOP in Anodized Aluminum for BF 600

H = mm	Art.	Finish	Variant	€ / m	pc ■
55	BF 550 AM11	Pow. Coated	Matt White	11,17	20

plano >> BF 550 RONTOP in Natural Oak for BF 600

H = mm	Art.	Finish	Variant	€ / m	pc ■
55	BF 550 RON	Wood	Natural OAK	14,72	20
55	BF 550 RO	Pow. Coated	Oak	15,83	20

plano >> BFC 550 AS Raccordo in Anodized Aluminum for Plano Design baseboard

Art.	Finish	Variant	€ / pc	pc ■
BFC 550 AS	Anodized	Silver	7,76	5

Loose pcs not available.

plano >> BFC 550 A11 junction in Powder Coated Aluminum for Plano Design

Art.	Finish	Variant	€ / pc	pc ■
BFC 550 AM11	Pow. Coated	Matt White	7,76	5

Loose pcs not available.

Length: 2,70 meters




IC 60 P11

baseboard >> IC 60 P11 in Synthetic Resin Resinil - Full body Colored

BxH mm	Art.	Finish	Variant	€ / m	pc ■
20 x 60	IC 60 P11	Synthetic Resin	Pure White	5,81	40


Length: 2,70 meters



PS 130 AS

plano >> PS 130 AS Profile for Drywell - Anodized Aluminum


H = mm	Art.	Finish	Variant	€ / m	pc ■
13	PS 130 AS	Anodized	Silver	4,93	30



plano BF



sanittec IC 60 P11



plano PS 130 AS

bicolor

baseboard



Length: 2,70 meters



BFW 600 AN

battiscopa >> BFW 600 AN Wall integrated support to install tile or wood baseboard

	HxB mm	Art.			Finish	€ / m	pc ■
	60 x 13,5	BFW	600	AN	Natural	9,01	20
new	100 x 13	BFW	1000/130	AN	Natural	19,99	20
new	100 x 22	BFW	1000/220	AN	Natural	15,62	20

baseboard >> BFWI 600 P Internal junction in plastic for BFW

	Art.			Finish	€ / set	set ■
	BFWI	600	P	Plastic	9,10	5 pcs

Loose pcs not available.

baseboard >> BFEW 600 P External junction in plastic for BFW

	Art.			Finish	€ / set	set ■
	BFEW	600	P	Plastic	9,10	5 pcs

Loose pcs not available.

baseboard >> BFWG 600 P End cap in plastic for BFW

	Art.			Finish	€ / set	set ■
	BFWG	600	P	Plastic	2,98	10 pcs


Loose pcs not available.

profiltec



baseboard BFW 600 AN

Length: 2,70 meters



BFZ 1000/130 AN + PP12X2AN

baseboard >> BFZ 1000/130 AN in Aluminum for construction


	HxB mm	Art.			Finish	€ / m	pc ■
new	100 x 13	BFZ	1000/130	AN	Natural	28,62	20

The BFZ article includes the PP12X2AN profile.



baseboard BFZ 1000/130 AN

Length: 2,70 meters




WA 60 P*

wallprotection >> WA 60 P* Synthetic Resin Full Body Colored "BiColor"

B = mm	Art.			Finish	Variant	€ / m	pc ■
60 x 60	WA	60	P11/22	Synthetic Resin	White/Pastel Grey	11,11	15
60 x 60	WA	60	P11/11	Synthetic Resin	White/Pure White	11,11	15
60 x 60	WA	60	P22/22	Synthetic Resin	Grey/Pastel Grey	11,11	15

Length: 2,70 meters



WP 125 P*

wallprotection >> WP 125 P* Synthetic Resin Full body Colored Resintop

B = mm	Art.			Finish	Variant	€ / m	pc ■
125	WP	125	P11/22	Synthetic Resin	White/Pastel Grey	11,11	20
125	WP	125	P11/11	Synthetic Resin	White/Pure White	11,11	20
125	WP	125	P22/22	Synthetic Resin	Grey/Pastel Grey	11,11	20

Length: 2,70 meters



WB 100 P*

wallprotection >> WB 100 P* Synthetic Resin Full body Colored Resintop

H = mm	Art.			Finish	Variant	€ / m	pc ■
100	WB	100	P11/22	Synthetic Resin	White/Pastel Grey	7,13	20
100	WB	100	P11/11	Synthetic Resin	White/Pure White	7,13	20
100	WB	100	P22/22	Synthetic Resin	Grey/Pastel Grey	7,13	20


It can be welded on a PVC floor with a specific cold prepared adhesive.



wallprotection WA 60 P11/P22



wallprotection WP 125 P11/P22



wallprotection WB 100 P11/P22





Drainage systems

PROFILITEC offers a variety of drainage solutions for bathrooms, wellness centers, sports facilities and outdoor areas.


Multidrain is a modular, waterproof, linear drainage system for surface water, particularly suitable for the drainage of outdoor areas such as terraces, where the prevalent use of large scale tiles in modern applications prevents the use of traditional drains.

Article	Code	Use	Page
Linear drain	LDL	linear drain	150
Linear drain	LDPL	linear drain gratings and ABS	151
Square drain	SDS	square drain	152
Copridrain	PD	square drain	152
Shower profile	KV	profile drain	153
Conical profile	KP	profile drain	153
Conical profile	KR	profile drain	153
Front end profile	KF	profile drain	153
Multidrain	MUD	multidrain	154
Multidrain	MUDR	reduced multidrain	155
Showertec	STC	shower kit	156



Single unit of Stainless Steel

Evacuation unit in Single unit of stainless steel AISI 316



complete drain the waterproof membrane collar



LDPL 40 IL



LDPL 40 IS

1 - Linear Drain >> LDL 54 ILM */1 Evacuation Unit Drainage Stainless Steel AISI 316 - DIN. 1.4404

L = mm	Art.	Finish	€ / pc	pc ■
600	LDL 54 ILM600/1	Polished	405,95	1
700	LDL 54 ILM700/1	Polished	419,45	1
800	LDL 54 ILM800/1	Polished	435,02	1
900	LDL 54 ILM900/1	Polished	451,63	1
1000	LDL 54 ILM1000/1	Polished	468,25	1
1200	LDL 54 ILM1200/1	Polished	506,66	1

2 - griglia PLANO >> LDPL 40 IL * grating in St. Steel AISI 316 - DIN 1.4404 - Polished

L = mm	Art.	Finish	€ / pc	pc ■
600	LDPL 40 IL600	Polished	65,41	1
700	LDPL 40 IL700	Polished	71,64	1
800	LDPL 40 IL800	Polished	75,79	1
900	LDPL 40 IL900	Polished	78,91	1
1000	LDPL 40 IL1000	Polished	82,02	1
1200	LDPL 40 IL1200	Polished	90,33	1


2 - griglia PLANO >> LDPL 40 IS * grating in Stainless Steel AISI 316 - DIN 1.4404 - Brushed

L = mm	Art.	Finish	€ / pc	pc ■
600	LDPL 40 IS600	Brushed	65,41	1
700	LDPL 40 IS700	Brushed	71,64	1
800	LDPL 40 IS800	Brushed	75,79	1
900	LDPL 40 IS900	Brushed	78,91	1
1000	LDPL 40 IS1000	Brushed	82,02	1
1200	LDPL 40 IS1200	Brushed	90,33	1

2 - griglia TECHNIC >> LDG 40 IX * grating in Stainless Steel AISI 316 - DIN 1.4404 - Sanded

L = mm	Art.	Finish	€ / pc	pc ■
700	LDG 40 IX700	Sanded	221,14	1
900	LDG 40 IX900	Sanded	252,29	1
1000	LDG 40 IX1000	Sanded	268,90	1
1200	LDG 40 IX1200	Sanded	300,05	1


available while stocks last.




Linear Drain




Grating PLANO polished



Grating PLANO brushed



Grating TECHNIC sanded



LD3L 40 IS




LDT 40 IN

2 - griglia LEVEL 3 >> LD3L 40 IS * grating in Stainless Steel AISI 316 - DIN 1.4404 - Brushed

L = mm	Art.			Finish	€ / pc	pc ■
600	LD3L	40	IS600	Brushed	98,63	1
700	LD3L	40	IS700	Brushed	112,13	1
800	LD3L	40	IS800	Brushed	121,48	1
900	LD3L	40	IS900	Brushed	125,63	1
1000	LD3L	40	IS1000	Brushed	130,82	1
1200	LD3L	40	IS1200	Brushed	145,35	1

2 - griglia TILE >> LDT 40 IN * grating to be tiled in Stainless Steel AISI 316 - DIN 1.4404

L = mm	Art.			Finish	€ / pc	pc ■
600	LDT	40	IN600	Natural	74,76	1
700	LDT	40	IN700	Natural	100,71	1
800	LDT	40	IN800	Natural	107,97	1
900	LDT	40	IN900	Natural	112,13	1
1000	LDT	40	IN1000	Natural	117,32	1
1200	LDT	40	IN1200	Natural	128,74	1



Grating LEVEL 3 brushed



Grating Tile



LDPL 40 P

1 + 2 - ABS Linear Drain >> LDPL 40 P * Evacuation Unit and Grating in Stainless Steel AISI 316 - DIN 1.4404

L = mm	Art.			Finish	€ / pc	pc ■
700	LDPL	40	P700	ABS + Brushed grating	310,43	1
800	LDPL	40	P800	ABS + Brushed grating	324,97	1
900	LDPL	40	P900	ABS + Brushed grating	335,35	1
1000	LDPL	40	P1000	ABS + Brushed grating	346,77	1



Linear Drain




+ Minimum thickness 5,4 cm

+ Pre-attached membrane


+ Integrated Ø 40 mm siphon




The system consists of a technical evacuation unit (1) and the grating (2)




PD-IS




Removable siphon
Stainless Steel
Outlet of 40 mm diameter



SDG 150 IL/S



SDG 150 IL/PT



SDG 150 IL/T

Copridrain >> PD-IS Drain well in St. Steel AISI 304 with frame for thin-set adhesive installation

	A / H mm	Art.	Finish	€ / pc	pc ■
	100 / 8	PD 100/8 IS	Brushed	45,62	1
	100 / 10	PD 100/10 IS	Brushed	46,51	1
	150 / 8	PD 150/8 IS	Brushed	50,78	1
	150 / 10	PD 150/10 IS	Brushed	51,63	1
	200 / 8	PD 200/8 IS	Brushed	56,23	1
	200 / 10	PD 200/10 IS	Brushed	57,11	1

Square Drain >> SDS 150 IL/* Evacuation Unit in Stainless Steel AISI 304 - DIN 1.4301

	A / H mm	Art.	Finish	€ / pc	pc ■
	228 / 54	SDS 150 IL/N	Polished	122,51	1
	228 / 54	SDS 150 IL/S	Sanded	128,74	1
	170 / 54	SDS 150 IL/M	With membrane	169,23	1

SDS 150 ILM 170x170 is perimeter size. The sites with membrane are 330x330.

griglia STAR >> SDG 150 IL/S Grating with slits in St. Steel AISI 304 - DIN 1.4301 - Polsiehd


	A / H mm	Art.	Finish	€ / pc	pc ■
	150 / 6-20	SDG 150 IL/S	Polished	79,95	1

griglia PLANO >> SDG 150 IL/PT Plane grating in Stainless Steel AISI 304 - DIN 1.4301 - Brushed

	A / H mm	Art.	Finish	€ / pc	pc ■
	150 / 6-20	SDG 150 IL/PT	Brushed	67,49	1

griglia TILE >> SDG 150 IL/T Grating with tileable in-lay in St. Steel AISI 304 - DIN 1.4301

	A / H mm	Art.	Finish	€ / pc	pc ■
	150 / 6-20	SDG 150 IL/T	To Be Tiled	30,11	1



Copridrain PD




Square Drain STAR



Square Drain TILE



Length: 1.20 meters 2.00 meters




KV - IS

Profilo doccia >> KV 19/* IS * for glass thickness 8 and 10 mm in Stainless Steel

L = mm	Art.	Finish	Variant	€ / m	pc ■
1200	KV 19/08 IS120	Brushed	suitable for glass thickness 8mm	33,25	1
1200	KV 19/10 IS120	Brushed	suitable for glass thickness 10mm	32,55	1
2000	KV 19/08 IS200	Brushed	suitable for glass thickness 8mm	31,76	1
2000	KV 19/10 IS200	Brushed	suitable for glass thickness 10mm	30,66	1

Length: 1,35 m



KP 35 IS*

Profilo conico >> KP 35 IS 135 in Stainless Steel AISI 304 - DIN 1.4301 - for linear drain laying floor to floor + KV

H / H1 mm	Art.	Finish	€ / m	pc ■
8 ÷ 35	KP 35 IS135DX	Brushed	21,27	1
8 ÷ 35	KP 35 IS135SX	Brushed	21,27	1

A conical brushed steel profile in AISI 304 with A at 8mm and B at 35mm giving a 2% gradient. Standard length 1,35m which can be cut on site. This profile needs to be used inserting in our TR 6, 8, 10, 12,5mm.

Length: 1,35 m



KR - IS 135*

Profilo conico >> KR-IS 135 in Stainless Steel AISI 304 - DIN 1.4301 - for linear drain laying floor to wall transition

L = mm	Art.	Finish	€ / m	pc ■
1350	KR 80 IS135DX	Brushed	29,19	1
1350	KR 80 IS135SX	Brushed	29,19	1
1350	KR 100 IS135DX	Brushed	29,60	1
1350	KR 100 IS135SX	Brushed	29,60	1
1350	KR 125 IS135DX	Brushed	30,00	1
1350	KR 125 IS135SX	Brushed	30,00	1

A conical Brushed Stainless Steel profile in AISI 304 with A at 8mm - and B at 35mm - giving a 2% gradient.


Length: 1,35 m




KR - IS 135*

Profilo frontale >> KF-IS 135 in Stainless Steel AISI 304 - DIN 1.4301 - for linear drain laying floor to wall transition


H/H1 mm	Art.	Finish	€ / m	pc ■
8 / 28	KF 8/28 IS135	Brushed	25,15	1
10 / 28	KF 10/28 IS135	Brushed	25,15	1
12 / 28	KF 12/28 IS135	Brushed	25,15	1
8 / 34	KF 8/34 IS135	Brushed	25,98	1
10 / 34	KF 10/34 IS135	Brushed	25,98	1
12 / 34	KF 12/34 IS135	Brushed	25,98	1




Shower profile KV



Conical profile floor - floor KP




Conical profile floor - wall KR



Conical profile floor - wall KF



Maximum system length with one drain outlet: 9,20 m




MUD

Multidrain >> MUD Linear Tileable Drainage System "Design+Function"

	L = mm	Art.	Finish	€ / pc	pc ■
	1500	MUD 1500 H	Channel module with steep slope	240,84	1
	1500	MUD 1500 M	Channel module with medium slope	240,84	1
	1500	MUD 1500 L	Channel module with gradual slope	240,84	1

Multidrain >> MUD Accessories

	L = mm	Art.	Finish	€ / pc	pc ■
		MUD 100 T	Endplate	48,51	1
		MUD 50 S	Endplate with drain outlet ø50 mm	50,51	1
		MUD 75 HS	Endplate with drain outlet ø75 mm	49,51	1
		MUD 75 LS	Endplate with drain outlet ø75 mm	49,51	1
200		MUD 90 S	Run-off pine	40,71	1
		MUD 50 C	Endcap ø50 mm	2,09	1
		MUD 75 C	Endcap ø75 mm	2,66	1
1500		MUD 1500 GPIL	Tile grating Stainless Steel 304-Polished	112,38	1
1500		MUD 1500 GAIS	Grating Satin Stainless Steel AISI 304	108,61	1
200		MUD 200 GPIL	Tile grating Stainless Steel 304-Polished	31,24	1
200		MUD 200 GAIS	Grating Satin Stainless Steel AISI 304	32,11	1




Multidrain application example:(for other applications see the catalogue)



Multidrain



- + Tileable, sloping and modular system for outdoor drainage
- + 9,2 m installed with only one run-off pipe
- + System with access panels ideal for swimming pools, gyms and locker rooms



Tiled Multidrain

+ profilit^{tec}



Multidrain




Multidrain



Multidrain MUD 1500

Maximum system length with one drain outlet: 6,25 m




Multidrain >> MUDR Linear Tileable Drainage System “Design+Function”

	L = mm	Art.	Finish	€ / pc	pc ■
new	1500	MUDR 1500 H	Channel module with steep slope	270,66	1
new	1500	MUDR 1500 L	Channel module with gradual slope	270,66	1

Multidrain >> MUDR Accessories

	L = mm	Art.	Finish	€ / pc	pc ■
new		MUDR 100 T	Endplate	54,54	1
new		MUDR 50 DS	Endplate with drain outlet ø50 mm	46,22	1
new		MUDR 50 HS	Endplate with drain outlet ø50 mm	56,76	1
		MUD 50 C	Endcap ø50 mm	2,09	1
	1500	MUD 1500 GPIL	Tile grating Stainless Steel 304-Polished	112,38	1
	1500	MUD 1500 GAIS	Grating Satin Stainless Steel AISI 304	108,61	1
new	250	MUDR 250 GPIL	Tile grating Stainless Steel 304-Polished	38,54	1
new	250	MUDR 250 GAIS	Grating Satin Stainless Steel AISI 304	40,98	1
new		MUDR / KIT	Mounting kit	37,23	1



Multidrain application example:(for other applications see the catalogue)



Multidrain



- + Tileable, sloping and modular system for outdoor drainage
- + 6,25 m installed with only one run-off pipe
- + System with access panels ideal for swimming pools, gyms and locker rooms
- + MUDR is conceived for low ceiling renovations (ideal for low ceiling renovations)



Tiled Multidrain



Multidrain MUDR



Multidrain



Multidrain MUDR



SHOWERTEC KIT components

- (A) Shower Tray
- (B) Shower Curb
- (C) Foiltec Membrane Roll
- (D) Foiltec Sealing Strip
- (E) Foiltec Internal Corners
- (F) Foiltec External Corners
- (G) Square Drain
- (H) Flange Kit



showertec >> KIT Showertec - 91 x 91 cm - ABS

H = mm	Art.	Finish	Variant	€ / m	pc ■
91 x 91	STE 91/91 ABS2IL	ABS	Polished Stainless Steel	458,10	1
91 x 91	STE 91/91 ABS2IS	ABS	Brushed Stainless Steel	458,10	1
91 x 91	STE 91/91 ABS2ASSB	ABS	Al. Polished Brushed Chromed	459,05	1
91 x 91	STE 91/91 ABS2ATSB	ABS	Al. Polished Brushed Titanium	459,05	1
91 x 91	STE 91/91 ABS2AMSB	ABS	All. Brushed Antique Bronze	459,05	1

showertec >> KIT Showertec - 91 x 91 cm - PVC

H = mm	Art.	Finish	Variant	€ / m	pc ■
91 x 91	STE 91/91 PVC2IL	PVC	Polished Stainless Steel	459,29	1
91 x 91	STE 91/91 PVC2IS	PVC	Brushed Stainless Steel	459,29	1
91 x 91	STE 91/91 PVC2ASSB	PVC	Al. Polished Brushed Chromed	460,24	1
91 x 91	STE 91/91 PVC2ATSB	PVC	Al. Polished Brushed Titanium	460,24	1
91 x 91	STE 91/91 PVC2AMSB	PVC	All. Brushed Antique Bronze	460,24	1

showertec >> KIT Showertec - 122 x 122 cm - ABS

H = mm	Art.	Finish	Variant	€ / m	pc ■
122 x 122	STE 122/122 ABS2IL	ABS	Polished Stainless Steel	544,35	1
122 x 122	STE 122/122 ABS2IS	ABS	Brushed Stainless Steel	544,35	1
122 x 122	STE 122/122 ABS2ASSB	ABS	Al. Polished Brushed Chromed	545,30	1
122 x 122	STE 122/122 ABS2ATSB	ABS	Al. Polished Brushed Titanium	545,30	1
122 x 122	STE 122/122 ABS2AMSB	ABS	All. Brushed Antique Bronze	545,30	1

showertec >> KIT Showertec - 122 x 122 cm - PVC

H = mm	Art.	Finish	Variant	€ / m	pc ■
122 x 122	STE 122/122 PVC2IL	PVC	Polished Stainless Steel	545,54	1
122 x 122	STE 122/122 PVC2IS	PVC	Brushed Stainless Steel	545,54	1
122 x 122	STE 122/122 PVC2ASSB	PVC	Al. Polished Brushed Chromed	546,49	1
122 x 122	STE 122/122 PVC2ATSB	PVC	Al. Polished Brushed Titanium	546,49	1
122 x 122	STE 122/122 PVC2AMSB	PVC	All. Brushed Antique Bronze	546,49	1

showertec >> KIT Showertec - 81 x 152 cm - ABS

H = mm	Art.	Finish	Variant	€ / m	pc ■
81 x 152	STE 81/152 ABS2IL	ABS	Polished Stainless Steel	666,37	1
81 x 152	STE 81/152 ABS2IS	ABS	Brushed Stainless Steel	666,37	1
81 x 152	STE 81/152 ABS2ASSB	ABS	Al. Polished Brushed Chromed	667,32	1
81 x 152	STE 81/152 ABS2ATSB	ABS	Al. Polished Brushed Titanium	667,32	1
81 x 152	STE 81/152 ABS2AMSB	ABS	All. Brushed Antique Bronze	667,32	1

showertec >> KIT Showertec - 81 x 152 cm - PVC

H = mm	Art.	Finish	Variant	€ / m	pc ■
81 x 152	STE 81/152 PVC2IL	PVC	Polished Stainless Steel	667,56	1
81 x 152	STE 81/152 PVC2IS	PVC	Brushed Stainless Steel	667,56	1
81 x 152	STE 81/152 PVC2ASSB	PVC	Al. Polished Brushed Chromed	668,51	1
81 x 152	STE 81/152 PVC2ATSB	PVC	Al. Polished Brushed Titanium	668,51	1
81 x 152	STE 81/152 PVC2AMSB	PVC	All. Brushed Antique Bronze	668,51	1



SHOWERTEC KIT components

- (A) Shower Tray
- (B) Shower Curb
- (C) Foiltec Membrane Roll
- (D) Foiltec Sealing Strip
- (E) Foiltec Internal Corners
- (F) Foiltec External Corners
- (G) Square Drain
- (H) Flange Kit



showertec >> KIT Showertec - 81 x 152 cm - off-center drain - ABS

H = mm	Art.	Finish	Variant	€ / pc	pc ■
81 x 152	STE 81/152D ABS2IL	ABS	Polished Stainless Steel	666,37	1
81 x 152	STE 81/152D ABS2IS	ABS	Brushed Stainless Steel	666,37	1
81 x 152	STE 81/152D ABS2ASSB	ABS	Al. Polished Brushed Chromed	667,32	1
81 x 152	STE 81/152D ABS2ATSB	ABS	Al. Polished Brushed Titanium	667,32	1
81 x 152	STE 81/152D ABS2AMSB	ABS	All. Brushed Antique Bronze	667,32	1

showertec >> KIT Showertec - 81 x 152 cm - off-center drain - PVC

H = mm	Art.	Finish	Variant	€ / m	pc ■
81 x 152	STE 81/152D PVC2IL	PVC	Polished Stainless Steel	667,56	1
81 x 152	STE 81/152D PVC2IS	PVC	Brushed Stainless Steel	667,56	1
81 x 152	STE 81/152D PVC2ASSB	PVC	Al. Polished Brushed Chromed	668,51	1
81 x 152	STE 81/152D PVC2ATSB	PVC	Al. Polished Brushed Titanium	668,51	1
81 x 152	STE 81/152D PVC2AMSB	PVC	All. Brushed Antique Bronze	668,51	1

showertec >> KIT Showertec - 183 x 183 cm - off-center drain - ABS

H = mm	Art.	Finish	Variant	€ / m	pc ■
183x183	STE 183/183 ABS2IL	ABS	Polished Stainless Steel	1036,87	1
183x183	STE 183/183 ABS2IS	ABS	Brushed Stainless Steel	1036,87	1
183x183	STE 183/183 ABS2ASSB	ABS	Al. Polished Brushed Chromed	1036,87	1
183x183	STE 183/183 ABS2ATSB	ABS	Al. Polished Brushed Titanium	1036,87	1
183x183	STE 183/183 ABS2AMSB	ABS	All. Brushed Antique Bronze	1036,87	1

showertec >> KIT Showertec - 183 x 183 cm - off-center drain - PVC


H = mm	Art.	Finish	Variant	€ / m	pc ■
183x183	STE 183/183 PVC2IL	PVC	Polished Stainless Steel	1036,87	1
183x183	STE 183/183 PVC2IS	PVC	Brushed Stainless Steel	1036,87	1
183x183	STE 183/183 PVC2ASSB	PVC	Al. Polished Brushed Chromed	1036,87	1
183x183	STE 183/183 PVC2ATSB	PVC	Al. Polished Brushed Titanium	1036,87	1
183x183	STE 183/183 PVC2AMSB	PVC	All. Brushed Antique Bronze	1036,87	1



showertec + membrane

**SHOWERTEC KIT without drain components:**

- (A) Shower Tray
- (B) Shower Curb
- (C) Foiltec Membrane Roll
- (D) Foiltec Sealing Strip

**showertec >> KIT Showertec without drain - 91 x 91 cm**

H = mm	Art.	Finish	€ / m	pc ■
91 x 91	STE 91/91	Kit Showertec senza Drain	311,01	1

showertec >> KIT Showertec without drain - 122 x 122 cm - ABS

H = mm	Art.	Finish	€ / m	pc ■
122 x 122	STE 122/122	Kit Showertec senza Drain	397,26	1

showertec >> KIT Showertec without drain - 81 x 152 cm


H = mm	Art.	Finish	€ / m	pc ■
81 x 152	STE 81/152	Kit Showertec senza Drain	519,29	1

showertec >> KIT Showertec without drain - 81 x 152 cm - off center drain

H = mm	Art.	Finish	€ / m	pc ■
81 x 152	STE 81/152D	Kit Showertec senza Drain	519,29	1

showertec >> KIT Showertec without drain - 183 x 183 cm


H = mm	Art.	Finish	€ / m	pc ■
183x183	STE 183/183	Kit Showertec senza Drain	888,24	1



showertec exploded

SQUARE DRAIN KIT components:

- (E) Foiltec Internal Corners
- (F) Foiltec External Corners
- (G) Square Drain
- (H) Flange Kit

**showertec >> KIT Square Drain - Grating 10 cm - Flange ø 5 cm - ABS**


	Art.	Finish	Variant	€ / m	pc ■
STE-	SDKABS 2V98IL	ABS	Polished Stainless Steel	153,04	1
STE-	SDKABS 2V98IS	ABS	Brushed Stainless Steel	153,04	1
STE-	SDKABS 2V98ASSB	ABS	Brushed Polished Chrome Aluminum	153,99	1
STE-	SDKABS 2V98ATSB	ABS	Brushed Polished Titanium(Nickel) Alum.	153,99	1
STE-	SDKABS 2V98AMSB	ABS	Brushed Antique Bronze Aluminum	153,99	1

showertec >> KIT Square Drain - Grating 10 cm - Flange ø 5 cm - PVC

	Art.	Finish	Variant	€ / m	pc ■
STE-	SDKPVC 2V98IL	PVC	Polished Stainless Steel	154,23	1
STE-	SDKPVC 2V98IS	PVC	Brushed Stainless Steel	154,23	1
STE-	SDKPVC 2V98ASSB	PVC	Brushed Polished Chrome Aluminum	155,18	1
STE-	SDKPVC 2V98ATSB	PVC	Brushed Polished Titanium(Nickel) Alum.	155,18	1
STE-	SDKPVC 2V98AMSB	PVC	Brushed Antique Bronze Aluminum	155,18	1




(A) Shower Tray




showertec >> KIT Shower Tray - pre-sloped with pre-attached Foiltec membrane

H = mm	Art.	Finish	Variant	€ / pc	pc ■
91 x 91	STC- TRAY91/91	EPS	Polyethylene	106,73	40
122 x 122	STC- TRAY122/122	EPS	Polyethylene	155,54	24
81 x 152	STC- TRAY81/152	EPS	Polyethylene	135,24	36
81 x 152	STC- TRAY81/152D	EPS	Polyethylene	135,24	36
183 x 183	STC- TRAY183/183	EPS	Polyethylene	308,39	12


STC-TRAY91/91




STC-TRAY122/122




STC-TRAY81/152



STC-TRAY81/152D



STC-TRAY183/183



(B) Shower Curb



showertec >> KIT Shower Curb - flexible height and pre-attached Foiltec membrane

BxL mm	Art.	Finish	Variant	€ / pc	pc ■
91,4x11,5x15	STC- CURB91	EPS	Polyethylene	61,31	96
122x11,5x15	STC- CURB122	EPS	Polyethylene	76,13	72



showertec




shower kit

drainage

showertec Curb

(C) Foiltec Membrane Roll

(D) Foiltec Sealing Strip



(E) Foiltec Internal Corners

(F) Foiltec External Corners

**foiltec >> membrane - water-stop in Polietilene**



BxL mxm	Art.	Finish	Variant	€ / m2	roll ■
1x8	FOILTEC /05/8 /G	Polyethylene	in Roll	11,30	1
1x10	FOILTEC /05/10 /G	Polyethylene	in Roll	11,30	1

foiltec >> Sealing strip and raccords water-stop in Polietilene

BxL mxm	Art.	Finish	Variant	€ / m	rol. ■
4	FOILTEC /15 /10	Polyethylene	Sealing strip	18,64	1

foiltec >> Corners water-stop in Polietilene


	Art.	Finish	Variant	€ / pc	pc ■
	FOILTEC /I /G	Polyethylene	Internal corner	12,88	2
	FOILTEC /E /G	Polyethylene	External corner	12,88	2
	FOILTEC /T20 /G	Polyethylene	Pipe collar ø 20mm	5,86	1

**foiltec** External corner**foiltec** Internal corner

(H) FLANGE KIT components:

(H1) Foiltec Circular Memb. Ring

(H2) Flange

**showertec >> KIT Flange - ø 5cm**

D = cm	Art.	Finish	Variant	€ / pc	pc ■
5	STC- 8 FLK2ABS-V	ABS	Polyethylene	35,95	8

Foiltec Circular Waterproof Membrane Ring included

showertec >> KIT Flange - ø 5cm

D = cm	Art.	Finish	Variant	€ / pc	pc ■
5	STC- 8 FLK2PVC-V	PVC	Polyethylene	37,14	8

Foiltec Circular Waterproof Membrane Ring included


(G) SQUARE DRAIN components:

(G1) Square Grid


(G2) Square Grid Construction Plug

(G3) Square Grid Support

(H) Square Grid Ring

**showertec >> Square Drain - Grating 10 cm in Stainless Steel AISI 304 - DIN 1.4301**

H = mm	Art.	Finish	€ / m	pc ■
10 x 10	STE- SD98IL	Polished Stainless Steel	57,56	1
10 x 10	STE- SD98IS	Brushed Stainless Steel	57,56	1
10 x 10	STE- SD98ASSB	Brushed Polished Chrome Aluminum	58,51	1
10 x 10	STE- SD98ATSB	Brushed Polished Titanium(Nickel) Alum.	58,51	1
10 x 10	STE- SD98AMSB	Brushed Antique Bronze Aluminum	58,51	1

**shower+tec** Square Grid grating



Tile installation accessories


Seemingly small details can actually make a big difference in solving on-site challenges, reducing installation time and avoiding time consuming touch-ups.

The widespread use of large scale format tiles in modern design interiors has opened the door for new and innovative solutions in tile installation.


In response, Profiltec presents LEVELTEC: an ingenious, patented tile laying installation system that solves any levelling challenge with just one click.

To complete its vast line of profiles, Profiltec proposes a range of tile laying installation accessories which meets both professional and do-it-yourself requirements. Spacers, profiles for carpet runners and entrance mats, and custom-made profiles in a wide variety of materials satisfy all customer needs.

Article	Code	Use	Page
Leveltec	LEV	leveling system	162
Pedestals	SUPA*	universal pedestals	166
Support	SUPT	adjustable	167
Support		supports for floating floor	167
Membrane	SUPAF	antifragmentat.	167
Bordertec	BSR	for floating floors	168
Bordertec	BSJ	perimetral	168
Spacers	DIC	spacer	169
Spacers	DIT	spacer	169
Spacers	DISC	spacer	169
Tile spacers	DIS	spacer	169
Entrytec	BU	carpet and panel inspection	170
Magnets	MAG	carpet and panel inspection	170
Pesotec	PS	carpet and panel inspection	170
Various section		various section	173



Cap assembled


leveltec leveling system >> Screw leveling system just with a click

		Art.	Finish	€ / pkg	pkg ■	€ / pkg	pkg ■
		LEV / M	Automatic cap assembled	59.11	1	53.97	6

1 package (pkg) contains 50 pcs


Leveltec Cap


- + Reusable patented knob for tiles thicknesses from 3 to 20mm
- + No tools required, no need to screw or unscrew.
- + Just click on the knob to level and to eject the spacer.


Leveltec Tie-base



- + Patented tie-base for thicknesses of 1,2,3,5mm - (linear, "T" + "cross").
- + Removable spacing fins (for "T" and "cross" shaped spacers) allow the tiles to compensate surface movement.
- + Base that allows an effective adhesive grip.


leveltec


leveltec

leveltec


linear tie-base leveling




LEV/10 1 mm



LEV/17 2 mm



LEV/30 3 mm



LEV/50 5 mm

leveltec leveling system >> Linear tie-base



	Art.	Finish	€ / pkg	pkg ■	€ / pkg	pkg ■
	LEV / 10	Linear tie-base thickness 1 mm	41,12	1	38,55	10
	LEV / 17	Linear tie-base thickness 2 mm	42,41	1	38,55	10
	LEV / 30	Linear tie-base thickness 3 mm	43,69	1	41,12	10
	LEV / 50	Linear tie-base thickness 5 mm	46,26	1	43,69	10

1 package (pkg) contains 250 pcs





Linear tie-base


1 mm




2 mm



3 mm



5 mm



Patented linear tie-base. For stone and tile floors. in stone and ceramic



1, 2, 3, 5mm

Leveltec linear tie-base laying instructions


How many Leveltec tie-bases are required per square meter?

The quantity of Leveltec depends on the size of the tile (AxB), see the table below: it can be deduced from the scheme below.


A(cm - in)							
45 - 17-23/32"	20						
50 - 20"	18	16					
60 - 24"	15	13	11				
80 - 32"	14	12	10	9			
90 - 36"	12	11	9	8	7		
100 - 40"	13	12	10	9	8	8	
120 - 48"	11	10	8	7	6	7	6
B (cm in)	45 17-23/32"	50 20"	60 24"	80 32"	90 36"	100 40"	120 48"

To optimize consumption, use the linear tie-base for large-format tiles.


"T" tie-base leveling




LEV/10T 1 mm



LEV/20T 2 mm



LEV/30T 3 mm




LEV/50T 5 mm

leveltec leveling system >> "T" tie-base


		Art.	Finish	€ / pkg	pkg ■	€ / pkg	pkg ■
		LEV / 10T	"T" tie-base thickness 1 mm	43,69	1	41,12	10
		LEV / 20T	"T" tie-base thickness 2mm	43,69	1	41,12	10
		LEV / 30T	"T" tie-base thickness 3 mm	46,26	1	43,69	10
		LEV / 50T	"T" tie-base thickness 5 mm	48,83	1	46,26	10

1 package (pkg) contains 250 pcs



"T" tie-base

Patented "T" tie-base. For straight course laying.



1, 2, 3, 5 mm
++

Leveltec "T" tie-base laying instructions


How many Leveltec tie-bases are required per square meter?

The quantity of Leveltec depends on the size of the see the table below:


A (cm - in)					
12 - 5	2	2	2	2	1
15 - 6	2	2	2	1	1
20 - 8	2	1	1	1	1
B (cm - in)	60 - 24	80 - 32	90 - 36	100 - 40	120 - 48

To optimize consumption, use the linear tie-base for large-format tile. tiles.

cross tie-base leveling




LEV/10C 1 mm



LEV/20C 2 mm



LEV/30C 3 mm




LEV/50C 5 mm

leveltec leveling system >> cross tie-base

	Art.	Finish	€ / pkg	pkg ■	€ / pkg	pkg ■
	LEV / 10C	Cross tie-base thickness 1 mm	43,69	1	41,12	10
	LEV / 20C	Cross tie-base thickness 2mm	43,69	1	41,12	10
	LEV / 30C	Cross tie-base thickness 3 mm	46,26	1	43,69	10
	LEV / 50C	Cross tie-base thickness 5 mm	48,83	1	46,26	10

1 package (pkg) contains 250 pcs



Cross tie-base

Notes about consumption of tie-base for mixed configurations

It is possible to use mixed or customized configurations that allow a significant decrease of the consumption. but for which we can not guarantee a correct tile leveling.

Patented cross tie-base. Complete removable wings. asportata completamente after laying



1, 2, 3, 5 mm

Leveltec cross tie-base laying instructions

How many Leveltec tie-bases are required per square meter?

The quantity of Leveltec depends on the size of the tile (AxB) and it can be deduced from scheme below.

A (cm - in)				
20 - 8	2	2	2	1
30 - 12	2	1	1	1
33 - 13	2	1	1	1
40 - 16	1	1	1	1
B (cm - in)	20 - 8	30 - 12	33 - 13	40 - 16


below.

To optimize consumption, use the linear tie-base for large-format tile. tiles.


(cm-in)	Cross tie-base	Linear tie-base	TOT.
45x45 - 17-23/32"x17-23/32"	5		5
60x60 - 24"x24"	3		3
80x80 - 32"x32"	2	3	2
30x60 - 11-13/16"x24"	6		6
45x90 - 17-23/32"x36"	3	3	6
120x60 - 48"x24"	2	2	4



PEDESTALS



SUPAL




SUPAS




SUPAR


ACCESSORIES




SUPA2



SUPA4



SUPAK



SUPAW

PACKAGING

SUPAL2-28/43 SUPAL4-28/43	■ L
SUPAS2-43/58 SUPAS4-43/58	■ S
SUPAS2-58/88 SUPAS4-58/88	■ S ■ R
SUPAS2-88/118 SUPAS4-88/118	■ S ■ R ■ R
SUPAS2-118/148 SUPAS4-118/148	■ S ■ R ■ R ■ R

uptec >> adjustable universal pedestals for raised floors - components

	Art.	Finish	€ / pc	pkg ■
new	SUPAL	Low pedestal	3,67	24 pcs
new	SUPAS	Standard pedestal	3,84	24 pcs
new	SUPAR	Modular Ring	0,77	24 pcs

uptec >> accessories

	Art.	Finish	€ / pc	pkg ■
new	SUPA2	spacer - 2 mm tabs	1,34	240 pcs
new	SUPA4	spacer - 4 mm tabs - also compatible with Aluminum joists	1,34	240 pcs
new	SUPAW	spacer - wooden beams	1,34	240 pcs
new	SUPAK	3 functions adjusting key	63,55	1 pc
	SUPK	Only adjustment key	51,49	1 pc

SUPK available while stocks last.



28÷43 mm	43÷58 mm	58÷88 mm	88÷118 mm	118÷148 mm
SUPAL	SUPAS	SUPAS + 1 SUPAR	SUPAS+ 2 SUPAR	SUPAS+ 3 SUPAR

uptec >> KIT pedestal with 2 mm tabs - assembled product

	H = mm	Art.	Finish	€ / pc	pkg ■
new	28 / 43	SUPAL2- 28/43	kit pedestal + 2 mm spacer tabs	5,57	24 pcs
new	43 / 58	SUPAS2- 43/58	kit pedestal + 2 mm spacer tabs	5,76	24 pcs
new	58 / 88	SUPAS2- 58/88	kit pedestal + 2 mm spacer tabs	6,61	24 pcs
new	88 / 118	SUPAS2- 88/118	kit pedestal + 2 mm spacer tabs	7,46	24 pcs
new	118 / 148	SUPAS2- 118/148	kit pedestal + 2 mm spacer tabs	8,31	24 pcs

uptec >> KIT pedestal with 4 mm tabs - assembled product

	H = mm	Art.	Finish	€ / pc	pkg ■
new	28 / 43	SUPAL4- 28/43	kit pedestal + 4 mm spacer tabs	5,57	24 pcs
new	43 / 58	SUPAS4- 43/58	kit pedestal + 4 mm spacer tabs	5,76	24 pcs
new	58 / 88	SUPAS4- 58/88	kit pedestal + 4 mm spacer tabs	6,61	24 pcs
new	88 / 118	SUPAS4- 88/118	kit pedestal + 4 mm spacer tabs	7,46	24 pcs
new	118 / 148	SUPAS4- 118/148	kit pedestal + 4 mm spacer tabs	8,31	24 pcs

pkg = indivisible packaging



L up+tec SUPAL



S up+tec SUPAS



R up+tec SUPAR




SUPG



SUPD

uptec >> additional accessories

	H = mm	Art.	Finish	€ / pc	pkg ■
	2	SUPL 2	Levelling disk	0,52	600 pcs
	3	SUPL 3	Levelling disk	0,56	500 pcs
new		SUPG	Anti noise rubber (rol. 10 m)	15,00	1 rol
new		SUPD	spacer thickness 4 mm	0,19	1000 pcs
new		SUPCLIP	Lateral and central clip	0,73	50 pcs
new		SUPACLPB	Clip for vertical edge - base	6,93	5 pcs
new		SUPACLPT	Clip for vertical edge - head	8,21	5 pcs
new		SUPACLPP	Perimeter tile spacer	3,30	5 pcs
				€ / m	pkg ■
		SUPAAN	Natural Aluminum L: 2 m	14,25	10 pcs



paving slab size

60x60cm

50x50cm

40x40cm

30x30cm

quantity pcs/m2

2,78 pcs

4 pcs

6,25 pcs

11,11 pcs

The coefficient does not take into consideration the perimeter pieces. To calculate the required total quantity, add half of the number of pieces required along the perimeter to the above calculation (number of pieces/m2).

support >> SUPT Adjustable support

	H = mm	Art.	Finish	€ / pc	pkg ■
new	8 ÷ 25	SUPT	Adjustable supports	1,34	50 pcs

support >> SUPB - SUPT extension

	H = mm	Art.	Finish	€ / pc	pkg ■
new	5	SUPB	Extension for SUPT	0,72	50 pcs

Plastic support » for floating stone tiles

	H = mm	Art.	Finish	€ / set	set ■
	3	8011 / set	Polypropylene thickness	21,82	100 pcs
	13	8010 / set	Polypropylene support	103,48	250 pcs
	3	8021 / set	Cross spacers	24,08	200 pcs
	20	8020 / set	Polypropylene support	45,15	50 pcs

Anti-fragmentation membrane >> adhesive membrane Anti-fragmentation for ceramic tiles 60x60 cm - 23-25/64"x23-25/64"

	H = mm	Art.	Finish	€ / pc	pkg ■
new	59x59	SUPAF 59X59	adesive membrane	11.12	32 pcs

pkg = indivisible packaging



SUPT



support 8010/set




support 8020/set



Anti-fragmentation membrane



Length: 2,70 meters



BSR - A*

bordertec >>BSR-A22 (terminal) profile for elevated floor with supports in Powder Coated Aluminum

H/H1 mm	Art.			Finish	Variant	€ / m	pc ■
20/40	BSR	20/40	A22	Pow. Coated	Pastel Grey	22,70	10
20/60	BSR	20/60	A22	Pow. Coated	Pastel Grey	25,01	10
20/80	BSR	20/80	A22	Pow. Coated	Pastel Grey	28,10	10
20/100	BSR	20/100	A22	Pow. Coated	Pastel Grey	31,98	10

bordertec >>BSRE-A22 Terminal and juncton in Powder Coated Aluminum

H/H1 mm	Art.			Finish	Variant	€ / pc	pc ■
20/40	BSRE	20/40	A22	Pow. Coated	Pastel Grey	31,41	10
20/60	BSRE	20/60	A22	Pow. Coated	Pastel Grey	34,61	10
20/80	BSRE	20/80	A22	Pow. Coated	Pastel Grey	38,87	10
20/100	BSRE	20/100	A22	Pow. Coated	Pastel Grey	44,21	10

bordertec >>BSRG-A22 Terminal and juncton in Powder Coated Aluminum

H/H1 mm	Art.			Finish	Variant	€ / pc	pc ■
20/40	BSRG	20/40	A22	Pow. Coated	Pastel Grey	6,25	10
20/60	BSRG	20/60	A22	Pow. Coated	Pastel Grey	6,88	10
20/80	BSRG	20/80	A22	Pow. Coated	Pastel Grey	7,73	10
20/100	BSRG	20/100	A22	Pow. Coated	Pastel Grey	8,82	10

bordertec >>BSR-A50 Terminal for for elevated floor with supports in Powder Coated Aluminum Modern Line

H/H1 mm	Art.			Finish	Variant	€ / m	pc ■
20/40	BSR	20/40	A50	Pow. Coated	Embossed Micaceous	22,70	10
20/60	BSR	20/60	A50	Pow. Coated	Embossed Micaceous	25,01	10
20/80	BSR	20/80	A50	Pow. Coated	Embossed Micaceous	28,10	10
20/100	BSR	20/100	A50	Pow. Coated	Embossed Micaceous	31,98	10

bordertec >>BSRE-A50 Terminal and juncton in Powder Coated Aluminum Modern Line

H/H1 mm	Art.			Finish	Variant	€ / pc	pc ■
20/40	BSRE	20/40	A50	Pow. Coated	Embossed Micaceous	31,41	10
20/60	BSRE	20/60	A50	Pow. Coated	Embossed Micaceous	34,61	10
20/80	BSRE	20/80	A50	Pow. Coated	Embossed Micaceous	38,87	10
20/100	BSRE	20/100	A50	Pow. Coated	Embossed Micaceous	44,21	10

bordertec >>BSRG-A50 Terminal and juncton in Powder Coated Aluminum

H/H1 mm	Art.			Finish	Variant	€ / pc	pc ■
20/40	BSRG	20/40	A50	Pow. Coated	Embossed Micaceous	6,25	10
20/60	BSRG	20/60	A50	Pow. Coated	Embossed Micaceous	6,88	10
20/80	BSRG	20/80	A50	Pow. Coated	Embossed Micaceous	7,73	10
20/100	BSRG	20/100	A50	Pow. Coated	Embossed Micaceous	8,82	10


bordertec >> BSJ 20 * in Stainless Steel or Powder Coated Aluminum

	BxH mm	Art.			Finish	Variant	€ / m	pc ■
new	20 x 12	BSJ	20	IS	Brushed		34,30	10
new	20 x 12	BSJ	20	A50	Pow. Coated	Micaceous	18,54	10

bordertec >> BSJE 20 * external corner for BSJ in IS and A50

	H = mm	Art.			Finish	Variant	€ / pc	set ■
new	20	BSJE	20	IS	Brushed	IS	43,52	10 pcs
new	20	BSJE	20	A50	Pow. Coated	A50	29,36	10 pcs

Length: 2,70 meters



BSJ 20 *

H1 = 20 mm



bordertec BSR 20/80 A22



bordertec BSJ



DIC*


tile spacers » DIC cross-shaped

	B = mm	Art.	Finish	€ / set	set ■
	1	DIC 10	Polypropylene set 500 pcs.	4,16	60 pcs
	1,5	DIC 15	Polypropylene set 500 pcs.	4,19	60 pcs
	2	DIC 20	Polypropylene set 500 pcs.	4,21	60 pcs
	3	DIC 30	Polypropylene set 500 pcs.	4,83	50 pcs
	4	DIC 40	Polypropylene set 500 pcs.	5,04	40 pcs
	5	DIC 50	Polypropylene set 500 pcs.	5,37	40 pcs
	7	DIC 70	Polypropylene set 500 pcs.	8,51	15 pcs
	10	DIC 100	Polypropylene set 500 pcs.	14,30	10 pcs

Self-service boxes for showrooms.



tile spacers



DIT*


tile spacers » DIT "T"-shaped

	B = mm	Art.	Finish	€ / set	set ■
	1	DIT 10	Polypropylene set 500 pcs.	4,16	60 pcs
	2	DIT 20	Polypropylene set 500 pcs.	4,21	60 pcs
	3	DIT 30	Polypropylene set 500 pcs.	4,83	50 pcs
	4	DIT 40	Polypropylene set 500 pcs.	5,04	40 pcs
	5	DIT 50	Polypropylene set 500 pcs.	5,37	40 pcs
	7	DIT 70	Polypropylene set 500 pcs.	8,51	15 pcs
	10	DIT 100	Polypropylene set 500 pcs.	14,30	10 pcs

Self-service boxes for showrooms.



Self Service Box



DIS 10

tile spacers » DISC

	H = mm	Art.	Finish	€ / pc	pc ■
	10	DISC 10	ABS	0,86	100



DIS 50

tile spacers » DIS

	H = mm	Art.	Finish	€ / set	set ■
	5	DIS 50	Polypropylene set 500 pcs.	4,83	50 pcs


Self-service boxes for showrooms.



tile spacer DISC



Length: 2,70 meters



BU 18/23



BUS / BUI

entrytec >> BU 18/23 AS Reversible profile in Aluminum entrance mat framing

	H+H1 mm	Art.	Finish	Variant	€ / m	pc ■
	18/23	BU 18/23 AS	Anodized	Silver	8,45	50

entrytec >> BU 18/23 ON Reversible profile in Brass entrance mat framing

	H+H1 mm	Art.	Finish	€ / m	pc ■
	18/23	BU 18/23 ON	Natural	23,14	10

entrytec >> Fixing clamp - Brass Natural


	Art.	Finish	Variant	€ / pc	pc ■
	BUS 20 ON	Natural		2,65	10

BUS 20 ON one each 30-50 cm

entrytec >> Internal corners fixing bracket - Aluminum Natural

	Art.	Finish	Variant	€ / pc	pc ■
	BUI 20 AN	Natural		1,29	10

BUI 20 AN one ad each corner.



MAG

magnets » for tiled wall-panel inspection - 4 magnets + 4 plates

	Art.	Finish	Variant	€ / set	set ■
	MAG	Anodized	Silver + magnets	9,83	10

Length: 2,70 meters



STC 30 0*


wire cover » in Brass self-adhesive

	B = mm	Art.	Finish	Variant	€ / m	pc ■
	31	STC 30 OLA	Polished	Self-Adhesive	15,99	20

wire cover » in Brass not adhesive

	B = mm	Art.	Finish	Variant	€ / m	pc ■
	31	STC 30 OLN	Polished	not Adhesive	14,47	20

Length: 2,00 e 4,00 meters



PS 30 AN

entrytec >> Aluninum weight for curtains

	BxH mm	Art.	Finish	€ / m	pc ■
	4 x 30	PS 30 AN	Natural	6,46	20




entrytec BU




magnets MAG

Length: 3,00 meters



TTR 16 *



glue screed

Rod » in Anodized Amuninum

AxB mm	Art.	Finish	Variant	€ / m	pc ■
16 x 16	TTR 16 AO	Bright Polished Anodized	Gold	25,95	20

Rod » in Brass - Polished

AxB mm	Art.	Finish	€ / m	pc ■
16 x 16	TTR 16 OL	Polished	26,11	1

Fixing support » in Brass for triangular Stair Rod

Art.	Finish	€ / set	set ■
STR 13 OL	Polished	23,23	10

Länge: 3,20 meter
End caps to be ordered separately according to the diameter: art. TAP-OL + Ø.art. TOP-OL + Ø.



TT0 *

Rod » in Anodized Amuninum

L = cm	Art.	Finish	Variant	€ / pc	pc ■
80cm	TTO 11 AO	Anodized	Gold	6,10	20
90cm	TTO 11 AO	Anodized	Gold	6,66	20
100cm	TTO 11 AO	Anodized	Gold	7,31	20
120cm	TTO 11 AO	Anodized	Gold	8,46	20
320cm	TTO 11 AO	Anodized	Gold	18.62	20
80cm	TTO 13 AO	Anodized	Gold	6,60	20
90cm	TTO 13 AO	Anodized	Gold	7,39	20
100cm	TTO 13 AO	Anodized	Gold	7,90	20
120cm	TTO 13 AO	Anodized	Gold	9,47	20
320cm	TTO 13 AO	Anodized	Gold	19.55	20
80cm	TTO 15 AO	Anodized	Gold	8,03	20
90cm	TTO 15 AO	Anodized	Gold	8,66	20
100cm	TTO 15 AO	Anodized	Gold	9,33	20
120cm	TTO 15 AO	Anodized	Gold	10,68	20
320cm	TTO 15 AO	Anodized	Gold	21.82	20

Triangular Stair Rod » in Anodized Amuninum

L = cm	Art.	Finish	Variant	€ / m	pc ■
320cm	TTO 11 ASB	Bright Polished Anodized	Chrome	6,28	20



Triangular Stair Rod TTR 16 OL




Triangular Stair Rod TTR 16 AO



Pre-cut to length supplied with endcaps, art. TAP-OL




TTO*



CER



SUP



TAP



Triangular Stair Rod » in Brass

L = cm	Art.			Finish	€ / pc	pc ■
80cm	TTO	11	OL	Polished	10,89	10
90cm	TTO	11	OL	Polished	11,96	10
100cm	TTO	11	OL	Polished	13,02	10
120cm	TTO	11	OL	Polished	15,34	10
320cm	TTO	11	OL	Polished	36,96	10
80cm	TTO	13	OL	Polished	13,20	10
90cm	TTO	13	OL	Polished	14,52	10
100cm	TTO	13	OL	Polished	15,84	10
120cm	TTO	13	OL	Polished	18,56	10
320cm	TTO	13	OL	Polished	44,35	10
80cm	TTO	15	OL	Polished	15,26	10
90cm	TTO	15	OL	Polished	16,90	10
100cm	TTO	15	OL	Polished	18,56	10
120cm	TTO	15	OL	Polished	21,44	10
320cm	TTO	15	OL	Polished	51,49	10

supporto >> occhiolo in Ottone per tubo tondo

ø = mm	Art.			Finish	€ / pc	pc ■
12	SUP	12	OL	Polished	1,66	100
14	SUP	14	OL	Polished	1,81	100
16	SUP	16	OL	Polished	2,20	100
12	SUP	12	OC	Chrome	2,99	100

supporto >> in Ottone a cerniera per tubo tondo

ø = mm	Art.			Finish	€ / pc	pc ■
12	CER	12	OL	Polished	8,00	50
14	CER	14	OL	Polished	8,59	50
16	CER	16	OL	Polished	11,80	50

supporto >> in Ottone per chiusura tubo tondo

ø = mm	Art.			Finish	€ / pc	pc ■
11	TAP	11	OL	Polished	0,65	100
13	TAP	13	OL	Polished	0,86	100
15	TAP	15	OL	Polished	1,30	100
11	TAP	11	OC	Chrome	1,68	100




Stair Rod ABS



Stair Rod OL

Length: 2,00 meters.
Indivisible packaging




PA-IL

Length: 2,00 meters.
Short length: 1m on request.

Indivisible packaging
White cod. €/m 0,93
Black cod. €/m 0,93
On request available with bar
codes +€/m 0,50for minimum order
of 100 pieces also mixed.
Indivisible packaging
AS= Anodized Amuninum Silver
AO= Anodized Amuninum Gold
AB= Anodized Amuninum Bronze



PA-A*



PP-A*

profiles >> PA-IL Equal angled section in Stainless Steel- thickness = 1 mm

H = mm	Art.	Finish	€/ m	pc ■
15 x 15	PA 15X15 IL	Polished	4,75	10
20 x 20	PA 20X20 IL	Polished	6,05	10
25 x 25	PA 25X25 IL	Polished	7,42	10
30 x 30	PA 30X30 IL	Polished	9,00	10
35 x 35	PA 35X35 IL	Polished	10,21	10
40 x 40	PA 40X40 IL	Polished	11,73	10
50x 50	PA 50X50 IL	Polished	14,08	10

profiles >> PL-IL" L" profile in Stainless Steel- thickness = 1 mm

H = mm	Art.	Finish	€/ m	pc ■
15 x 10	PL 15X10 IL	Polished	3,99	10
20 x 10	PL 20X10 IL	Polished	4,75	10
30 x 15	PL 30X15 IL	Polished	6,39	10

profiles >> PA-A* Equal angled section in Anodized Aluminum- thickness = 1 mm

H = mm	Art.	Finish	Variant	€/ m	pc ■
10 x 10	PA 10X10 AS	Anodized	Silver	1,93	10
15 x 15	PA 15X15 AS	Anodized	Silver	2,15	10
20 x 20	PA 20X20 AS	Anodized	Silver	2,66	10
25 x 25	PA 25X25 AS	Anodized	Silver	2,97	10
30 x 30	PA 30X30 AS	Anodized	Silver	4,69	10
40 x 40	PA 40X40 AS	Anodized	Silver	6,06	10
10 x 10	PA 10X10 AO	Anodized	Gold	1,93	10
15 x 15	PA 15X15 AO	Anodized	Gold	2,15	10
20 x 20	PA 20X20 AO	Anodized	Gold	2,66	10
25 x 25	PA 25X25 AO	Anodized	Gold	2,97	10
30 x 30	PA 30X30 AO	Anodized	Gold	4,69	10
40 x 40	PA 40X40 AO	Anodized	Gold	6,06	10
10 x 10	PA 10X10 AB	Anodized	Bronze	1,93	10
15 x 15	PA 15X15 AB	Anodized	Bronze	2,15	10
20 x 20	PA 20X20 AB	Anodized	Bronze	2,66	10
25 x 25	PA 25X25 AB	Anodized	Bronze	2,97	10
30 x 30	PA 30X30 AB	Anodized	Bronze	4,69	10
40 x 40	PA 40X40 AB	Anodized	Bronze	6,06	10

profiles >> PP-A* Flat Profile in Anodized Aluminum- thickness = 1 mm

H = mm	Art.	Finish	Variant	€/ m	pc ■
12	PP 12X2 AS	Anodized	Silver	1,93	10
15	PP 15X2 AS	Anodized	Silver	2,31	10
20	PP 20X2 AS	Anodized	Silver	2,60	10
25	PP 25X2 AS	Anodized	Silver	2,97	10
30	PP 30X2 AS	Anodized	Silver	3,42	10
12	PP 12X2 AO	Anodized	Gold	1,93	10
15	PP 15X2 AO	Anodized	Gold	2,31	10
20	PP 20X2 AO	Anodized	Gold	2,60	10
25	PP 25X2 AO	Anodized	Gold	2,97	10
30	PP 30X2 AO	Anodized	Gold	3,42	10
12	PP 12X2 AB	Anodized	Bronze	1,93	10
15	PP 15X2 AB	Anodized	Bronze	2,31	10
20	PP 20X2 AB	Anodized	Bronze	2,60	10
25	PP 25X2 AB	Anodized	Bronze	2,97	10
30	PP 30X2 AB	Anodized	Bronze	3,42	10




Silver



Gold



Bronze



White and black



Length: 2,00 meters.

Short length: 1m on request.

Indivisible packaging

White cod. €/m 0,93

Black cod. €/m 0,93

On request available with bar codes

+€/m 0,50 for minimum order of 100

pieces also mixed.

Indivisible packaging

AS= Anodized Amuninum Silver

AO= Anodized Amuninum Gold

AB= Anodized Amuninum Bronze



PL-A*



PU-A*



UN-A*



TT-A*



TQ-A*

profiles >> PL-A* "L" profile in Anodized Aluminum- thickness = 1 mm

H = mm	Art.		Finish	Variant	€/ m	pc ■
15 x 10	PL	15X10	AS	Anodized	1,93	10
20 x 10	PL	20X10	AS	Anodized	2,10	10
15 x 10	PL	15X10	AO	Anodized	1,93	10
20 x 10	PL	20X10	AO	Anodized	2,10	10
15 x 10	PL	15X10	AB	Anodized	1,93	10
20 x 10	PL	20X10	AB	Anodized	2,10	10

profiles >> PU-A* "U" profile in Anodized Aluminum- thickness = 1 mm

H = mm	Art.		Finish	Variant	€/ m	pc ■
10 x 15	PU	10X15	AS	Anodized	2,66	10
10 x 15	PU	10X15	AO	Anodized	2,66	10
10 x 15	PU	10X15	AB	Anodized	2,66	10

profiles >> UN-A* Bullnosed profile in Anodized Aluminum

H = mm	Art.		Finish	Variant	€/ m	pc ■
18	UN	18	AS	Anodized	2,15	10
22	UN	22	AS	Anodized	2,31	10
25	UN	25	AS	Anodized	2,33	10
18	UN	18	AO	Anodized	2,15	10
22	UN	22	AO	Anodized	2,31	10
25	UN	25	AO	Anodized	2,33	10
18	UN	18	AB	Anodized	2,15	10
22	UN	22	AB	Anodized	2,31	10
25	UN	25	AB	Anodized	2,33	10

profiles >> TT-A* Round in Anodized Aluminum- thickness = 1 mm

ø = mm	Art.		Finish	Variant	€/ m	pc ■
15	TT	15	AS	Anodized	2,71	10
18	TT	18	AS	Anodized	3,09	10
20	TT	20	AS	Anodized	3,42	10
15	TT	15	AO	Anodized	2,71	10
18	TT	18	AO	Anodized	3,09	10
20	TT	20	AO	Anodized	3,42	10
15	TT	15	AB	Anodized	2,71	10
18	TT	18	AB	Anodized	3,09	10
20	TT	20	AB	Anodized	3,42	10

profiles >> TQ-A* Square in Anodized Aluminum- thickness = 1 mm

H = mm	Art.		Finish	Variant	€/ m	pc ■
10 x 10	TQ	10X10	AS	Anodized	2,66	10
15 x 15	TQ	15X15	AS	Anodized	3,52	10
20 x 20	TQ	20X20	AS	Anodized	4,41	10
10 x 10	TQ	10X10	AO	Anodized	2,66	10
15 x 15	TQ	15X15	AO	Anodized	3,52	10
20 x 20	TQ	20X20	AO	Anodized	4,41	10
10 x 10	TQ	10X10	AB	Anodized	2,66	10
15 x 15	TQ	15X15	AB	Anodized	3,52	10
20 x 20	TQ	20X20	AB	Anodized	4,41	10




Silver



Gold



Bronze



White and black

Length: 2,00 meters.

Short length: 1m on request.

Indivisible packaging

White cod. €/m 0,93

Black cod. €/m 0,93

On request available with bar codes +€/m 0,50 for minimum order of 100 pieces also mixed.

Indivisible packaging

AS= Anodized Aluminum Silver

AO= Anodized Aluminum Gold

AB= Anodized Aluminum Bronze



RE-A*



CD-A*



PT-A*



TO-A*



QU-A*

profiles >> RE-A* Rectangular in Anodized Aluminum- thickness = 1 mm

H = mm	Art.	Finish	Variant	€/ m	pc ■
20 x 10	RE 20X10 AS	Anodized	Silver	3,52	10
30 x 15	RE 30X15 AS	Anodized	Silver	4,53	10
20 x 10	RE 20X10 AO	Anodized	Gold	3,52	10
30 x 15	RE 30X15 AO	Anodized	Gold	4,53	10
20 x 10	RE 20X10 AB	Anodized	Bronze	3,52	10
30 x 15	RE 30X15 AB	Anodized	Bronze	4,53	10

profiles >> CD-A* W profile in Anodized Aluminum- thickness = 1 mm

H = mm	Art.	Finish	Variant	€/ m	pc ■
16 x 12	CD 16X12 AS	Anodized	Silver	3,04	10
16 x 12	CD 16X12 AO	Anodized	Gold	3,04	10
16 x 12	CD 16X12 AB	Anodized	Bronze	3,04	10

profiles >> PT-A* "T" profile in Anodized Aluminum- thickness = 1,5 mm

H = mm	Art.	Finish	Variant	€/ m	pc ■
15 x 15	PT 15X15 AS	Anodized	Silver	2,85	10
25 x 25	PT 25X25 AS	Anodized	Silver	4,08	10
15 x 15	PT 15X15 AO	Anodized	Gold	2,85	10
25 x 25	PT 25X25 AO	Anodized	Gold	4,08	10
15 x 15	PT 15X15 AB	Anodized	Bronze	2,85	10
25 x 25	PT 25X25 AB	Anodized	Bronze	4,08	10

profiles >> TO-A* Ronde in Anodized Aluminum

ø = mm	Art.	Finish	Variant	€/ m	pc ■
8	TO 8 AS	Anodized	Silver	3,19	10
8	TO 8 AO	Anodized	Gold	3,19	10
8	TO 8 AB	Anodized	Bronze	3,19	10

profiles >> QU-A* Square in Anodized Aluminum

ø = mm	Art.	Finish	Variant	€/ m	pc ■
8 x 8	QU 8 AS	Anodized	Silver	3,86	10
8 x 8	QU 8 AO	Anodized	Gold	3,86	10
8 x 8	QU 8 AB	Anodized	Bronze	3,86	10




Silver



Gold



Bronze



White and black



Length: 2,00 meters.

Indivisible packaging

TOPLINE Cod. L+ €/m 3,55
Polished on request



PA-ON



PA-OL



PL-OL



PA-P*



PL-P*

profiles >> PAP-ON Equal angled section in Natural Brass - thickness = 1,5 mm

H = mm	Art.		Finish	€/ m	pc ■
15 x 15	PAP	15X15 ON	Natural	15,59	10
20 x 20	PAP	20X20 ON	Natural	20,86	10
25 x 25	PAP	25X25 ON	Natural	25,01	10

profiles >> PAP-ON "L" profile in Natural Brass - thickness = 1,5 mm

H = mm	Art.		Finish	€/ m	pc ■
25 x 15	PAP	25X15 ON	Natural	24,29	10

profiles >> PA-OL Equal angled section in Polished Brass - thickness = 1 mm

H = mm	Art.		Finish	€/ m	pc ■
15 x 15	PA	15X15 OL	Polished	11,52	10
20 x 20	PA	20X20 OL	Polished	14,88	10
25 x 25	PA	25X25 OL	Polished	18,45	10
30 x 30	PA	30X30 OL	Polished	23,06	10
35 x 35	PA	35X35 OL	Polished	26,07	10
40 x 40	PA	40X40 OL	Polished	30,20	10
50x 50	PA	50X50 OL	Polished	35,74	10

profiles>> PL-OL "L" profile in Polished Brass - thickness = 1 mm

H = mm	Art.		Finish	€/ m	pc ■
15 x 10	PL	15X10 OL	Polished	9,70	10
20 x 10	PL	20X10 OL	Polished	11,52	10
30 x 15	PL	30X15 OL	Polished	17,09	10

profiles >> PA-P* Equal angled section in PVC - thickness = 1,4 mm

H = mm	Art.		Finish	Variant	€/ m	pc ■
10 x 10	PA	10X10 P11	PVC	Pure White	1,60	10
15 x 15	PA	15X15 P11	PVC	Pure White	1,76	10
20 x 20	PA	20X20 P11	PVC	Pure White	2,01	10
25 x 25	PA	25X25 P11	PVC	Pure White	2,27	10
10 x 10	PA	10X10 P63	PVC	Dark Brown	1,60	10
15 x 15	PA	15X15 P63	PVC	Dark Brown	1,76	10
20 x 20	PA	20X20 P63	PVC	Dark Brown	2,01	10
25 x 25	PA	25X25 P63	PVC	Dark Brown	2,27	10

profiles >> PL-P* "L" profile in PVC - thickness = 1,4 mm

H = mm	Art.		Finish	Variant	€/ m	pc ■
15 x 10	PL	15X10 P11	PVC	Pure White	1,74	10
20 x 10	PL	20X10 P11	PVC	Pure White	1,86	10
30 x 15	PL	30X15 P11	PVC	Pure White	2,20	10
15 x 15	PL	15X15 P63	PVC	Dark Brown	1,74	10
20 x 20	PL	20X10 P63	PVC	Dark Brown	1,86	10
30 x 30	PL	30X15 P63	PVC	Dark Brown	2,20	10

profiltec




Silver



Gold



Bronze



White and black



screws » For threshold covers and baseboard

	mm	Art.	Finish	€ / set	set ■
	3 x 35	4481 set /	Brassed flat screw	10,96	200 pcs
	3 x 35	4482 set /	Chromed flat screw	10,96	200 pcs
	3 x 35	4483 set /	Bronzed flat screw	10,96	200 pcs




dowels » For threshold covers and baseboard

	mm	Art.	Finish	€ / set	set ■
	5 x 25	4484 set /	Nylon dowel	6,10	200 pcs



scissors » for PVC profile

	Art.	Finish	€ / pc	pc ■
	2643 / /	scissors	76,62	1



Marketing

Sale-point displays, detailed product catalogs and sample boxes offer new technical solutions to our customers.

Article	Pag.
Display	180
documentation	181
Totem	182
Samples	183





Professional Display

Professional Display » Division for Family Product

H = mm	Art.			Description	€ / pc
124 x 47 x 270	DISPSTD	GEN/	IT-GB	General	220,00
124 x 47 x 270	DISPSTD	GEN/	FR-DE	General	220,00
33	DISPSTD	KIT	DIV	Kit of 10 dividing bars	5,00
124 x 45	DISPSTD	KIT	BAS	Membrane stocking shelf	20,00



Pannelli espositivi

Panel Display » for showroom

H = mm	Art.			Description	€ / pc
200 x 100	PAN	TEC	IT	Technical Solution panel	180,00
200 x 100	PAN	DES	IT	Design Solution panel	180,00
200 x 100	PAN	TEC	GB	Technical Solution panel	180,00
200 x 100	PAN	DES	GB	Design Solution panel	180,00



Table Display Leveltec



Table Display Showertec

Table Display

H = mm	Art.			Description	€ / pc
32 x 10 x 42	ESP-	LEV		Table Display Leveltec + depliant	5,00
	ESP-	STC/	ENFRES	Table Display Showertec	13,50





Price List

Price List >> Price List Profiltec

		Art.	Description	€ / pc
	LIST	18/19 IT	Price List Italian	3,00
	LIST	18/19 EN	Price List English	3,00
	LIST	18/19 FR	Price List French	3,00
	LIST	18/19 DE	Price List German	3,00
	LIST	18/19 ES	Price List Spanish	3,00
	LIST	18/19 US	Price List United States	3,00
	LIST	18/19 CA	Price List Canada	3,00



General-technical Catalog

Technical documentation

H = mm	Art.	Description	€ / pc
21 x 15	CAT- TEC15/ IT/P	General-technical Catalog poket	3,00
21 x 15	CAT- TEC15/ EN/P	General-technical Catalog poket	3,00
21 x 15	CAT- TEC16/ NA/P	General-technical Catalog poket	3,00
21 x 15	CAT- TEC15/ FR/P	General-technical Catalog poket	3,00
21 x 15	CAT- TEC15/ DE/P	General-technical Catalog poket	3,00



Brochure

Brochure

H = mm	Art.	Description	€ / pc
21 x 29,7	BRO- APP15/ FRDE	Illustrative Brochure Appendo	0,50
21 x 29,7	BRO- BATT15/ FRDE	Illustrative Brochure Baseboards	0,50
21 x 29,7	BRO- BORDER15/ FRDE	Illustrative Brochure border	0,50
21 x 29,7	BRO- GIUN15/ ITEN	Illustrative Brochure joints	0,50
21 x 29,7	BRO- GIUN15/ FRDE	Illustrative Brochure joints	0,50
21 x 29,7	BRO- GLITTER15/ FRDE	Illustrative Brochure Glitter	0,50
21 x 29,7	BRO- LED15/ ITENFRDE	Illustrative Brochure Led	0,50
21 x 29,7	BRO- PARA15/ FRDE	Illustrative Brochure Stair nosing	0,50
21 x 29,7	BRO- SUPBOR15/ ITEN	Illustrative Brochure pedestals - border	0,50
21 x 29,7	BRO- LEV/ ITENFRDE	Illustrative Brochure Leveltec	0,50
21 x 29,7	BRO- SUPBO17/ ITENDE	Illustrative Brochure pedestals - border	0,50
21 x 29,7	BRO- SUPBO17/ ENFRES	Illustrative Brochure pedestals - border	0,50
21 x 29,7	BRO- STC/ ITENFR	Illustrative Brochure Showertec	0,50
21 x 29,7	BRO- STC/ ENFRDE	Illustrative Brochure Showertec	0,50
21 x 29,7	BRO- WMOD/ ITENFRDE	Illustrative Brochure Wall modern line	0,50
21 x 29,7	BRO- LVT/ ITENFRDE	Illustrative Brochure Wall modern line	0,50
21 x 29,7	BRO- FLO/ ITENFRDE	Illustrative Brochure Floortec	0,50



Totem

Set dox

Totem » Showroom - totem in wood

H = mm	Art.	Finish	€ / pc
187 x 960 x 30	DISP_ TOTEM	Totem in wood + DOX	300,00

Set Dox

H = mm	Art.	Description	€ / pc
33,5 x 26,7 x 7,5	DOX CAT11	DOX Documentation	7,80
33,5 x 26,7 x 7,5	DOX FIN11	DOX Finishes	11,50
33,5 x 26,7 x 7,5	DOX PAVI12	DOX Ceramic floors	11,50
33,5 x 26,7 x 7,5	DOX WOOD12	DOX Wooden floors	11,50
33,5 x 26,7 x 7,5	DOX GRAD12	DOX Stair nosing	11,50
33,5 x 26,7 x 7,5	DOX RIVE12	DOX Wall covering	11,50
33,5 x 26,7 x 7,5	DOX GIUN12	DOX Movement joints	11,50
33,5 x 26,7 x 7,5	DOX STRUT12	DOX Structural joints	11,50
33,5 x 26,7 x 7,5	DOX BALC12	DOX Balconies	11,50
33,5 x 26,7 x 7,5	DOX BATT12	DOX Baseboard	11,50
33,5 x 26,7 x 7,5	DOX GEN12	DOX General	11,50
33,5 x 26,7 x 7,5	DOX SHOWER18/ ENFRES	DOX Showertec	11,50



DISP Totem + Metal Totem



Totem

Table Display

Totem » Showroom - totem in metal

H = mm	Art.	Finish	€ / pc
35 x 42 x 170	DISP_ DIS	Totem in metal	20,00

Table Display

H = mm	Art.	Description	€ / pc
33,5 x 39,5	TDIS_ FIN1	Table Display Metal	10,00
33,5 x 39,5	TDIS_ FIN2	Table Display Color	10,00
33,5 x 39,5	TDIS_ LIS	Table Display Listel	10,00
33,5 x 39,5	TDIS_ BATT	Table Display Baseboard	10,00
33,5 x 39,5	TDIS_ BOR	Table Display Border	10,00



Leveltec



Totem Leveltec

Totem » Showroom - totem Leveltec

Art.	Finish	€ / pc
DISP_ LEV00	Totem Leveltec	6,00



Mididox

Mididox

H = mm	Art.			Finish	€ / pc
14,5 x 29,7	MIDI	WMOD18	ITENFRDE	Mididox Wall modern line	6,00
14,5 x 29,7	MIDI	LVT18	ITENFRDE	Mididox LVT	6,00
14,5 x 29,7	MIDI	FLO18	ITENFRDE	Mididox Floortec	6,00



Marble samples



color swatches PVC

Samples » Color Swatches

	Art.		Finish	€ / pc
	RJ-	COLORI- A12	Color swatches samples RJ - Aluminum	1,00
	RJ-	COLORI- P12	Color swatches samples RJ - PVC	1,00
	MULTICLIP-	FIN12	Swatches samples Multiclip	1,00
	RJ-	MARMI12	Color swatches samples RJ - marble	6,00
	CHAIN	FLOOR	Swatches samples floor coverings	10,50
	CHAIN	STAIRS	Swatches samples stair nosing	5,50
	CHAIN	WALL	Swatches samples wall coverings	12,00
	CHAIN	JOINTS	Swatches samples joints	6,00
	CHAIN	MARBLE	Swatches samples marble	5,00
	BORDER-	COL15	Swatches samples border	19,50



Mididox



generic

Sample box

H = mm	Art.		Finish	€ / pc
9,5 x 13	SEC/	LEV	Sample box Leveltec	5,14
9,5 x 13	SEC		Sample box	3,00



Sample box general / Leveltec

Code	Family	Product	Use	Pag.
AD	Floor covering profiles	Linotec	Separation	19
AE	Stair nosing profiles	Stairtec	Ribbed edge	53
APP 15	Wall covering profiles	Appendo	Hook	86
AV-AP-SC	Floor covering profiles	Linotec	PVC floors edge	40
BA400	Baseboards and wall protection rails	Baseboard	Minimal	142
BA600	Baseboards and wall protection rails	Baseboard	Standard	138
BA700	Baseboards and wall protection rails	Baseboard	Standard	138
BA-IL/IS	Baseboards and wall protection rails	Baseboard	Standard	138
Bandtec	Tile installation membranes	Bandtec	Waterproof Strip	136
BAR	Baseboards and wall protection rails	Baseboard	Decorative	141
new BAS	Baseboards and wall protection rails	Baseboard	minimal	142
BBS/BCS	Perimeter profiles for balconies	Bordertec	Perimeter Drainage	119
BB0/BC0	Perimeter profiles for balconies	Bordertec	Perimeter Drainage	123
BBR	Perimeter profiles for balconies	Bordertec	Perimeter Drainage	128
BD	Perimeter profiles for balconies	Bordertec	Multi-purpose perimeter	118
BDC	Perimeter profiles for balconies	Bordertec	Multi-purpose perimeter	118
BF	Baseboards and wall protection rails	Plano	Integrated	145
BFW	Baseboards and wall protection rails	Plano	Drywall	146
new BFZ	Baseboards and wall protection rails	Baseboard	structural	146
BIB/BIM	Baseboards and wall protection rails	Baseboard	bicolor - design	143
BI	Baseboards and wall protection rails	Baseboard	Internal Channel	143
BO	Perimeter profiles for balconies	Bordertec	Perimeter trim	124
BOS	Perimeter profiles for balconies	Bordertec	Perimeter drainage	125
BP	Wall covering profiles	Planotec	Countertop	83
BR	Perimeter profiles for balconies	Bordertec	Edge	127
BSR	Floor covering profiles	Bordertec	Contour	10
BSR	Tile installation accessories	Bordertec	Profiles for elevated floors	168
BSR	Perimeter profiles for balconies	Bordertec	End cap	128
BT	Wall covering profiles	Baseboard	Mosaic	83
BT	Baseboards and wall protection rails	Baseboard	Thin-set	144
BTR	Profili perimetrali per terrazze	Bordertec	modular	127
new BSJ	Stair nosing profiles	Stairtec	non-slip	45
BU	Tile installation accessories	Entrytec	Entrance mat	170
CA-CAJ	Movement joints profiles	Coflex	Thin-set	99
CAJP	Movement joints profiles	Coflex	Invisible	99
calandra	Tile installation accessories	Curveline	Bending machine	172

Code	Family	Product	Use	Pag.
CB	Movement joints profiles	Coflex	Replaceable Insert	103
CBL	Movement joints profiles	Coflex	Replaceable Insert	104
new CBR	Movement joints profiles	Coflex	Replaceable Insert	103
CD	Movement joints profiles	Coflex	Modular	106
CE	Movement joints profiles	Coflex	Thin-set	98
CF	Movement joints profiles	Coflex	Separation deep bed	106
CGD/CFD/CBD	Floor covering profiles	Carpetec	Carpet edge	39
CK	Movement joints profiles	Coflex	Technical	104
CKM	Movement joints profiles	Coflex	Mortar bed	105
CLF	Floor covering profiles	Multiclip®	Multiclip 6 ÷ 11 mm	30
CLF	Floor covering profiles	Multiclip®	Multiclip 12 ÷ 18 mm	30
CLG	Floor covering profiles	Multiclip®	Multiclip	29
CLG	Floor covering profiles	Multifix	Multifix	34
CLP	Floor covering profiles	Multiclip®	Multiclip perimeter	33
CLS	Floor covering profiles	Multiclip®	Multiclip Stair nosing profiles	31
CM	Movement joints profiles	Coflex	Modular	105
CMB	Movement joints profiles	Coflex	Modular	105
CO	Wall covering profiles	KeraCorner	Corner guard	89
CP	Movement joints profiles	Copritec	Modular	115
CPM	Movement joints profiles	Copritec	Modular	114
CPML/CPMP	Movement joints profiles	Jointec	Joint	114
CR	Wall covering profiles	Coflex	Internal cove	94
CR	Wall covering profiles	Coflex	Internal cove	107
CRM - BT	Wall covering profiles	CRM - BT	Mosaic	83
new CT	Movement joints profiles	Coflex	Grindable joint	102
CTL	Movement joints profiles	Coflex	Grindable	100
CTM	Movement joints profiles	Coflex	Grindable joint	106
new CTR	Movement joints profiles	Coflex	Grindable	102
CU-FI	Floor covering profiles	Cubetec	Joint	15
DC	Floor covering profiles	Variotec	Transition	27
DIC-DIT	Tile installation accessories	Spacers	Spacers	169
DR/DS	Floor covering profiles	Variotec	Edge strip	28
DISC10	Tile installation accessories	Spacers	External spacers	169
DIY	Tile installation accessories	Diy	Custom profiles	173
DK	Floor covering profiles	Variotec	Transition	27
Draintec3/8/S	Tile installation membranes	Draintec	Drainage	135

Code	Family	Product	Use	Pag.
EP	Floor covering profiles	Coverttec	Joint	15
ER	Wall covering profiles	Sanitec	Resin cove	94
FI	Stair nosing profiles	Stairtec	Non-slip trim	43
FIR	Stair nosing profiles	Stairtec	Resin Grip	44
FL-AS	Stair nosing profiles	Stairtec	Decorative for ceramic	45
FL-IL	Stair nosing profiles	Stairtec	Decorative Stainless Steel	45
new Floortec	Tile installation membranes	Floortec	uncoupling	134
FLR	Stair nosing profiles	Stairtec	Stainless Steel	45
FO	Stair nosing profiles	Stairtec	Non-slip technical	51
Foiltec	Tile installation membranes	Foiltec	Waterproofing/Uncoupling	132
FS	Stair nosing profiles	Stairtec	Non-slip trim	42
FSF	Stair nosing profiles	Stairtec	Non-slip trim	42
FSL	Stair nosing profiles	Stairtec	Non-slip edge	43
FW	Stair nosing profiles	Stairtec	Wood for ceramic	44
GA	Movement joints profiles	Jointec	Structural	110
GAD/GALD	Movement joints profiles	Jointec	Structural joint cover	111
GADP	Movement joints profiles	Jointec	Perimeter Structural Joint Cover	111
GAL/GALP	Movement joints profiles	Jointec	Structural	110
GAP	Movement joints profiles	Jointec	Structural	110
new GAS	Movement joints profiles	Jointec	structural	111
GC/GCP/GCR	Movement joints profiles	Jointec	Concrete floors	114
GD/GDL	Movement joints profiles	Jointec	Structural joint cover	114
GDM	Movement joints profiles	Jointec	Structural joint cover	114
GE/GEL	Movement joints profiles	Jointec	Structural	113
GEP/GELP	Movement joints profiles	Jointec	Perimeter modular	113
GH	Movement joints profiles	Jointec	Sliding structural	112
GI-GIL	Movement joints profiles	Jointec	Replaceable insert	115
GM/GML	Movement joints profiles	Jointec	Structural modular	109
GMP/GMLP	Movement joints profiles	Jointec	Perimeter modular	113
GR/GRL	Movement joints profiles	Jointec	Structural	108
GRM	Movement joints profiles	Jointec	Structural	108
GS	Movement joints profiles	Jointec	Seismic expansion joint	112
GT	Movement joints profiles	Jointec	Control joints	115
GW	Movement joints profiles	Jointec	Structural waterproof	112
IC	Baseboards and wall protection rails	Sanitec	Hygienic	145
IC	Wall covering profiles	Sanitec	Internal cover	95

Code	Family	Product	Use	Pag.
IJ	Wall covering profiles	InterJolly	Internal corner	95
K	Drainage systems	Profile Drain	Drainage profiles	153
KV/KPV	Drainage systems	Profile Drain	Sloping profiles	153
KJ-P	Wall covering profiles	KeraJolly	Co-extruded cove	78
KJ	Wall covering profiles	KeraJolly	Finish	81
LD	Drainage systems	Linear Drain	Shower Linear Drain	150
LEB	Profili LED	LED	LED	96
LEL	Profili LED	LED	LED	96
LEM	Profili LED	LED	LED	96
LES	Profili LED	LED	LED	96
LEV	Tile installation accessories	Leveltec	Levelling system	162
LG	Floor covering profiles	Woodtec	Decorative	37
LI 10	Wall covering profiles	Listec	Glitter decorative	84
LI 10 glitter	Wall covering profiles	Listec	Decorative	84
LI 15	Wall covering profiles	Listec	Glitter decorative	84
LI 15 glitter	Wall covering profiles	Listec	Decorative	84
LI 20-22	Wall covering profiles	Listec	Decorative mosaic	84
LIA	Wall covering profiles	Listelli	Decorative mosaic	86
LIM 44	Wall covering profiles	Mosaitect	Decorative mosaic	83
LIM 51	Wall covering profiles	Mosaitect	Wood end cap	83
LP	Floor covering profiles	Woodtec	Compensating edge	37
LT	Floor covering profiles	Woodtec	Wood end cap	36
MAG	Tile installation accessories	Magtec	Magnetic access panels	170
MA	Floor covering profiles	Carpetec	End cap moquettes	38
MS/MD	Floor covering profiles	Carpetec	End cap moquettes	39
MB	Floor covering profiles	Linetec	Separation	39
MG	Floor covering profiles	Carpetec	Carpet joint	38
MP	Floor covering profiles	Carpetec	Transition	38
MUD	Drainage systems	Multidrain	Surface outdoor drainage	154
new MUDR	Drainage systems	Multidrain	Surface outdoor drainage	155
new MulticlipLVT	Floor covering profiles	Multiclip	multiclip LVT	32
Multiclip	Floor covering profiles	Multiclip	multiclip	29
multicover	Floor covering profiles	Multicover	Wood	35
Multifix	Floor covering profiles	Multiclip	multiclip-multifix	34
PD	Perimeter profiles for balconies	Copridrain	Drain grate	152
PD	Drainage systems	Copridrain	Drain grate	152

Code	Family	Product	Use	Pag.
PQ	Floor covering profiles	Linetec	Junction	28
PR	Floor covering profiles	Linetec	Junction	28
PS	Tile installation accessories	Pesotec		170
PS130	Baseboards and wall protection rails	Plano	Drywall	145
PT	Floor covering profiles	Linetec	Separation	19
PU	Floor covering profiles	Linetec	Junction	28
RD	Floor covering profiles	Roundtec	Transition	16
RD	Stair nosing profiles	Serie	Rounded	46
RE	Wall covering profiles	RoundCorner	Corner joint	90
RJ	Floor covering profiles	Roundjolly	Thin-Set	12
RJ	Wall covering profiles	RoundJolly®	Junction	68
RJ	Stair nosing profiles	RoundJolly®	Thin-set	47
RJ - SJM	Stair nosing profiles	RJ - SJM		51
RJE	Wall covering profiles	RoundJolly®	Finishing	76
RJF	Wall covering profiles	Filojolly	Invisible	74
RJF	Wall covering profiles	Mosaitect	Mosaic	82
RJM	Wall covering profiles	Mosaitect	Mosaic	82
RJ-RD	Stair nosing profiles	Serie		46
RO	Wall covering profiles	RoundCorner	Corner guard	88
RP	Floor covering profiles	Leveltec	Transition	25
RS-IL	Wall covering profiles	Sanitec	Internal cove	90
SA	Stair nosing profiles	Stairtec	Non-slip edge	54
SB	Wall covering profiles	Sanitec	Internal cove	91
SB15-IL	Wall covering profiles	Sanitec	Junction	91
SB20/SB24	Wall covering profiles	Sanitec	Junction for bathub, shower trays	91
SB18/SB12	Wall covering profiles	Sanitec	Methacr. for bathub, shower trays	91
SB30	Wall covering profiles	Sanitec	Multipurpose junction	91
RS-IL	Wall covering profiles	Sanitec	Internal cove	90
SC	Stair nosing profiles	Stairtec	Vynil floors	56
SD	Drainage systems	Square Drain	Square	152
SE	Stair nosing profiles	Stairtec	Ribbed edge	54
SET80*	Tile installation accessories	SET	Floating floors	167
new Showertec	Drainage systems	Showertec	KIT Shower	156
SI	Stair nosing profiles	Stairtec	Floating floors	53
SJ	Floor covering profiles	Squarejolly	Stainless steel	13
SJ	Wall covering profiles	Squarejolly	Joint	60

Code	Family	Product	Use	Pag.
SJ	Stair nosing profiles	Squarejolly	Multi-purpose	49
SJM	Floor covering profiles	Mosaitect	Square for ceramic	12
SJM	Wall covering profiles	Mosaitect	Thin-Set	82
SJQ	Wall covering profiles	Squarejolly	Decorative	87
SJR	Stair nosing profiles	Squarejolly	Square with Resin Grip	50
SL	Stair nosing profiles	Stairtec	Retrofit	55
SM	Stair nosing profiles	Stairtec	Shower Tray	56
SM	Stair nosing profiles	Stairtec	Carpet	56
SP	Floor covering profiles	Coverttec	Joint	20
SR	Floor covering profiles	Trimtec	Trim	9
SR	Stair nosing profiles	Stairtec	Metal for ceramic tiles	45
ST	Floor covering profiles	Striptec	Threshold	21
STB/STP	Floor covering profiles	Striptec	Existing floors	24
STC	Tile installation accessories	Coprifilo		
SUPA	Tile installation accessories	Supporto	Supports self leveling head	166
SW	Stair nosing profiles	Stairtec	Non-slip strip	52
SWH	Stair nosing profiles	Walktec	Non-slip strip	52
SWP	Stair nosing profiles	Stairtec	Stainless steel button	52
SWR	Stair nosing profiles	Stairtec	Non-slip button	52
TJ	Wall covering profiles	Trialjolly	Edge	87
TR	Wall covering profiles	Kerajolly	Finish	77
TR	Floor covering profiles	Trimtec	Multipurpose	6
Variotec	Floor covering profiles	Variotec	Transition	27
WA	Wall covering profiles	Wallprotection	Corner guard	89
WA	Baseboards and wall protection rails	Wallprotection	Corner guard	147
WB	Baseboards and wall protection rails	Wallprotection	Hygienic	147
WP	Baseboards and wall protection rails	Wallprotection	Wall rail	147
ZP	Floor covering profiles	Leveltec	Junction	
ZR	Floor covering profiles	Zerotec	Transition	17
new ZR60	Floor covering profiles	Zerotec	Transition	16
ZRM	Floor covering profiles	Zerotec	Transition	16
ZRR	Floor covering profiles	Ramptec	Transition	18

+ Color



Pure White RAL 9010



Beige Bahama no RAL




Soft Blue no RAL



Red brown no RAL



Ivory White RAL 9001




Dark Beige RAL 1019



Soft Green no RAL



Dark brown no RAL



Rustic White no RAL



Cream RAL 1015



Micaceous Grey no RAL



Cement Grey RAL 7030



Light Grey RAL 9018



Ivory RAL 1013



Black RAL 9005



Soft Pink no RAL



Pastel Grey RAL 7038



Peach no RAL



Corten no RAL



Klinker Red no RAL



Embossed dove



Embossed pastel Grey




Embossed Cement Grey




Embossed Dark brown


+ Stone




White marble




Caramel Beige




Azure blue




Light travertine



Dove Beige




Grey marble



Travertine Beige



Antique Pink




Stone Grey



Marble navona




Peach Pink



Soft Green



Beige Pink



Beige yellow



Brazil Green

BORDER

+ Wood



RS
Bleached



AC
Marple



FA
Beechwood



RO
Oak



CI
Cherry



NC
Light walnut



NS
Dark walnut



WE
Wengé




RD
Decapé oak



RG
Grey oak



RW
Wengé oak



ATRS
Aluminum Whitened oak texture

+ Metal



AN
Natural Aluminum



AS
Silver Aluminum



AR
Aluminum copper




AB
Aluminum bronze



AOB
Bright polished Aluminum copper



ATWE
Aluminum wengé texture



AO
Aluminum gold



AT
Aluminum titanium



ASS
Brushed silver Aluminum



ASB
Bright polished Chrome



ASXB
Sanded bright polished silver Aluminum



ATTK
Aluminum teak texture



IL
Polished stainless steel



IS
Brushed stainless steel



IX
Sanded stainless steel




ATB
Bright polished Aluminum copper



ACXB
Sanded bright polished champagne Aluminum



ATRO
Aluminum oak texture



ON
Natural brass



OL
Polished brass



OC
Chromed brass



ARB
Bright polished Aluminum copper



ASSB
Brushed bright polished silver Aluminum

Code Key:

 **SELFLINE/PRE-CUT** 0.90 and 1.35 m
Ceramic line with EAN bar code without individual packaging

 **SELFLINE-A and SELFLINE-N/KIT PRE-CUT**
0.90 and 1.35 m
Individual PET packaging with EAN bar code

 **SELFLINE-F/KIT PRE-CUT**
 5+5 x 0.90m
 7 + 7 x 1.35 m
Individual packaging with screws and dowels

 **SELFLINE/KIT PRE-CUT MULTICLIP**
0.90 and 1.35 m

Individual packaging + base, clip screws and dowels

 **SELFLINE-T/KIT PRE-CUT MULTIFIX 6 pcs/m**
0.90 and 1.35 m + € 2,16
Individual packaging with 6 dowels/meter

 **CURVELINE/FORMABLE Code D**
AND + € 1,48 OND + € 2,65
ASD + € 1,48 ILD + € 2,95
Version with formable flange

10% price surcharge for profiles cut to length with off-cuts at charge.
"N" articles in the drilled version (holes every 18cm)
All the drilled articles "F" in 2,70m length can be supplied not drilled
"N" at the same price.

■ Standard box

⊠ Loose pcs - quantity below the standard box qty. supplied in minimum

Article Code/Profile section

Profile Length

TR

100

ON

270

Main dimension/Height-Width

Material/Finish

Terms and Conditions of Sale:

All prior conditions of sale shall be deemed to be modified as hereinafter stated and the following conditions shall be deemed to supersede and control disputes or claims to goods.

OFFERS AND PRICES

Prices exclude VAT and are intended Ex Works in Isola Vicentina (Vicenza, Italy) and do not include dispatch, custom duties freight and taxes. All quotations are not binding and are subject to change at any time, without prior notice. Product sale prices are those in force at the actual order delivery date.

CHARGES

Orders below € 500,00 net, will not be accepted. For orders amounting to less than € 800,00 net there will be an extra handling charge of € 30,00 net. Extra charges are due when goods are express shipped instead of standard trucking or by sea shipments. Further charges are incurred for shipments of the voluminous product families, Leveltec, Uptec and membranes. Products in excess of 3 meters in length can not be shipped express and shipping costs are quoted separately.

DELIVERY AND HANDLING

If Profilitec is prevented from carrying out the provisions hereof by reason of any acts constituting “force majeure” or any other event beyond its control, interfering with the production or delivery of the products as herein contemplated, Profilitec shall be exonerated from and shall not be liable for any loss or damage arising from any of the foregoing and shall be further excused from making deliveries and shall have, in addition to the foregoing and without prejudice thereto, the absolute right to cancel any purchase orders with respect to any of the products therein described or with respect to any part thereof without incurring any liability of any nature whatsoever other than the obligation to reimburse and return any payments of monies made in advance for the products which shall not be delivered for the reasons hereinabove set forth. Any delivery not in dispute shall be paid for regardless of any other existing disputes between Profilitec and the Buyer relating to other delivered or undelivered products.

INSPECTION AND SAMPLE

The Buyer shall have the right to inspect the products upon delivery of same. Failure by the Buyer to inspect the said products and specify in writing to Profilitec any defective products shall constitute on the Buyer's part an absolute and unconditional waiver of the Buyer's right to reject the products and shall be deemed an acceptance by the Buyer of the products as to quality and/or quantity of same. Any samples of the products shown to the Buyer prior to placement of any order with Profilitec are for the sole purpose and intent of exhibiting to the Buyer the type of products which may be the subject matter of an order by the Buyer. Such samples create no warranty on the part of Profilitec, implied or otherwise, that the said products ultimately forming the subject matter of an order placed by the Buyer necessarily shall conform with the samples referred to above.

CLAIMS

Any claim for damage, short shipment, misdelivery or defects of the products must be specified in writing and brought to the attention of Profilitec at the time of delivery. If no claim is made by the Buyer at the time of receipt of the products, then the right to make such claim or the right to reject any or all of the products shall be waived by the Buyer. At its option, Profilitec will either replace such products that are proven defective or allow credit for them.

TECHNICAL INDICATIONS

All product characteristics, technical data, samples, drawings and photos have a mere informative purpose, and may be subject to possible inaccuracies and are therefore not binding. Before adopting the recommendations and suggestions here reported, we kindly ask you to check that the articles you have chosen meet your requirements and targets and are suitable to the demanded rates of mechanical and chemical resistance. The suitability of each single product, movement joint and structural joint, should be appropriately evaluated by a competent planner. Our company reserves the right to change products and packaging without prior notice.

INSTALLATION

Profilitec shall in no way be responsible for any claims resulting from the installation or assembly of the products.

LIABILITY

Profilitec is not liable and/or responsible toward any third party and/or Buyer, as the case may be, for any damage and/or loss of any nature resulting directly or indirectly from the use of the products in a manner not in conformity with the instructions accompanying same and in effect with respect thereto and/or resulting from the products being improperly used. Prior to any use of products, the user and/or Buyer has the prior obligation to verify the suitability of the products for their intended use and the Buyer shall assume all risks and responsibility with respect thereto.

Profilitec's responsibility and liability with respect to defective products and/or work attaching thereto shall be confined solely to the replacement and/or repair of same. In addition to the foregoing, Profilitec shall alternatively have the right to reimburse the Buyer the purchase price paid with respect thereto rather than to replace and/ or repair the defective products.

TERMS OF PAYMENT FOR ESTABLISHED ACCOUNTS

An interest charge of 5% per annum may be levied on past due invoices. Upon failure by the Buyer to pay for the products, the Buyer shall be obliged to pay all costs of collection incurred by Profilitec including, without limitation, collection agency fees, statutory costs, disbursements, legal fees in an amount not in excess of but equal to 25% of the unpaid balance of the purchase price at the time of the referral of same by Profilitec to a collection agency, attorney, etc..

RETURNS

Profilitec shall not accept any returns unless it authorizes same in writing. In any event, Profilitec under no circumstances shall accept any returned products 30 days from the invoice date of same. All products returned must be in perfect condition and are subject to inspection by Profilitec prior to acceptance of same. Any returns which have not been authorized by Profilitec in advance may be refused; however, if Profilitec accepts the return, a handling charge of 25% will be charged. No returns will be accepted or allowed on any special orders.

ACCEPTANCE

Installation and/or use of the products by the Buyer shall constitute an irrevocable acceptance of the products. Failure to reject the products in the manner and within the time period stipulated in paragraphs 4 and 5 hereof shall be deemed to constitute an acceptance of the products.

CANCELLATION

Orders are not subject to cancellation or deferment of shipment unless Profilitec is indemnified against the loss resulting there from. Profilitec shall not be responsible for delays or non performance caused by strikes, fires or other causes beyond its control, as the whole is stipulated in paragraph 3 hereof. Orders entered on Profilitec's order book cannot be cancelled or changed without Profilitec's prior written consent and only on the terms which will indemnify Profilitec against all loss. At no time shall Profilitec accept the cancellation and/ or change of a special order.

SPECIAL ORDERS

The Buyer will defend, at its own expense, any suit which may be brought against Profilitec by reason of the manufacture or sale of special products made to the Buyer's specifications, including any third party proceedings.

MODIFICATIONS OF CONDITIONS

No modifications of the conditions can be made without the prior written authorization from a representative of Profilitec.

LAWS AND JURISDICTION

Sales are governed by Italian law. Any dispute between the parties falls under the competence of the Vicenza Courts. Profilitec S.p.A. reserves the right to recover goods supplied in case of default of payment, according to the terms agreed in the established conditions of sale.

Participation to Transport charges:

Delivery c/o Italian warehouse	
Free Italian Correspondent For net orders above €1.500,00 Valid for the following Italian Regions: Veneto Trentino Alto Adige Friuli Venezia Giulia Lombardia Piemonte Emilia Romagna	Normal Carrier • Free of charge up to: max. 250 Kg / Vol. 1 m³ • Participation to charges abv. 250 Kg /Vol. 1 m³: Charge of €10,00 each taxable 100 Kg exceding the 250 Kg. (weight/vol rate: 250 Kg= 1 m³)
	Express carrier (Max. length 2,70 m) • Free of charge up to: max. 50 Kg / Vol. 0,25 m³ • Participation to charges abv. 50 Kg /Vol. 0,25 m³ Charge of €18,00 each taxable 75 Kg €24,00 each taxable 100 Kg exceding the 50 Kg. (weight/vol rate: 300 Kg= 1 m³)
	Tot. charge €30,00 up to taxable 300 Kg (normal carrier/ express up to 20 Kg)
Participation to charges For net orders below €1.500,00 (same regions)	Express service on request over the 20 Kg • from 20 to 50 Kg: Tot. Charge €14,00 • from 50 to 100 Kg: Tot. Charge €24,00
Note: Charges are always calculated rounded of to the 100 Kg above.	

ALL RIGHTS ARE RESERVED

It is forbidden even partial reproduction of text, photographs and illustrations contained in this catalog without written authorization of Profilitec S.p.A.
 Price List Profilitec S.p.A - Code LIST19/EN
 Printed December 2018 - Revision DIR./00.

Distribution not controlled.
 End date validity as a complement to the new price list print.

Copyright by Profilitec S.p.A. 36033 Isola Vicentina (VI) Italy
 Printed in December 2018.





Profilitec SpA
Via Scotte, 3
36033 - Isola Vicentina
(Vicenza) ITALY
www.profilitec.com

Contatti:
tel: +39 0444 268311
fax: +39 0444 268319
e-mail: export@profilitec.com (EXP)
e-mail: profilitec@profilitec.com (IT)



- + FLOOR COVERING PROFILES
- + STAIR NOSING PROFILES
- + WALL COVERING PROFILES
- + MOVEMENT JOINT PROFILES
- + PERIMETER PROFILES FOR BALCONIES AND TERRACES
- + TILE INSTALLATION MEMBRANES
- + BASEBOARDS AND WALL PROTECTION RAILS
- + DRAINAGE SYSTEMS
- + TILE INSTALLATION ACCESSORIES